


INSTRUCTION SHEET

PWR-9-RPM

ESSEX RACKMOUNT POWER WITH MONITOR



THANK YOU

Thank you for purchasing the PWR-9-RPM. Please read these instructions thoroughly before installing this product.

PRODUCT FEATURES

- Value priced power specially designed for the Essex collection.
- Line to neutral surge protection and filtering.
- Local meter to display current, voltage and power draw.

IMPORTANT SAFETY INSTRUCTIONS

READ AND SAVE THESE INSTRUCTIONS!
CONSERVER CES INSTRUCTIONS!

WARNING/ATTENTION



Contains switched receptacle(s). To reduce risk of shock, disconnect the device from the power source before servicing any connected equipment.

Contient de(s) receptacle(s) commuté(s). Pour réduire les risques d'électrocution, débranchez l'appareil de la source d'alimentation avant l'entretien de tout équipement connecté.



Do not overload the wall outlet where this device is being connected. Do not overload this device. Ensure the total load to this device does not exceed that which is listed in the specifications section of this manual.

Ne surchargez pas le réceptacle de mur ou le circuit qui fournit l'énergie à ce appareil. Ne pas surcharger cette appareil. S'assurer que la charge totale à cet appareil ne dépasse pas celle qui est répertoriée dans la section des spécifications de ce manuel.



Ensure this device is connected to a properly grounded AC power source. Ensure the device is plugged into a source providing the required 120V. Do not use a plug adapter that defeats the ground pin of the AC plug.

Assurez-vous cet appareil est connecté à une source d'alimentation C/A avec mise à la terre. Assurez-vous cet appareil est branché sur une source d'alimentation fournissant les nécessaires 120V. Ne pas utiliser un adaptateur qui contrecarre la broche de terre de la prise du cordon d'alimentation.



There are no user-serviceable components within this device. Removal of the cover from this device may present a shock hazard, and void the warranty.

Il n'y a pas de composants réparables par l'utilisateur au sein de cet appareil. Retrait de la couverture de cet appareil peut présenter un danger d'électrocution et annuler la garantie.



To be used indoors in a dry location only.

Pour être utilisé en intérieur dans un endroit sec seulement.



Do not operate with a damaged cord or plug.

Ne pas faire fonctionner avec un cordon ou une prise endommagée.



Clean only with dry cloth.

Nettoyer avec un chiffon sec seulement.



Please read and observe all safety and operating instructions before installing your unit. Retain these instructions for future reference.

Veuillez lire et observer toutes les mesures de sécurité et les instructions de fonctionnement avant d'installer votre dispositif de l'alimentation. Veuillez conserver ces instructions pour toute référence ultérieure.



This equipment is not intended to be used in conjunction with life support systems or life saving devices.

Cet appareil n'est pas destiné à être utilisé en conjonction avec les systèmes de soutien de la vie ou des dispositifs d'épargne vie.



Your unit requires that a safety ground be present for proper operation. Any attempt to operate the unit without a safety ground is considered improper operation and could invalidate the warranty.

Ne tentez pas de réparer votre dispositif de conditionnement de l'alimentation au-delà de ce qui est décrit dans ce guide. Tout autre entretien doit être acheminé au centre de service certifié.



DANGER HAZARDOUS VOLTAGE/DANGER HAUTE TENSION

The lightning flash with the arrowhead symbol, within an equilateral triangle is intended to alert the user to the presence of uninsulated dangerous voltage within the product's enclosure that may be of sufficient magnitude to constitute a risk of electric shock to persons.

L'éclair avec le symbole de flèche dans un triangle équilatéral est destiné à alerter l'utilisateur de la présence d'une tension dangereuse non isolée dans l'enceinte du produit qui peut être d'une ampleur suffisante pour constituer un risque de choc électrique pour les personnes.



CAUTION/ATTENTION

The exclamation point within an equilateral triangle is intended to alert the user to the presence of important operating and maintenance (servicing) instructions in the literature accompanying the appliance.

Le point d'exclamation dans un triangle équilatéral est destiné à alerter l'utilisateur de la présence d'importants instructions d'opération et de maintenance (entretien) dans la documentation accompagnant l'appareil.



Do not place your unit near heat sources such as radiators, heat registers, stoves, or other appliances that produce heat.

Ne positionnez pas votre dispositif de conditionnement de l'alimentation près d'une source de chaleur telle qu'un radiateur, une bouche de chauffage, un poêle ou tout autre appareil produisant de la chaleur.



Route the power cord and other cables so that they are not likely to be walked on, tripped over, or stressed. Pay particular attention to the condition of the cords and cables at the plugs, and the point where they exit your unit.

Acheminez les cordons d'alimentation et les autres câbles de manière à ce qu'on ne puisse pas les écraser ni trébucher sur ceux-ci. Portez une attention particulière à la condition des cordons et des câbles et aux points précis où ils sortent de votre dispositif de conditionnement de l'alimentation.



IF BACKUP POWER IS SUPPLIED BY A UPS:
SI LA SAUVEGARDE ALIMENTATION EST FOURNIE PAR UN ONDULEUR:



A UPS with a "modified square wave" or other "simulated sine wave" output could potentially damage this device.

Un onduleur avec une "onde carrée modifiée" ou autre "onde sinusoïdale simulée" sortie pourrait endommager cet appareil.



A UPS with a "pure sine wave" output is required.


Un onduleur avec une "onde sinusoïdale pure" sortie est nécessaire.

FCC NOTICE

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

FEATURE SET



- ① **12 AMP/125 VOLT/60 Hz OUTLET**
- ② **SURGE PROTECTION STATUS LED:** Illuminates when protected.
- ③ **VOLTAGE/AMPERAGE/KILOWATT LED DISPLAY:** Press the button (4) to change display.
 - Ⓐ **VOLTAGE DISPLAY:** Small LED will illuminate on the right (facing the unit).
 - Ⓑ **AMPERAGE DISPLAY:** Small LED will illuminate in the center.
 - Ⓒ **KILOWATT DISPLAY:** Small LED will illuminate on the left.
- ④ **DISPLAY SELECTION BUTTON**
- ⑤ **ILLUMINATED POWER SWITCH WITH INTEGRATED 15 AMP CIRCUIT BREAKER**
- ⑥ **9FT POWER CORD**
- ⑦ **GROUND/BONDING STUD**
- ⑧ **EIGHT 12 AMP/125 VOLT/60 Hz OUTLETS**

ESSEX

by Middle Atlantic

middleatlantic.com/essex ■ 800.266.7225

WARRANTY

Middle Atlantic Products, Inc. (the "Company") warrants the PWR-9-RPM to be free from defects in material or workmanship under normal use and conditions for a period of (3) three years from date of shipment by the Company.

The Company's entire liability to the purchaser, and the purchaser's (or any other party's) sole and exclusive remedy, under this warranty shall be limited, at the Company's option, to either (a) return of and refund of the price paid for, or (b) repair or replacement at the Company's factory of the products purchased, or any part or parts thereof, which the Company has determined to be defective after inspection thereof at the Company's factory. This warranty does not cover damage due to acts of God, accident, misuse, abuse or negligence by parties other than the Company, or any modification or alteration of the products. In addition, this warranty does not cover damage due to improper handling, assembly, installation or maintenance.

THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, IN NO EVENT SHALL THE COMPANY BE LIABLE FOR ANY SPECIAL, INCIDENTAL, INDIRECT, OR CONSEQUENTIAL DAMAGES WHATSOEVER (INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF BUSINESS PROFITS, BUSINESS INTERRUPTION OR ANY OTHER PECUNIARY LOSS) ARISING OUT OF THE USE OF THE PRODUCTS PURCHASED, EVEN IF THE COMPANY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. THE COMPANY'S LIABILITY TO THE PURCHASER (OR ANY OTHER PARTY) HEREUNDER, IF ANY, SHALL IN NO EVENT EXCEED THE PURCHASE PRICE OF THE PRODUCTS PAID TO THE COMPANY.

Corporate Headquarters

Corporate Voice 973-839-1011 - Fax 973-839-1976 / International Voice +1 973-839-8821 - Fax +1 973-839-4982
middleatlantic.com - info@middleatlantic.com

Middle Atlantic Canada

Voice 613-836-2501 - Fax 613-836-2690 / middleatlantic.ca - customerservicecanada@middleatlantic.ca

Factory Distribution

USA: NJ - CA - IL Canada: ON - BC