

# HDMI CATX EXTENDERS, RECEIVERS, SPLITTERS

- Full 480P, 720P, 1080i, 1080P support
- Support DVI resolution up to 1920x1200
- Extend HDMI signals up to 35 meters (115 feet) at resolutions of 1920 x 1080P
  - Uses a single CATx cable
  - Support HDMI 1.2 / 1.3
  - Support IR and 3D\*

## \*HDMI-1-E-IR / HDMI-1-R-IR features

### HDMI-1-E/R

Single-port HDMI Extender, Receiver




### HDMI-1-E-IR/R

Single-port HDMI Extender, Receiver with InfraRed




## HDMI-1-EM

Single-port HDMI Extender w/  
Monitor Output




## HDMI-1-ERM

Single-port HDMI Extender /  
Receiver w/ Monitor Output




## HDMI-4-SERM

4-port HDMI Splitter / Extender /  
Receiver w/ Monitor Output



## HDMI-8-SER


8-port HDMI Splitter / Extender /  
Receiver



# HDMI CATX EXTENDERS, RECEIVERS, SPLITTERS


## HDMI-SR

HDMI Short Distance Receiver



## HDMI-PHR

HDMI Short Distance Receiver with Power



MODEL	HDMI-1-E	HDMI-1-R	HDMI-1-E-IR	HDMI-1-R-IR	HDMI-1-EM
<b>DESCRIPTION</b>	Single-port HDMI Extender	Single-port HDMI Receiver	Single-port HDMI Extender with InfraRed	Single-port HDMI Receiver with InfraRed	Single-port HDMI Extender with Monitor Output
<b>INPUTS</b>	1 x HDMI	1 x RJ45	1 x HDMI 1 x IR Emitter	1 x RJ45	1 x HDMI
<b>OUTPUTS</b>	1 x RJ45	1 x HDMI	1 x RJ45	1 x HDMI 1 x IR Receiver	1 x HDMI 1 x RJ45
<b>MOUNT</b>	n/a	n/a	n/a	n/a	Magnetic
<b>ADJUSTMENTS</b>	n/a	Equalizer	n/a	Equalizer	Equalizer
<b>RESOLUTION</b>	Maximum Resolution of 1920 x 1200 up to 35 meters (115 feet)				
<b>DIMENSIONS</b>	67 mm W x 37 mm D x 24 mm H				62 mm W x 113 mm D x 29 mm H
<b>POWER</b>	DC 5v 1000 mA	DC 5v 1000 mA	DC 5v 1000 mA	DC 5v 1000 mA	DC 5v 2000 mA
MODEL	HDMI-1-ERM	HDMI-4-SERM	HDMI-8-SERM	HDMI-SR	HDMI-PHR
<b>DESCRIPTION</b>	Single-port HDMI Extender / Receiver w/ Monitor Output	4-port HDMI Splitter Extender w/ Monitor Output	8-port HDMI Splitter Extender w/ Monitor Output	HDMI Short Distance Receiver	HDMI Short Distance Receiver with Power
<b>INPUTS</b>	1 x RJ45	1 x HDMI	1 x HDMI	1 x RJ45	1 x RJ45
<b>OUTPUTS</b>	1 x HDMI 1 x RJ45	1 x HDMI 4 x RJ45 1 x RJ45 (Link)	1 x HDMI 8 x RJ45 (HDMI) 1 x RJ45 (Link)	1 x HDMI	1 x HDMI
<b>MOUNT</b>	Magnetic	Rack Mount	Rack Mount	n/a	n/a
<b>ADJUSTMENTS</b>	Equalizer	Equalizer	Equalizer	n/a	n/a
<b>RESOLUTION</b>	Maximum Resolution of 1920 x 1200 up to 35 meters (115 feet)			Maximum Resolution of 1920 x 1200 up to 10 meters (35 feet)	
<b>DIMENSIONS</b>	62 mm W x 113 mm D x 29 mm H	240 W x 130 D x 44 H (mm)		Compact	Compact
<b>POWER</b>	DC 5V 2000 mA	DC 5V 3000 mA	DC 5V 3000 mA	n/a	DC 5V 1000 mA