

# PT-H500LI

## Rechargeable Take-It-Anywhere Labeler with PC-Connectivity

**Caution!**

Travel Expenses

**Special Offer**

↑ Lock Washer  
1/4-20 NF Thread Size  
0 12502 05400 9



Create labels on-the-go,  
or connected to your PC or Mac

# Powerful functionality, combined with handheld portability.

Labeling to help improve productivity and organization is a best practice that's relevant for workplaces of every kind - not just the traditional office. That's why Brother™ designed the P-touch® PT-H500LI with robust functionality, in an easy-to-use, take-it-anywhere size. Its bright display, rechargeable battery, QWERTY-style keyboard, and Windows®/Mac® compatibility make it great for store owners, warehouse managers, building contractors, and other professionals who need the flexibility of printing labels away from their desk or connected to a computer.



## Create durable labels for a variety of applications... Wherever your office may be.



Label to *Organize & Identify*...



Label to *Look Professional*...



Label to *Protect Your Assets*...



Labels are for illustrative purposes. Actual output (such as font and margins) may vary.

# Professional labeling... in the palm of your hand.

## Flexible Power Source

Powered by an included rechargeable, Li-ion battery, or optional alkaline batteries, this labeler can go virtually anywhere. Great for professionals whose work requires them to be away from a desk for much, if not all, of their day.

## Expanded Design Options<sup>◆</sup>

The included P-touch Editor Label Design Software enables printing professional-looking, customized labels from your Windows or Mac computer. Simply connect using the included USB cable to create an impressive array of labels with fonts or graphics on your computer.

## Easy and accurate typing

Unlike many handheld labelers, the PT-H500LI offers a generously-sized, QWERTY-style keyboard that makes typing easy and virtually effortless. In addition, the intuitive, one-touch formatting keys support quick label creation.

## Print large, easy-to-read labels for a variety of uses

Use durable, laminated TZe tapes up to 24mm wide (approximately 1") to make labels with up to seven lines of text and graphics. Print up to 48 point text for maximum readability. The extensive library of fonts, symbols, frames, and barcodes help to create virtually any label imagined.

## Durable Tapes

Leave a lasting impression with labels that look great and stay affixed for years. Our durable, TZe series of tapes produce labels whereby the text is printed under and protected by a clear laminate layer. The result is sharp, professional quality labels that remain affixed and clearly readable for years.



## Key Features at a Glance:

- Powered by included rechargeable Li-ion battery pack
- Preview work on the large Brother Vivid Bright display
- Create extra-wide, durable labels for indoor or outdoor use
- Connect to a PC/Mac to print customized labels using the included label design software<sup>◆</sup>
- Print multiple lines of text and graphics
- Intuitive one-touch keys for quick, easy label formatting
- Super-fast print speeds and auto cutting support efficient multi-label printing
- Hundreds of built-in symbols, fonts, frames, and barcodes
- 2-year limited warranty and free phone support for the life of the machine



<sup>◆</sup> Windows software/print driver included on CD-ROM, Mac software/print driver available as a free download.

### Hardware Features:

|                          |   |
|--------------------------|---|
| Display                  | Graphical with Backlight  |
| Display Size             | 16 characters x 3 lines   |
| Maximum Tape Width       | 24mm  |
| Built-in Memory          | Up to 50 labels   |
| Keyboard                 | QWERTY  |
| Tape Cutter              | Automatic   |
| Maximum Print Speed      | 20mm/sec. (using rechargeable battery)<br>30mm/sec. (using AC power adapter)                              |
| Maximum Print Resolution | 180 dpi   |
| Maximum Print Height     | 18.0mm  |
| Power Source             | Rechargeable Li-ion battery pack (included)<br>AC power adapter (included)<br>6 x AA Batteries (optional) |
| Auto Power Off           | Yes   |
| Interface                | USB   |

### Carton Contents:

|  |
|--|
| PT-H500 Label Printer  |
| Black on White Standard Laminated TZe Starter Tape 0.94" (24mm) x 13.1' (4m)   |
| Rechargeable Li-ion battery pack   |
| AC power adapter   |
| USB Cable  |
| P-touch Editor Label Design Software/Drivers for Windows (CD-ROM)<br>P-touch Editor Label Design Software/Drivers for Mac (Download) |
| Wrist Strap  |
| Quick Set-up Guide   |

### Accessories\*:

|         |   |
|---------|---|
| BA-E001 | Rechargeable Li-ion battery pack (included) |
| AD-E001 | AC power adapter (included)                 |

See next page for a detailed list of compatible tapes.\*

\* Additional purchase required.  
Labels are for illustrative purposes. Actual output (such as font and margins) may vary.

### Software Features:

|                                 |   |
|---------------------------------|---|
| Number of Fonts                 | 14  |
| Types of Fonts                  | Helsinki, Brussels, Belgium, Florida, Los Angeles, San Diego, US, Calgary, Atlanta, Adams, Brunei, Sofia, Germany, LetterGothic |
| Number of Font Styles           | 10  |
| Number of Font Sizes            | 8   |
| Maximum Print Lines             | 7   |
| Number of Font Widths           | 4   |
| Pre-formatted Label Templates   | 25 (Label Collection)   |
| Barcode Printing                | 9 kinds(CODE39, ITF 2/5, EAN13, EAN8, UPC-A, UPC-E, CODABAR, GS1-128(UCC/EAN128), CODE128)                                      |
| Built-in Symbols                | 617   |
| Built-in Frames                 | 99  |
| Auto Numbering                  | 1-99, A-Z, a-z  |
| Repeat Printing                 | Up to 99 copies   |
| Vertical Printing               | Yes   |
| Mirror Printing                 | Yes   |
| Number of Languages Supported   | 20  |
| Operating Systems Compatibility | Windows®8, Windows®7, Windows Vista®<br>Mac® v10.6.x, 10.7.x, 10.8.x  |



## About Our Tapes:

### Tapes for most any application\*

Choose from a wide variety of TZe tapes - use Standard Laminated Tapes for general workplace labeling, or use one of many specialty tapes for identifying wires and cables, or adding tamper-evident security. There's even non-laminated fabric iron-on tape for labeling uniforms, linens, and more. The split back tapes allow for hassle free application.



### Better performing labels by design

The PT-H500LI uses tapes from our best-selling TZe laminated tape family. Text and images printed on TZe tape are protected by a thin, clear film to withstand water, grease, fading, abrasion, heat, cold, and demanding outdoor environments.



## Standard Adhesive Laminated Tapes:

Standard Adhesive Laminated Tapes stick to virtually any surface and are great for most applications, indoors and out.

|                |  |
|----------------|--|
| <b>TZe-111</b> | 6mm (0.23") x 8m (26.2 ft) Black on Clear tape               |
| <b>TZe-211</b> | 6mm (0.23") x 8m (26.2 ft) Black on White tape               |
| <b>TZe-315</b> | 6mm (0.23") x 8m (26.2 ft) White on Black tape               |
| <b>TZe-121</b> | 9mm (0.35") x 8m (26.2 ft) Black on Clear tape               |
| <b>TZe-221</b> | 9mm (0.35") x 8m (26.2 ft) Black on White tape               |
| <b>TZe-325</b> | 9mm (0.35") x 8m (26.2 ft) White on Black tape               |
| <b>TZe-421</b> | 9mm (0.35") x 8m (26.2 ft) Black on Red tape                 |
| <b>TZe-131</b> | 12mm (0.47") x 8m (26.2 ft) Black on Clear tape              |
| <b>TZe-135</b> | 12mm (0.47") x 8m (26.2 ft) White on Clear tape              |
| <b>TZe-231</b> | 12mm (0.47") x 8m (26.2 ft) Black on White tape              |
| <b>TZe-232</b> | 12mm (0.47") x 8m (26.2 ft) Red on White tape                |
| <b>TZe-334</b> | 12mm (0.47") x 8m (26.2 ft) Gold on Black tape               |
| <b>TZe-335</b> | 12mm (0.47") x 8m (26.2 ft) White on Black tape              |
| <b>TZe-631</b> | 12mm (0.47") x 8m (26.2 ft) Black on Yellow tape             |
| <b>TZe-141</b> | 18mm (0.7") x 8m (26.2 ft) Black on Clear tape               |
| <b>TZe-145</b> | 18mm (0.7") x 8m (26.2 ft) White on Clear tape               |
| <b>TZe-241</b> | 18mm (0.7") x 8m (26.2 ft) Black on White tape               |
| <b>TZe-242</b> | 18mm (0.7") x 8m (26.2 ft) Red on White tape                 |
| <b>TZe-243</b> | 18mm (0.7") x 8m (26.2 ft) Blue on White tape                |
| <b>TZe-344</b> | 18mm (0.7") x 8m (26.2 ft) Gold on Black tape                |
| <b>TZe-345</b> | 18mm (0.7") x 8m (26.2 ft) White on Black tape               |
| <b>TZe-441</b> | 18mm (0.7") x 8m (26.2 ft) Black on Red tape                 |
| <b>TZe-541</b> | 18mm (0.7") x 8m (26.2 ft) Black on Blue tape                |
| <b>TZe-545</b> | 18mm (0.7") x 8m (26.2 ft) White on Blue tape                |
| <b>TZe-641</b> | 18mm (0.7") x 8m (26.2 ft) Black on Yellow tape              |
| <b>TZe-741</b> | 18mm (0.7") x 8m (26.2 ft) Black on Green tape               |
| <b>TZe-B41</b> | 18mm (0.7") x 5m (16.4 ft) Black on Fluorescent Orange tape  |
| <b>TZe-151</b> | 24mm (0.94") x 8m (26.2 ft) Black on Clear tape              |
| <b>TZe-251</b> | 24mm (0.94") x 8m (26.2 ft) Black on White tape              |
| <b>TZe-252</b> | 24mm (0.94") x 8m (26.2 ft) Red on White tape                |
| <b>TZe-354</b> | 24mm (0.94") x 8m (26.2 ft) Gold on Black tape               |
| <b>TZe-355</b> | 24mm (0.94") x 8m (26.2 ft) White on Black tape              |
| <b>TZe-451</b> | 24mm (0.94") x 8m (26.2 ft) Black on Red tape                |
| <b>TZe-651</b> | 24mm (0.94") x 8m (26.2 ft) Black on Yellow tape             |
| <b>TZe-B51</b> | 24mm (0.94") x 5m (16.4 ft) Black on Fluorescent Orange tape |

## Simply Stylish Laminated Tapes:

These brightly colored tapes give labeling projects extra flair.

|                  |   |
|------------------|---|
| <b>TZe-MQ835</b> | 12mm (0.47") x 5m (16.4 ft) White on Satin Gold tape  |
| <b>TZe-MQ934</b> | 12mm (0.47") x 5m (16.4 ft) Gold on Satin Silver tape |
| <b>TZe-MQG35</b> | 12mm (0.47") x 5m (16.4 ft) White on Lime Green tape  |
| <b>TZe-MQP35</b> | 12mm (0.47") x 5m (16.4 ft) White on Berry Pink tape  |

## Iron-on Fabric Tape:

This tape can be adhered by ironing.

|                |   |
|----------------|---|
| <b>TZe-FA3</b> | 12mm (0.47") x 3m (9.8 ft) Navy Blue on White Fabric tape |
|----------------|---|

## Extra-Strength Laminated Tapes:

These tapes have stronger adhesion strengths than standard adhesive tapes, making them ideal for uneven and rough-textured surfaces, slippery painted metal and plastic surfaces and surfaces exposed to harsh environments.

|                 |   |
|-----------------|---|
| <b>TZe-S211</b> | 6mm (0.23") x 8m (26.2 ft) Black on White Tape, Extra Strength Adhesive         |
| <b>TZe-S121</b> | 9mm (0.35") x 8m (26.2 ft) Black on Clear Tape, Extra Strength Adhesive         |
| <b>TZe-S221</b> | 9mm (0.35") x 8m (26.2 ft) Black on White Tape, Extra Strength Adhesive         |
| <b>TZe-S621</b> | 9mm (0.35") x 8m (26.2 ft) Black on Yellow Tape, Extra Strength Adhesive        |
| <b>TZe-S131</b> | 12mm (0.47") x 8m (26.2 ft) Black on Clear Tape, Extra Strength Adhesive        |
| <b>TZe-S135</b> | 12mm (0.47") x 8m (26.2 ft) White on Clear Tape, Extra Strength Adhesive        |
| <b>TZe-S231</b> | 12mm (0.47") x 8m (26.2 ft) Black on White Tape, Extra Strength Adhesive        |
| <b>TZe-S631</b> | 12mm (0.47") x 8m (26.2 ft) Black on Yellow Tape, Extra Strength Adhesive       |
| <b>TZe-S141</b> | 18mm (0.7") x 8m (26.2 ft) Black on Clear Tape, Extra Strength Adhesive         |
| <b>TZe-S241</b> | 18mm (0.7") x 8m (26.2 ft) Black on White Tape, Extra Strength Adhesive         |
| <b>TZe-S641</b> | 18mm (0.7") x 8m (26.2 ft) Black on Yellow Tape, Extra Strength Adhesive        |
| <b>TZe-S941</b> | 18mm (0.7") x 8m (26.2 ft) Black on Matte Silver Tape, Extra Strength Adhesive  |
| <b>TZe-S151</b> | 24mm (0.94") x 8m (26.2 ft) Black on Clear Tape, Extra Strength Adhesive        |
| <b>TZe-S251</b> | 24mm (0.94") x 8m (26.2 ft) Black on White Tape, Extra Strength Adhesive        |
| <b>TZe-S651</b> | 24mm (0.94") x 8m (26.2 ft) Black on Yellow Tape, Extra Strength Adhesive       |
| <b>TZe-S951</b> | 24mm (0.94") x 8m (26.2 ft) Black on Matte Silver Tape, Extra Strength Adhesive |

## Wire and Cable Laminated Tapes:

This tape offers labeling solutions for textured surfaces, rounded edges, electrical wiring and audio/visual cables.

|                  |  |
|------------------|--|
| <b>TZe-FX231</b> | 12mm (0.47") x 8m (26.2 ft) Black on White Flexible ID tape  |
| <b>TZe-FX631</b> | 12mm (0.47") x 8m (26.2 ft) Black on Yellow Flexible ID tape |
| <b>TZe-FX241</b> | 18mm (0.7") x 8m (26.2 ft) Black on White Flexible ID tape   |
| <b>TZe-FX251</b> | 24mm (0.94") x 8m (26.2 ft) Black on White Flexible ID tape  |
| <b>TZe-FX651</b> | 24mm (0.94") x 8m (26.2 ft) Black on Yellow Flexible ID tape |

## Tamper-Evident Laminated Tape:

This tape features a special tell-tale adhesive. If the label is removed, a checkerboard pattern will be left behind. Great for asset management.

|                |   |
|----------------|---|
| <b>TZe-SE4</b> | 18mm (0.7") x 8m (26.2 ft) Black on White Security tape |
|----------------|---|

## Acid-Free Photo Safe Tapes<sup>^</sup>:

Acid-free adhesive laminated tapes are safe for photo-labeling, scrapbooking and other photo-sensitive materials.

|                  |   |
|------------------|---|
| <b>TZe-AF131</b> | 12mm (0.47") x 8m (26.2 ft) Black on Clear Acid Free Tape |
| <b>TZe-AF231</b> | 12mm (0.47") x 8m (26.2 ft) Black on White Acid Free Tape |

## Super Narrow Tape:

This non-laminated tape is perfect for labeling CD case spines and other narrow spaces.

|                 |  |
|-----------------|--|
| <b>TZe-N201</b> | 3.5mm (0.13") x 8m (26.2 ft) Black on White Non-Laminated tape |
|-----------------|--|

Look for: **TZe TAPE**

<sup>^</sup> Claims that adhesive is "acid-free" and/or "photo-safe" are based upon: 1. Satisfactory test results obtained from Photographic Activity Tests per ISO14523 and non-acidic pH tests per TAPPI 509; 2. Certifications from material manufacturers; and 3. Atomic scans of adhesive following removal of backing paper.

Images are for illustrative purposes only. Actual output (such as font and margins) may vary. All trademarks referenced herein are the property of their respective companies. Windows Vista, Windows and the Windows logo are trademarks of Microsoft Corporation in the United States and/or other countries. Mac OS, the Mac logo and OS X are trademarks of Apple Inc. registered in the U.S. and other countries. All specifications subject to change without notice.