

WA-CASTER

Cabinet Caster Wheels




INTRODUCTION

The WA-CASTER cabinet steel caster added mobility to enable quick relocation of valuable server equipment and company data. The caster foot-lock can keep cabinet from slipping or roll away during maintenance.

FEATURES

- A Two Lockable Front Set
- B Add Mobility to Server Cabinet



Model Number	WA-CASTER
RoHS Compliance Version	Yes
Rack Units	Accessories
Dimensions [WxHxD]	71 x 70 x 55mm
Surface Finish	Orchid Zinc
Unit Contains	4 x Caster

WA-CM1UB

1U Cable Management Rack Kit




INTRODUCTION

WA-CM1UB is a cable manager that is designed to help keep your cables in place to make your cabinet a smart and easier to work with environment.

FEATURES

- A Easy Management and Grouping of Cables
- B Protect Your Cables



Model Number	WA-CM1UB
RoHS Compliance Version	Yes
Rack Units	Accessories
Dimensions [WxHxD]	482.6 x 44 x 71.5mm

WA-CM2UB

2U Cable Management Rack Kit




INTRODUCTION

WA-CM2UB is a cable manager that is designed to help keep your cables in place to make your cabinet a smart and easier to work with environment.

FEATURES

- A Easy Management and Grouping of Cables
- B Protect Your Cables

Model Number	WA-CM2UB
RoHS Compliance Version	Yes
Rack Units	Accessories
Dimensions [WxHxD]	482.6 x 88 x 71.5 mm



WA-DT0414

1U Digital Temperature Unit



INTRODUCTION

WA-DT0414 is a versatile, battery-operated LCD thermometer, ideal for monitoring the ambient temperature within an equipment rack or room. The temperature is displayed in degrees of Celsius. WA-DT0414 is housed in a 1U metal enclosure for easy rack-mounting, and two extra AC connections for powering up other rackmount accessories.

FEATURES

- A High Contrast, Easy-to-read LCD Display
- B Two Built-in AC Outlets
- C Over Temperature Alert
- D 1U with Metal Enclosure for Rackmount and Desktop
- E Temperature Sensor Extension to Monitor Specific Area

Model Number	WA-CM2UB
Rack Units	1U
Range	0°C ~ 50°C
Input	PCT (10K)
Output	2-Way Output
Consumption	3W
Mounting	19" standard

Power Supply	110 VAC
Accuracy	±1°C
Display	2-way 8-section digital pipe (red)
Ambient /Maintain Temperature	-10°C ~ 70°C / -20°C ~ 80°C

WA-FEET

Floor Leveling Feet



INTRODUCTION

If your cabinet location has texture tiles or uneven flooring, WA-FEET floor leveling feet can help rack-mount cabinet to stand firm without finding extra support or patch the floor gap. Quick assembly and setup to help secure the cabinet from sliding or moving during operation.

FEATURES

- A Easy and Quick Assembly

Model Number	WA-FEET
RoHS Compliance Version	Yes
Rack Units	Accessories
Dimensions [WxHxD]	1.75 x 3.75 x 1.75 mm
Materials	Cast Steel
Surface Finish	Carbonic Black
Unit Contains	Leveling Feet x 4



WA-KBR80B

1U Compact Keyboard Drawer




INTRODUCTION

Introduce the WA-KBR80B elegant and compact keyboard drawer meets system technician needs. WA-KBR80B fits in 1U space and provides more flexibility and security to your system access as well as daily maintenance.

FEATURES

- A Designed to Fit in a Standard 19" 800mm Depth Cabinet
- B 1U Compact Design and Heavy Duty Steel

Model Number	WA-KBR80B
Loading Capacity	44.1lbs
Rack Units	Accessories
Dimensions [WxHxD]	470 x 49 x 580 mm
Materials	SPCC Cold Rolled Steel
Surface Finish	Degreasing, Picking, Phosphoric, and Powder Coat



WA-KBR96B

1U Compact Keyboard Drawer




■ INTRODUCTION

Introduce the WA-KBR80B elegant and compact keyboard drawer meets system technician needs. WA-KBR80B fits in 1U space and provides more flexibility and security to your system access as well as daily maintenance.

■ FEATURES

- A Designed to Fit in a Standard 19" 1000mm Depth Cabinet
- B 1U Compact Design and Heavy Duty Steel

Model Number	WA-KBR96B
Loading Capacity	44.1lbs
Rack Units	Accessories
Dimensions [WxHxD]	470 x 49 x 711 mm
Materials	SPCC Cold Rolled Steel
Surface Finish	Degreasing, Picking, Phosphoric, and Powdercoat



WA-LB80B

Cabinet Supporting Bar



■ INTRODUCTION

Support heavy rackmount chassis on the cabinet with the WA-LB80B cabinet supporting bar. The quickest and simplest way to hold chassis that can not mount on rail or exceeds post mount limitation.

■ FEATURES

- A Heavy Duty Steel
- B Easy and Quick Installation

Model Number	WA-LB80B
Surface Finish	Degreasing, Picking, Phosphoric, and Powder Coat
Rack Units	Accessories
Dimensions [WxHxD]	35 x 38 x 550 mm
Materials	t1.2 SPCC Cold Rolled Steel

WA-LB96B

Cabinet Supporting Bar



INTRODUCTION

Support heavy rackmount chassis on the cabinet with the WA-LB80B cabinet supporting bar. The quickest and simplest way to hold chassis that can not mount on rail or exceeds post mount limitation.

FEATURES

- A Heavy Duty Steel
- B Easy and Quick Installation

Model Number	WA-LB80B
Surface Finish	Degreasing, Picking, Phosphoric, and Powder Coat
Rack Units	Accessories
Dimensions [WxHxD]	35 x 38 x 711 mm
Materials	t1.2 SPCC Cold Rolled Steel

WA-P1UB

1U Cabinet Front Cover Plate




INTRODUCTION

The WA-P1UB cabinet front cover plate will give cabinet a uniform appearance, but also improve cabinet thermal management and cooling by blocking and redirecting the air flow to appropriate direction.

FEATURES

- A Easy and Quick Installation

Model Number	WA-P1UB
RoHS Compliance Version	Yes
Rack Units	Accessories
Dimensions [WxHxD]	485 x 44 x 12 mm
Materials	t1.2 SPCC Cold Rolled Steel
Surface Finish	Degreasing, Picking, Phosphoric, and Powder Coat



WA-P2UB

2U Cabinet Front Cover Plate




INTRODUCTION

The WA-P2UB cabinet front cover plate will give cabinet a uniform appearance, but also improve cabinet thermal management and cooling by blocking and redirecting the air flow to appropriate direction.

FEATURES

- A Easy and Quick Installation

Model Number	WA-P2UB
RoHS Compliance Version	Yes
Rack Units	Accessories
Dimensions [WxHxD]	485 x 89 x 12 mm
Materials	t1.2 SPCC Cold Rolled Steel
Surface Finish	Degreasing, Picking, Phosphoric, and Powder Coat



WA-P3UB

3U Cabinet Front Cover Plate




INTRODUCTION

The WA-P3UB cabinet front cover plate will give cabinet a uniform appearance, but also improve cabinet thermal management and cooling by blocking and redirecting the air flow to appropriate direction.

FEATURES

- A Easy and Quick Installation

Model Number	WA-P3UB
RoHS Compliance Version	Yes
Rack Units	Accessories
Dimensions [WxHxD]	485 x 133 x 12 mm
Materials	t1.2 SPCC Cold Rolled Steel
Surface Finish	Degreasing, Picking, Phosphoric, and Powder Coat



WA-PS010

10 Outlet Power Strip



INTRODUCTION

The WA-PS series provide extra power outlets for equipment use inside the cabinet. The vertical mounting design gives cabinets space to install more rack-mounted devices inside. The installation is easy and quick.

FEATURES

- A Easy and Quick Installation
- B RoHS Compliant

Model Number	WA-PS010
RoHS Compliance Version	Yes
Rack Units	Accessories
Maximum Power	2500W
Rating Current	10A

WA-PS012

12 Outlet Power Strip



INTRODUCTION

The WA-PS series provide extra power outlets for equipment use inside the cabinet. The vertical mounting design gives cabinets space to install more rack-mounted devices inside. The installation is easy and quick.

FEATURES

- A Easy and Quick Installation
- B RoHS Compliant

Model Number	WA-PS012
RoHS Compliance Version	Yes
Rack Units	Accessories
Maximum Power	2500W
Rating Current	10A
Dimensions [WxHxD]	28.6 x 1.8 x 2.4 inch

WA-PS022

22 Outlet Power Strip



■ INTRODUCTION

The WA-PS series provide extra power outlets for equipment use inside the cabinet. The vertical mounting design gives cabinets space to install more rack-mounted devices inside. The installation is easy and quick.

■ FEATURES

- A Easy and Quick Installation
- B RoHS Compliant

Model Number	WA-PS022
RoHS Compliance Version	Yes
Rack Units	Accessories
Dimensions [WxHxD]	48.5 x 1.8 x 2.4 mm
Maximum Power	4000W
Maximum Current	16A
Rating Current	10A

WA-PS036

36 Outlet Power Strip



■ INTRODUCTION

The WA-PS series provide extra power outlets for equipment use inside the cabinet. The vertical mounting design gives cabinets space to install more rack-mounted devices inside. The installation is easy and quick.

■ FEATURES

- A Easy and Quick Installation
- B RoHS Compliant

Model Number	WA-PS036
RoHS Compliance Version	Yes
Rack Units	Accessories
Dimensions [WxHxD]	73.4 x 1.8 x 2.4 mm
Maximum Power	4000W
Maximum Current	16A
Rating Current	10A

WA-SF120-2FAN

Cabinet 120mm Cooling Fan




INTRODUCTION

The WA-SF120-2FAN 120mm AC input cooling fan can be installed on the top cover of cabinet to increase air circulation and cooling air-flow. The fan assembly also has air filters to block dust and dirt to enter cabinet or object that may damage the cooling fan.

FEATURES

- A Keeps Your Rackmount Equipment Cool
- B Extends Server Life and Minimizes Downtime

Model Number	WA-SF120-2FAN
RoHS Compliance Version	Yes
Rack Units	Accessories
Dimensions [WxHxD]	438 x 57 x 165 mm



WA-SF80B

Heavy Duty Rackmount Shelf




INTRODUCTION

Use the WA-SF80B rackmount shelf if you have equipment that is not rack mountable but would like put it on your rack cart. The shelf mounts to front and rear tapped rails with 4 screws. It is made from 1.2mm SPCC metal and is zinc coated.

FEATURES

- A Heavy Duty Steel
- B Easy and Quick Installation

Model Number	WA-SF80B
RoHS Compliance Version	Yes
Rack Units	Accessories
Dimensions [WxHxD]	470 x 48 x 550 mm
Materials	t1.2 SPCC Cold Rolled Steel
Surface Finish	Degreasing, Picking, Phosphoric, and Powder Coat
Loading Capacity	60 kg



WA-SF96B




■ INTRODUCTION

Use the WA-SF96B rackmount shelf if you have equipment that is not rack mountable but would like put it on your rack cart. The shelf mounts to front and rear tapped rails with 4 screws. It is made from 1.2mm SPCC metal and is zinc coated.

■ FEATURES

- A Heavy Duty Steel
- B Easy and Quick Installation



Model Number	WA-SF96B
RoHS Compliance Version	Yes
Rack Units	Accessories
Dimensions [WxHxD]	470 x 48 x 730 mm
Materials	t1.2 SPCC Cold Rolled Steel
Surface Finish	Degreasing, Picking, Phosphoric, and Powder Coat
Loading Capacity	60 kg

WA-SFR80B




■ INTRODUCTION

The WA-SFR80B sliding tray provides ideal rack storage for computing equipment, offering an enhanced level of flexibility and stability. It is made from 1.2mm SPCC metal and is zinc coated. This sliding tray can hold up to 44.1 lbs of weights and provide a cost saving solution for non-rackmountable equipments.

■ FEATURES

- A Heavy Duty Steel
- B Easy and Quick Installation
- C Provides Easy Roll-Out Access to Your Equipment
- D Vented to Provide Maximum Air Flow



Model Number	WA-SFR80B
Parameter	Flexing Length - 210 mm
Rack Units	Accessories
Dimensions [WxHxD]	470 x 49 x 580 mm
Materials	SPCC Cold Rolled Steel
Surface Finish	Degreasing, Picking, Phosphoric, and Powder Coat
Loading Capacity	44.1 lbs

WA-SFR96B

Heavy Duty Sliding Tray




INTRODUCTION

The WA-SFR96B sliding tray provides ideal rack storage for computing equipment, offering an enhanced level of flexibility and stability. It is made from 1.2mm SPCC metal and is zinc coated. This sliding tray can hold up to 44.1 lbs of weights and provide a cost saving solution for non-rackmountable equipments.

FEATURES

- A Heavy Duty Steel
- B Easy and Quick Installation
- C Provides Easy Roll-Out Access to Your Equipment
- D Vented to Provide Maximum Air Flow



Model Number	WA-SFR96B
Parameter	Flexing Length - 210 mm
Rack Units	Accessories
Dimensions [WxHxD]	470 x 49 x 680 mm
Materials	SPCC Cold Rolled Steel
Surface Finish	Degreasing, Picking, Phosphoric, and Powder Coat
Loading Capacity	44.1 lbs

WA-FANAC120

Wall-Mount Cabinet 120mm Cooling Fans



INTRODUCTION

The WA-FANAC120 has two 120mm AC cooling fan that can be installed on the top of wall-mount cabinet. It improves the air circulation and maximizes the cooling air flow. The package also comes with 2 fan guards that can block object enter the cabinet.

FEATURES

- A Provides Maximum Air Flow
- B Keeps the Rackmount Equipment Cool
- C Extends Server Life and Minimizes Downtime

Model Number	WA-FANAC120
Package Content	2 Fanguard, 8 Screws, and 1 Set of 120mm Fan
Rack Units	Accessories
Dimensions [WxHxD]	120 x 25 x 120 mm
RoHS Materials	Yes

WA-LKEY

Cabinet Security Key Locks




INTRODUCTION

Protect your valuable asset with the WA-LKEY security key locks for server room cabinet such as important company data, confidential information, and expensive rackmount equipments which is vital to company operation and profit.

FEATURES

- Ⓐ Easy and Quick Assembly



Model Number	WA-LKEY
RoHS Compliance Version	Yes
Rack Units	Accessories

WA-SW10-M6 WA-SW20-M6

Screws Pack



INTRODUCTION

Are you running out of screws and go nuts? A spare accessories pack of screws and nuts can fix your equipments in place. It comes with square nuts and pan head screws. M6 x 12 screws; M6 nut.

