

- Universal Fit Most of Chassis and Equipment
- Rugged Structure
- Easy to Transport with Casters
- Max Air Flow and Temperature Control by Central AC
- Quick Access to Rackmount System

Depth-Adjustable Rack System

High-quality Steel Structure

Heavy Duty Casters



Model No.	Form Factor	Dimension (inches)			Assembly Required?	Loading Capacity (lbs)	Door	Removable Side panels	Security	Casters	Page No.
		W	H	D							
WOS-490	4U	20.00	12.70	35.40	Yes	440	No	No	-	Yes	48
WOS-690	6U	20.00	16.20	35.40	Yes	440	No	No	-	Yes	49
WOS-990	9U	20.00	21.50	35.40	Yes	440	No	No	-	Yes	49

WOS-490

4U 900mm Open Frame Rack



Features

- Universal Fit Most of Rackmount Chassis and Equipment
- Rugged Structure
- Easy to Transport with Casters
- Max Air Flow and Temperature Control by Central AC
- Enables Quick Access to Rackmount System

Shipping Information

Shipper Design	Standard Carton
Pallet Load	Customizable

Accessories

WA-PD010	10 Outlet Overload Circuit Breaker Protection Power Distribution Unit
WA-PD014	14 Outlet Lightning Surge Protection Power Distribution Unit
WA-PS06A	6 Outlet Power Strip



Introduction

WOS 490mm, 600mm and 900mm 4-post open frame racks are built with high-quality aluminum/steel structures. With casters equipped, these systems provide ultimate mobility to move your rackmount equipment easily to any location. This stylish 19" open frame rack is a cost-effective solution for rack-mount devices and optimized for SOHOs, small business, research institutions, and etc.

Specifications

Color	Black
Material	SPCC t:2.0mm



WOS-690

6U 900mm Open Frame Rack



WOS-990

9U 900mm Open Frame Rack



CLAYTEK Enclosed Cabinet

Specifications

Color	Black
Material	SPCC t:2.0mm

Specifications

Color	Black
Material	SPCC t:2.0mm

Drawing

