

# WSM Shockmount Series *Enclosed Cabinets*

Optional Front and Rear Cover




Spring Loaded Recessed Handle Design

Vented Holes on Side for Air Flow While Covers are Closed

High-Quality Rugged Structure Installed

U Labeling for Convenience



Anti-Vibration Design on Top and Bottom of the Cage

Model No.	Form Factor	Dimension (inches)			Assembly Required?	Loading Capacity (lbs)	Door	Removable Side panels	Security	Casters	Page No.
		W	H	D							
WSM-660	6U	27.56	19.69	23.62	No	176	Optional	No	No	Optional	55
WSM-960	9U	27.56	25.71	23.62	No	176	Optional	No	No	Optional	56
WSM-1560	15U	27.56	36.22	23.62	No	176	Optional	No	No	Optional	56

**WSM-660**

6U 600mm Depth Rackmount Server Cabinet



**Features**

- Rugged Shockmount Style
- Patent Design on Industrial Spring under Cabinet Post Cage
- Portable Handle
- Front & Back Lockable Door
- Anti-Vibration Design
- Universal Fit Most of Rackmount Chassis and Equipment
- Optional Front and Rear Cover



**Introduction**

The WSM series shockmount cabinet is built with high-quality aluminum/steel structures and anti-vibration patent design. With handle design, WSM series provides your critical rackmount equipment the ultimate mobility. Optional front and rear covers are able to prevent your critical systems from collision damage. This stylish and secured 19" cabinet is optimized for small business, research institutions, and professional studio.

**Specifications**

Color	Black (Special Color on Request)
Material	SPCC T:1.6mm

**Shipping Information**

Shipper Design	Standard Carton
Weight	139 lbs
Pallet Load	1

**Accessories**

WA-PD010	10 Outlet Overload Circuit Breaker Protection Power Distribution Unit
WA-PD014	14 Outlet Lightening Surge Protection Power Distribution Unit
WA-PS06A	6 Outlet Power Strip

# WSM Shockmount Series Enclosed Cabinets

CLAYTEK Enclosed Cabinet

## WSM-960 9U 600mm Depth Rackmount Server Cabinet



## WSM-1560 15U 600mm Depth Rackmount Server Cabinet



### Specifications

Color	Black (Special Color on Request)
Material	SPCC T:1.6mm

### Specifications

Color	Black (Special Color on Request)
Material	SPCC T:1.6mm

### Drawing

