



4x4A

4x1:4 Stereo Audio Switcher



The **4x4A** is a high-performance switcher for unbalanced stereo audio signals. It switches any one of four input signals simultaneously to four identical outputs.

FEATURES

- S/N Ratio - 90dB.
- Level (Gain) Control.



4x4A

TECHNICAL SPECIFICATIONS

INPUTS:	4 unbalanced stereo audio, 1Vpp/33k Ω on 3.5mm mini jacks.
OUTPUTS:	4 unbalanced stereo audio, 1Vpp/220 Ω typical on 3.5mm mini jacks.
MAX OUTPUT LEVEL:	5.2Vpp (+7dBu).
AUDIO BANDWIDTH (-3dB):	100kHz.
S/N RATIO:	90dB.
CROSSTALK:	-79dB @1kHz.
AUDIO THD + NOISE:	0.018% @1kHz.
2nd HARMONIC:	0.002%.
POWER CONSUMPTION:	12V DC, 20mA.
DIMENSIONS:	12cm x 7.5cm x 2.5cm (4.7" x 2.95" x 0.98") W, D, H.
WEIGHT:	0.28kg (0.62lbs) approx.
INCLUDED ACCESSORIES:	Power supply, mounting bracket.
OPTIONS:	RK-3T 19" rack adapter.

