

VP-222K

2x1:2 Computer Graphics Video Switcher





Compatible with HDTV component video signals when used with a breakout cable such as the Kramer C-GM/3RVF.



The VP-222K is a high-performance switcher for computer graphics video signals with resolutions up to and exceeding UXGA. It switches one of two inputs to two identical outputs.

FEATURES

- High Bandwidth 415MHz (−3dB).
- HDTV Compatible.
- Kr-isp® Advanced Sync Processing Ensures compatibility with a wide range of computers (even if the sync level is too low) by restoring the sync signal waveform. Kr-isp® advanced sync processing can be enabled or disabled.

VP-222K

TECHNICAL SPECIFICATIONS

INPUTS: 2 UXGA on 15-pin HD connectors.

OUTPUTS: 2 UXGA on 15-pin HD connectors.

VIDEO BANDWIDTH (-3dB): 415MHz.

DIFF. GAIN: <0.02%.

DIFF. PHASE: <0.02Deg.

VIDEO S/N RATIO: 73dB.

K-FACTOR: <0.05%.

CROSSTALK: -58dB @5MHz.

DIMENSIONS: $12cm \times 7.0cm \times 2.5cm (4.7" \times 2.8" \times 1.0") W, D, H.$

POWER CONSUMPTION: 5V DC, 115mA.

WEIGHT: 0.26kg (0.58lbs) approx.

INCLUDED ACCESSORIES: Power supply, mounting bracket.

OPTIONS: RK-3T 19" rack adapter.

