














**Litepanels
Price List
02/2012**



















1X1 Series



















All 1X1 Kits include: 1X1 Fixture, Yoke, AC Power Supply, Euro Power Cord and a Power Supply Mounting Bracket

Product Part #	Description	EURO
903-1101	 1X1 MONO Flood Daylight (5600K) Beam spread: 50 degree Dimensions: 18.5" x 5" x 17.5" 470mm x 127mm x 445mm	€ 1,449.00
903-1102	 1X1 MONO Spot Daylight (5600K) Beam spread: 30 degree Dimensions: 18.5" x 5" x 17.5" 470mm x 127mm x 445mm	€ 1,449.00
903-1103	 1X1 MONO Flood Tungsten (3200K) Beam spread: 50 degree Dimensions: 18.5" x 5" x 17.5" 470mm x 127mm x 445mm	€ 1,449.00
903-1104	 1X1 MONO Super-Spot Daylight (5600K) Beam spread: 15 degree Dimensions: 18.5" x 5" x 17.5" 470mm x 127mm x 445mm	€ 1,449.00
903-2113	 1X1 Bi-Color Flood (Daylight 5600K to Tungsten 3200K & anywhere in between) Beam spread: 50 degree Dimensions: 18.5" x 5" x 17.5" 470mm x 127mm x 445mm	€ 2,175.00
903-2121	 1X1 Bi-Focus - Daylight 5600K Spot (30 degree) and Daylight 5600K Flood (50 degree) Dimensions: 18.5" x 5" x 17.5" 470mm x 127mm x 445mm	€ 2,175.00
903-2124	 1X1 Bi-Focus - Daylight 5600K Spot (30 degree) and Daylight 5600K Super-Spot (15 degree) Dimensions: 18.5" x 5" x 17.5" 470mm x 127mm x 445mm	€ 2,175.00
903-3101	 1X1 MONO Low-Profile Flood Daylight (5600K) Beam spread: 50 degree Order - call for availability Beam of light is set at a 40 degree angle on horizontal plane Dimensions: 18.5" x 5" x 17.5" 470mm x 127mm x 445mm	Special € 1,595.00
903-3102	 1X1 MONO Low-Profile Spot Daylight (5600K) Beam spread: 30 degree Order - call for availability Beam of light is set at a 40 degree angle on horizontal plane Dimensions: 18.5" x 5" x 17.5" 470mm x 127mm x 445mm	Special € 1,595.00
903-3103	 1X1 MONO Low-Profile Flood Tungsten (3200K) Beam spread: 50 degree Special Order - call for availability Beam of light is set at a 40 degree angle on horizontal plane Dimensions: 18.5" x 5" x 17.5" 470mm x 127mm x 445mm	€ 1,595.00
903-3104	 1X1 MONO Low-Profile Super-Spot Daylight (5600K) Beam spread: 15 degree Special Order - call for availability Beam of light is set at a 40 degree angle on horizontal plane Dimensions: 18.5" x 5" x 17.5" 470mm x 127mm x 445mm	€ 1,595.00

NOTE: ALL 1X1 Fixtures come with plastic housing and Built-in DMX (referred to as MONO)

1X1 Series Accessories

Product Number	Description	EURO
900-3000	 1X1 Gel Set (6 Piece) - includes Carrying Bag CTO Gel Set is orange in color (for use with Daylight Fixtures) Dimensions: 12.5" x 12.5" x 1" 318mm x 318mm x 26mm	€ 145.00
900-3001	 1X1 Gel Set (6 Piece) - includes Carrying Bag CTB Gel Set is blue in color (for use with Tungsten Fixtures) Dimensions: 12.5" x 12.5" x 1" 318mm x 318mm x 26mm	€ 145.00
900-3002	 1X1 Gel Set (6 Piece) - includes Carrying Bag Bi-Color Gel Set is a combination of orange and blue gels (for use with the 1X1 Bi-Color Fixture) Dimensions: 12.5" x 12.5" x 1" 318mm x 318mm x 26mm	€ 145.00
900-3201	 1X1 Individual Gel - FULL CTB Dimensions: 12.5" x 12.5" x 1" 318mm x 318mm x 26mm	€ 25.00
900-3202	 1X1 Individual Gel - 1/2 CTB Dimensions: 12.5" x 12.5" x 1" 318mm x 318mm x 26mm	€ 25.00
900-3203	 1X1 Individual Gel - 1/4 CTB Dimensions: 12.5" x 12.5" x 1" 318mm x 318mm x 26mm	€ 25.00
900-3218	 1X1 Individual Gel - 1/8 CTB Dimensions: 12.5" x 12.5" x 1" 318mm x 318mm x 26mm	€ 25.00
900-3204	 1X1 Individual Gel - FULL CTO Dimensions: 12.5" x 12.5" x 1" 318mm x 318mm x 26mm	€ 25.00
900-3205	 1X1 Individual Gel - 1/2 CTO Dimensions: 12.5" x 12.5" x 1" 318mm x 318mm x 26mm	€ 25.00
900-3206	 1X1 Individual Gel - 1/4 CTO Dimensions: 12.5" x 12.5" x 1" 318mm x 318mm x 26mm	€ 25.00
900-3223	 1X1 Individual Gel - 1/8 CTO Dimensions: 12.5" x 12.5" x 1" 318mm x 318mm x 26mm	€ 25.00
900-3250	 1X1 Individual Gel - Half White Diffusion Dimensions: 12.5" x 12.5" x 1" 318mm x 318mm x 26mm	€ 25.00
900-3410	 1X1 Individual Gel - Opal Frost Dimensions: 12.5" x 12.5" x 1" 318mm x 318mm x 26mm	€ 25.00
900-0001	 Gel Carrying Bag for 1X1 Gels and Ringlite Mini Gels Dimensions: 12.5" x .5" x 12.5" 318mm x 318mm x 26mm	€ 25.00
900-0002	 1X1 and Ringlite Mini AC Adapter Power Supply 24V (100~240V) (Cord not included, sold separately - part 900-0003) Dimensions: 10" x 6" x 4" 254mm x 153mm x 102mm	€ 69.00
900-0013	 6 ft. AC Euro Power Cord for 1X1, Sola ENG and Ringlite Mini Power Supplies Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 10.00
900-3005	 1X1 Power Supply Mounting Bracket Dimension: 12" x 4" x 4" 305mm x 305mm x 102	€ 52.00
900-3007	 1X1 Base Plate with Deluxe Ball Head Shoe Mount Dimensions: 12.5" x 12.5" x 4" 305mm x 305mm x 102mm	€ 128.00











Product Number	Description	EURO
900-3008	 1X1 3 Riser Fold-up Stand (2'6" Folded - 9'10" Full Extension) Dimensions: 4" x 4" x 36" 102mm x 102mm x 915mm	€ 128.00
900-3010	 2X1 Fixture Assembly Frame for (2) 1X1 Fixtures (use with 1X1 Plastic Housings - aka MONOs) Dimensions: 6" x 6" x 30" 153mm x 153mm x 762mm	€ 135.00
900-3029	 LITE PANELS® 1X1 Pole Assisted Yoke <i>Special Order - Call for Availability</i>	€ 335.00
900-3023	 1X1 TVMP Replacement with T-Handle Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 19.00
900-3016	 1X1 6" 2-Pin D-Tap Cable Assembly for 900-3014 and 900-3015 Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 30.00
900-0005	 DMX Kit for Standard 1X1 with Metal Housings, Ringlite Mini and MiniPlus Fixtures Contains 1-DMX Module (DMX) and 1-RJ45 Ethernet Cable to RJ45 (DMXEC) Dimensions: 10" x 6" x 4" 254mm x 153mm x 102mm	€ 205.00
900-0006	 RJ45 to 5-Pin XLR (Male) Conversion Cable. <i>Note: 5-Pin XLR Female versions are not available</i> Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 50.00
900-3014	 1X1 V-Mount Battery Adapter Plate (includes {1} 6" 2-Pin D-Tap Power Cable) Dimensions: 12" x 4" x 4" 305mm x 102mm x 102mm	€ 145.00
900-3015	 1X1 AB Gold-Mount Battery Adapter Plate (includes {1} 6" 2-Pin D-Tap Power Cable) Dimensions: 12" x 4" x 4" 305mm x 102mm x 102mm	€ 138.00
900-3017	 1X1 Honeycomb Grid - 30 degree Dimensions: 12.5" x 12.5" x 4" 318mm x 318mm x 102mm	€ 135.00
900-3018	 1X1 Honeycomb Grid - 45 degree Dimensions: 12.5" x 12.5" x 4" 318mm x 318mm x 102mm	€ 135.00
900-3019	 1X1 Honeycomb Grid - 60 degree Dimensions: 12.5" x 12.5" x 4" 318mm x 318mm x 102mm	€ 135.00
900-3020	 1X1 Honeycomb Grid - 90 degree Dimensions: 12.5" x 12.5" x 4" 318mm x 318mm x 102mm	€ 135.00
900-3021	 1X1 4-way Barn Doors Dimensions: 12.5" x 12.5" x 4" 318mm x 318mm x 102mm	€ 155.00
900-3022	 1X1 Cover Dimensions: 12" x 4" x 4" 305mm x 102mm x 102mm	€ 35.00
900-3026	 1X1 Accessory Bag with zipper closure Dimensions: 10" x 6" x 4" 254mm x 153mm x 102mm	€ 24.00
900-3024	 1X1 2-Lite Carrying Case (Includes (1) Accessory Bag) Dimensions: 20" x 20" x 12" 508mm x 508mm x 305mm	€ 130.00
900-3025	 1X1 4-Lite Carrying Case (Includes (2) Accessory Bags) Dimensions: 34.5" x 20" x 17.5" 877mm x 508mm x 445mm	€ 290.00

**All prices are ex stock Munich, excluded V.A.T.
All specifications and prices are subject to change without prior notification.**


Hilio *NEW!!*

Product Number	Description	EURO
907-1101 	Hilio High Output Daylight LED Light Kit Kit Includes: (1) Hilio Daylight LED Light Fixture, (1) Yoke and (1) Power Supply Dimensions: 14" x 10" x 4" 356mm x 254mm x 102mm	€ 2,410.00











Hilio Accessories

Product Number	Description	EURO
900-7000 	Hilio Gel Carrying Bag	€ 25.00
900-7001 	Hilio 5-Piece Gel Filter Set with Carrying Bag (CTO)	€ 130.00
900-7204 	Hilio Individual Gel - Full CTO	€ 25.00
900-7205 	Hilio Individual Gel - 1/2 CTO	€ 25.00
900-7206 	Hilio Individual Gel - 1/4 CTO	€ 25.00
900-7223 	Hilio Individual Gel - 1/8 CTO	€ 25.00
900-7250 	Hilio Individual Gel - Half White Diffusion	€ 25.00
900-7011 	Hilio AC/DC Power Supply (100~240V) <i>(cord not included)</i>	€ 85.00
900-7033 	Hilio Power Supply Mounting Bracket	€ 65.00
900-0013 	Euro Power Supply Cord	€ 10.00

LED Fresnel Series
Sola ENG

Product Number	Description	EURO
906-1102	 <p>Sola ENG 3" Fresnel Daylight LED on camera Light with standard "hot-shoe" mount.</p> <p><u>Includes:</u> 2-Pin D-Tap Power Cable, 2-way Barn Door/Gel Frame Assembly, Deluxe Ball Head Shoe Mount, Conversion Kit, 3 Piece Gel Filter Set (1/4 CTO, Full CTO and Diffusion), AC/DC Power Supply, Power Supply Cord and Carrying Case</p> <p>Dimensions: 9" x 6" x 7" 229mm x 153mm x 178mm</p>	€ 550.00












Sola ENG Series Accessories

Product Number	Description	EURO
900-6100	 <p>Sola ENG Barn Door/Gel Frame Assembly Dimensions: 6" x 6" x 6" 153mm x 153mm x 153mm</p>	€ 27.00
900-6101	 <p>Sola ENG 3 Piece Gel Set (1/4 Correction, Full Correction & Diffusion)</p>	€ 30.00
900-0015	 <p>Carrying Case for Sola ENG, MicroPro and Croma</p>	€ 28.00
900-6103	 <p>Sola ENG AC/DC Power Supply 18VDC (does not include power cord, sold separately 900-0003)</p> <p>Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm</p>	€ 55.00
900-0013	 <p>6 ft. AC Euro Power Cord for 1X1, Sola ENG and Ringlite Mini Power Supplies</p> <p>Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm</p>	€ 10.00
900-6104	 <p>Sola ENG and Croma 2-Pin D-Tap Power Cable (coiled)</p> <p>Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm</p>	€ 45.00
900-6105	 <p>Sola ENG Stand Adapter (TVMP) Includes T-Handle</p> <p>Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm</p>	€ 19.00
900-0004	 <p>Base Plate with Deluxe Ball Head Shoe Mount for Off Camera Use</p> <p>Use with: MiniPlus, Micro, MicroPro, MicroPro Hybrid and Sola ENG</p> <p>Dimensions: 10" x 6" x 4" 254mm x 153mm x 102mm</p>	€ 110.00
900-0007	 <p>Deluxe Ball Head Shoe Mount for Micro, MicroPro, Croma, MiniPlus and SolaENG</p> <p>Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm</p>	€ 58.00
900-0008	 <p>Deluxe Ball Head Shoe Mount Conversion Kit for MiniPlus, Micro, MicroPro, Croma and SolaENG</p> <p>Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm</p>	€ 15.00


LED Fresnel Series
Sola 4 *NEW!!*

Part Number	Description	EURO
906-4101	 <p>Sola 4 4" Fresnel Daylight LED Light Kit Power Consumption: 30W Power Requirements: 10-20VDC DC Power via 4-Pin XLR Kit Includes: (1) Sola 4 Fresnel DaylightLED Light Fixture, (1) Yoke, (1) Power Supply, (1) Euro Power Cord and (1) Barn Door</p>	€ 1,035.00












Sola 4 Series Accessories

Product Number	Description	EURO
900-6225	 <p>Sola 4 Gel Filter Set (5 piece) with Carrying Bag (Full CTO, 1/2 CTO, 1/4 CTO, 1/8 CTO, Opal Frost Diffusion Dimensions: 12" x 10" x 4" 305mm x 254mm x 102mm</p>	€ 110.00
900-0204	 <p>Sola 4 Individual Gel - Full CTO Dimensions: 12" x 10" x 4" 305mm x 254mm x 102mm</p>	€ 22.00
900-0205	 <p>Sola 4 Individual Gel - 1/2 CTO Dimensions: 12" x 10" x 4" 305mm x 254mm x 102mm</p>	€ 22.00
900-0206	 <p>Sola 4 Individual Gel - 1/4 CTO Dimensions: 12" x 10" x 4" 305mm x 254mm x 102mm</p>	€ 22.00
900-0223	 <p>Sola 4 Individual Gel - 1/8 CTO Dimensions: 12" x 10" x 4" 305mm x 254mm x 102mm</p>	€ 22.00
900-0410	 <p>Sola 4 Individual Gel - Opal Frost Diffusion Dimensions: 12" x 10" x 4" 305mm x 254mm x 102mm</p>	€ 22.00
900-6207	 <p>Sola 4/Sola 6 Gel Carrying Bag Dimensions: 12" x 10" x 4" 305mm x 254mm x 102mm</p>	€ 22.00
900-6212	 <p>Sola 4 AC/DC Power Supply (100~240V) (cord not included) Dimensions: 10" x 6" x 4" 254mm x 153mm x 102mm</p>	€ 70.00
900-0013	 <p>Euro Power Cord Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm</p>	€ 10.00
900-0006	 <p>RJ45 to 5-Pin XLR (Male) Conversion Cable. <u>Note:</u> 5-Pin XLR Female versions are not available Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm</p>	€ 50.00
900-6224	 <p>Sola 4 Barn Door Dimensions: 12" x 10" x 4" 305mm x 254mm x 102mm</p>	€ 105.00

LED Fresnel Series
Sola 6

Part Number	Description	EURO
906-2101	 Sola 6 6" Fresnel Daylight LED Light Fixture with Mounting Yoke and Power Cable Power Supply: Internal Universal PFC 85-245VAC Dimensions: 24" x 13.5" x 14" 610mm x 343mm x 356mm	€ 2,170.00



























Sola 6 Series Accessories

Product Number	Description	EURO
900-6200	 Sola 6 8-Leaf Barn Door Dimensions: 12" x 10" x 4" 305mm x 254mm x 102mm	€ 169.00
900-6619	 Sola 6 Euro Power Supply Cord Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 22.00
900-0006	 RJ45 to 5-Pin XLR (Male) Conversion Cable. Note: 5-Pin XLR Female versions are not available Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 50.00
900-6203	 Sola 6 Pole Assisted Yoke <i>Special Order - Call for Availability</i>	€ 335.00
900-6201	 Sola 6 Gel Filter Set (5 piece) with Carrying Bag (Full CTO, 1/2 CTO, 1/4 CTO, 1/8 CTO, Opal Frost Diffusion) Dimensions: 12" x 10" x 4" 305mm x 254mm x 102mm	€ 140.00
900-6204	 Sola 6 Individual Gel - FULL CTO Dimensions: 12" x 10" x 4" 305mm x 254mm x 102mm	€ 25.00
900-6205	 Sola 6 Individual Gel - 1/2 CTO Dimensions: 12" x 10" x 4" 305mm x 254mm x 102mm	€ 25.00
900-6206	 Sola 6 Individual Gel - 1/4 CTO Dimensions: 12" x 10" x 4" 305mm x 254mm x 102mm	€ 25.00
900-6223	 Sola 6 Individual Gel - 1/8 CTO Dimensions: 12" x 10" x 4" 305mm x 254mm x 102mm	€ 25.00
900-6410	 Sola 6 Individual Gel - Opal Frost Diffusion Dimensions: 12"x10"x4" 305mm x 254mm x 102mm	€ 25.00
900-6207	 Sola 4/Sola 6 Gel Carrying Bag Dimensions: 12" x 10" x 4" 305mm x 254mm x 102mm	€ 22.00
















MiniPlus Series
--- No substitutions on MiniPlus Kits ---
MiniPlus DV Adapter Plates sold separately (under MiniPlus Accessories)

Product Number	Description	EURO
901-1002	MiniPlus Camera Lite Kit (Daylight 5600K Spot) Kit Includes: - MiniPlus Daylight 5600K Spot Fixture - 6 Piece Gel Set (CTO) - Deluxe Ball Head Shoe Mount - 2-Pin D-Tap Power Cable Dimensions: 10" x 6" x 4" 254mm x 153mm x 102mm	€ 525.00
901-1001	MiniPlus Camera Lite Kit (Daylight 5600K Flood) Kit Includes: - MiniPlus Daylight 5600K Flood Fixture - 6 Piece Gel Set (CTO) - Deluxe Ball Head Shoe Mount - 2-Pin D-Tap Power Cable Dimensions: 10" x 6" x 4" 254mm x 153mm x 102mm	€ 525.00
901-2002	MiniPlus-One Lite Package (Daylight 5600K Spot) Kit Includes: - MiniPlus Daylight 5600K Spot Fixture - 12V DC Rechargeable Battery - 100-240V AC/DC Power Supply Adapter with International Plug Set - 6 Piece Gel Set (CTO) - Deluxe Ball Head Shoe Mount - Deluxe Ball Head Shoe Mount Conversion Kit - 12V DC 2" Jumper Cable - 2-Pin D-Tap Power Cable - Carrying Case Dimensions: 10.5" x 3.5" x 16.5" 267mm x 89mm x 419mm	€ 750.00
901-2001	MiniPlus-One Lite Package (Daylight 5600K Flood) Kit Includes: - MiniPlus Daylight 5600K Flood Fixture - 12V DC Rechargeable Battery - 100-240V AC/DC Power Supply Adapter with International Plug Set - 6 Piece Gel Set (CTO) - Deluxe Ball Head Shoe Mount - Deluxe Ball Head Shoe Mount Conversion Kit - 12V DC 2" Jumper Cable - 2-Pin D-Tap Power Cable - Carrying Case Dimensions: 10.5" x 3.5" x 16.5" 267mm x 89mm x 419mm	€ 750.00
901-2003	MiniPlus-One Lite Package (Tungsten 3200K Flood) Kit Includes: - MiniPlus Tungsten 3200K Flood Fixture - 12V DC Rechargeable Battery - 100-240V AC/DC Power Supply Adapter with International Plug Set - 6 Piece Gel Set (CTB) - Deluxe Ball Head Shoe Mount - Deluxe Ball Head Shoe Mount Conversion Kit - 12V DC 2" Jumper Cable - 2-Pin D-Tap Power Cable - Carrying Case Dimensions: 10.5" x 3.5" x 16.5" 267mm x 89mm x 419mm	€ 750.00
901-2005	MiniPlus-One Lite Package (Infrared) Kit Includes: - MiniPlus Infrared Fixture - 12V DC Rechargeable Battery - 100-240V AC/DC Power Supply Adapter with International Plug Set - IR Filter - Deluxe Ball Head Shoe Mount - Deluxe Ball Head Shoe Mount Conversion Kit - 12V DC 2" Jumper Cable - 2-Pin D-Tap Power Cable - Carrying Case Dimensions: 10.5" x 3.5" x 16.5" 267mm x 89mm x 419mm	€ 755.00




MiniPlus Series Accessories and Parts

Product Number	Description	EURO
900-1001	 MiniPlus Litepanel Fixture (Flood Daylight 5600K) Fixture only Dimensions: 10" x 6" x 4" 254mm x 153mm x 102mm	€ 460.00
900-1002	 MiniPlus Litepanel Fixture (Spot Daylight 5600K) Fixture only Dimensions: 10" x 6" x 4" 254mm x 153mm x 102mm	€ 460.00
900-1003	 MiniPlus Litepanel Fixture (Flood Tungsten 3200K) Fixture only Dimensions: 10" x 6" x 4" 254mm x 153mm x 102mm	€ 460.00
900-1005	 MiniPlus Litepanel Fixture - Infrared Fixture only Dimensions: 10" x 6" x 4" 254mm x 153mm x 102mm	€ 480.00
900-1007	 MiniPlus 12V Rechargeable NiMH Battery NOTE: Charger and 2" Jumper Cable not included. These must be ordered separately. Dimensions: 10" x 6" x 4" 254mm x 153mm x 102mm	€ 138.00
900-1008	 MiniPlus 100-240V AC Adapter Power Supply/Charger w/ International Plug Set Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 48.00
900-1009	 MiniPlus 2-Pin D-Tap Power Cable Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 47.00
900-1010	 MiniPlus 4-Pin XLR Power Cable Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 47.00
900-1011	 MiniPlus DV Battery Adapter Plate - Sony Accepts: "L" and "M" series batteries as well as Panasonic VW-VBD1 and Hitachi VMBP13A Dimensions: 10" x 6" x 4" 254mm x 153mm x 102mm	€ 73.00
900-1012	 MiniPlus DV Battery Adapter Plate - Panasonic Accepts: CGR-D120, CGR-D220, CGR-D08A, CGR-D16A Dimensions: 10" x 6" x 4" 254mm x 153mm x 102mm	€ 73.00
900-1013	 MiniPlus DV Battery Adapter Plate - Canon Accepts: BP-911/914/924 as well as Samsung SB-L110, SB-L220, SB-L160, SB-L320 and SB-L480 Dimensions: 10" x 6" x 4" 254mm x 153mm x 102mm	€ 73.00
900- 1020	 MiniPlus 6 Piece Gel Set. Set includes: Full CTO, 1/2 CTO, 1/4 CTO, 1/8 CTO, Opal Frost and Half White Diffusion Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 30.00
900-1021	 MiniPlus 6 Piece Gel Set. Set includes: Full CTB, 1/2 CTB, 1/4 CTB, 1/8 CTB, Opal Frost and Half White Diffusion Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 30.00
900-1204	 MiniPlus Individual Gel - FULL CTO Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 9.00
900-1205	 MiniPlus Individual Gel - 1/2 CTO Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 9.00
900-1206	 MiniPlus Individual Gel - 1/4 CTO Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 9.00
900-1223	 MiniPlus Individual Gel - 1/8 CTO Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 9.00
900-1201	 MiniPlus Individual Gel - FULL CTB Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 9.00
900-1202	 MiniPlus Individual Gel - 1/2 CTB Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 9.00
900-1203	 MiniPlus Individual Gel - 1/4 CTB Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 9.00
900-1218	 MiniPlus Individual Gel - 1/8 CTB Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 9.00
900-1250	  MiniPlus Individual Gel - Half White Diffusion Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 9.00
900-1410	  MiniPlus Individual Gel - Opal Frost Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 9.00
900-1022	 MiniPlus Infrared Gel (for MiniPlus Infrared fixture only) Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 14.00










**All prices are ex stock Munich, excluded V.A.T.
All specifications and prices are subject to change without prior notification.**

Product Number	Description	EURO
900-0004	 <p>Base Plate with Deluxe Ball Head Shoe Mount for Off Camera Use Use with: MiniPlus, Micro, MicroPro, Croma and Sola ENG Dimensions: 10" x 6" x 4" 254mm x 153mm x 102mm</p>	€ 110.00
900-0007	 <p>Deluxe Ball Head Shoe Mount for Micro, MicroPro, Croma, MiniPlus and SolaENG Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm</p>	€ 58.00
900-0008	 <p>Deluxe Ball Head Shoe Mount Conversion Kit for MiniPlus, Micro, MicroPro, Croma and SolaENG Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm</p>	€ 14.00
900-0009	 <p>Base Plate Only with Screw Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm</p>	€ 71.00
900-1014	 <p>MiniPlus 12V 10 Ft. Cigarette Adapter Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm</p>	€ 9.00
900-1015	 <p>MiniPlus 12V DC 10 Ft. Jumper Cable Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm</p>	€ 9.00
900-1016	 <p>MiniPlus 12V DC 10 Ft. Extension Cable Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm</p>	€ 9.00
900-1017	 <p>MiniPlus 12V DC 3 Ft. Jumper Cable Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm</p>	€ 9.00
900-1018	 <p>MiniPlus 12V DC 2" (inch) Jumper Cable. (connects MiniPlus fixture to MiniPlus battery, providing power) <i>This item must be purchased if ordering the MiniPlus 12V Rechargeable NiMH Battery</i> Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm</p>	€ 9.00
900-1019	 <p>MiniPlus 12V Twin Socket Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm</p>	€ 14.00
900-1023	 <p>MiniPlus Gel Retainer Kit Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm</p>	€ 27.00
900-1024	 <p>1/4-20 Pin Adapter Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm</p>	€ 12.00
900-0005	 <p>DMX Kit for Standard 1X1 with Metal Housings, RingLite Mini and MiniPlus Fixtures Contains 1-DMX Module (DMX) and 1-RJ45 Ethernet Cable to RJ45 (DMXEC) Dimensions: 10" x 6" x 4" 254mm x 153mm x 102mm</p>	€ 205.00
900-1026	 <p>MiniPlus One-Lite Kit Case Dimensions: 10.5" x 3.5" x 16.5" 267mm x 89mm x 419mm</p>	€ 55.00
900-1027	 <p>MiniPlus Two-Lite Kit Case Dimensions: 19" x 6" x 20" 483mm x 153mm x 508mm</p>	€ 80.00

Micro and Croma Series

Product Number	Description	EURO
905-1002 	Litepanels Micro Kit Kit includes: (1) Micro Fixture (1) 3 Piece Gel Set (1/4 Correction, Full Correction & Diffusion) (1) Deluxe Ball Head Shoe Mount <i>Average Run-Time with "Heavy Duty" Alkaline or Re-Chargeable AA = 2 Hours (at highest output) Average Run-Time with Energizer e2 Lithium Ion AA = 8 Hours</i> Individual Kit Dimensions: Case of 10 Dimensions: 9" x 9" x 11" 229mm x 229mm x 279 13" x 13" x 9.5" 330mm x 330mm x 241mm	€ 199.00
905-2002 	Litepanels MicroPro Kit Kit includes: (1) MicroPro Fixture (1) 3 Piece Gel Set (1/4 Correction, Full Correction & Diffusion) (1) Deluxe Ball Head Shoe Mount (1) MicroPro Carrying Bag <i>Average Run-Time with "Heavy Duty" Alkaline or Re-Chargeable AA = 1.5 hours (at highest output) Average Run-Time with Energizer e2 Lithium Ion AA = 6 hours</i> Individual Kit Dimensions: Case of 10 Dimensions: 9" x 9" x 11" 229mm x 229mm x 279 13" x 13" x 9.5" 330mm x 330mm x 241mm	€ 299.00
905-4023 	Litepanels Croma Kit NEW!!! Kit includes: (1) Croma Fixture (1) Gel Diffusion (1) Deluxe Ball Head Shoe Mount (1) AC Power Supply (1) Croma Carrying Bag Individual Kit Dimensions: 9" x 6" x 17"	€ 450.00








Micro Series Accessories

Product Number	Description	EURO
900-5100	 Micro 3 Piece Gel Set (1/4 Correction, Full Correction & Diffusion) Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 19.00
900-0008	 Deluxe Ball Head Shoe Mount Conversion Kit for MiniPlus, Micro, MicroPro, Croma and SolaENG Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 14.00
900-5000	 AC Power Supply for Micro and MicroPro (includes International Plug Set) Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 33.00
900-5102	 Micro Back Door Replacement Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 19.00
900-5103	 Micro Dimmer Knob Replacement Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 2.00
900-0004	 Base Plate with Deluxe Ball Head Shoe Mount for Off Camera Use Use with: MiniPlus, Micro, MicroPro, Croma and Sola ENG Dimensions: 10" x 6" x 4" 254mm x 153mm x 102mm	€ 110.00
900-5104	 Micro DV Battery Adapter Plate for Sony <i>Accepts: "L" and "M" series batteries as well as Panasonic VW-VBD1 and Hitachi VMBP13A</i> Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 25.00
900-5105	 Micro DV Battery Adapter Plate for Panasonic <i>Accepts: CGR-D120, CGR-D220, CGR-D08A, CGR-D16A</i> Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 25.00
900-5106	 Micro DV Battery Adapter Plate for Canon <i>Accepts: BP-911/914/924 as well as Samsung SB-L110, SB-L220, SB-L160, SB-L320 and SB-L480</i> Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 25.00

MicroPro Series Accessories

Product Number	Description	EURO
900-0007	 Deluxe Ball Head Shoe Mount for Micro, MicroPro, Cromax, MiniPlus and SolaENG Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 58.00
900-0008	 Deluxe Ball Head Shoe Mount Conversion Kit for MiniPlus, Micro, MicroPro, Cromax and SolaENG Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 14.00
900-0004	 Base Plate with Deluxe Ball Head Shoe Mount for Off Camera Use Use with: MiniPlus, Micro, MicroPro, Cromax and Sola ENG Dimensions: 10" x 6" x 4" 254mm x 153mm x 102mm	€ 110.00
900-0015	 Carrying Case for MicroPro and Cromax Dimensions: 10" x 6" x 4" 254mm x 153mm x 102mm	€ 28.00
900-5000	 AC Power Supply for Micro and MicroPro (includes International Plug Set) Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 33.00
900-5200	 3 Piece Gel Set for MicroPro (1/4 Correction, Full Correction & Diffusion) Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 23.00
900-5201	 Back Door Replacement for MicroPro Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 23.00
900-5202	 Dimmer Knob Replacement for MicroPro Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 4.00
900-5203	 MicroPro DV Battery Adapter Plate for Sony <i>Accepts: "L" and "M" series batteries as well as Panasonic VW-VBD1 and Hitachi VMBP13A</i> Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm <i>Note: Not compatible with the MicroPro Hybrid when utilizing the Strobe Sync Cable</i>	€ 44.00
900-5204	 MicroPro DV Battery Adapter Plate for Panasonic <i>Accepts: CGR-D120, CGR-D220, CGR-D08A, CGR-D16A</i> Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm <i>Note: Not compatible with the MicroPro Hybrid when utilizing the Strobe Sync Cable</i>	€ 44.00
900-5205	 MicroPro DV Battery Adapter Plate for Canon <i>Accepts: BP-911/914/924 as well as Samsung SB-L110, SB-L220, SB-L160, SB-L320 and SB-L480</i> Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm <i>Note: Not compatible with the MicroPro Hybrid when utilizing the Strobe Sync Cable</i>	€ 44.00






















Croma Series Accessories

Product Number	Description	EURO
900-0007	 Deluxe Ball Head Shoe Mount for Micro, MicroPro, Croma, MiniPlus and SolaENG Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 58.00
900-0008	 Deluxe Ball Head Shoe Mount Conversion Kit for MiniPlus, Micro, MicroPro, Croma and SolaENG Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 14.00
900-0004	 Base Plate with Deluxe Ball Head Shoe Mount for Off Camera Use Use with: MiniPlus, Micro, MicroPro, Croma and Sola ENG Dimensions: 10" x 6" x 4" 254mm x 153mm x 102mm	€ 110.00
900-6104	 Sola ENG and Croma 2-Pin D-Tap Power Cable (coiled) Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 45.00
900-0015	 Carrying Case for MicroPro and Croma Dimensions: 10" x 6" x 4" 254mm x 153mm x 102mm	€ 28.00
900-5001	 LITE PANELS [®] AC Power Supply for Croma (includes International Plug Set) Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 60.00
900-5250	 LITE PANELS [®] Croma Individual Gel - Half White Diffusion Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 10.00

Ringlite Mini Series

Product Number	Description	EURO
Rinalite Mini Kits	Ringlite Mini Kit Includes: (1) Ringlite Mini Fixture (choice of: Daylight 5600K Spot, Daylight 5600K Flood or Tungsten 3200K Flood), (1) 24V DC Power Supply with Cord, (1) Adjustable Base Plate Mounting Bracket, (1) Rail Mount Bracket, (1) 24V Extension Cable, (1) 5 Piece Gel Set with Carrying Bag, (1) 10 ft. 4-Pin XLR Power Cable and (1) Carrying Case	
904-1102	Ringlite Mini Kit (Spot Daylight 5600K) Dimensions: 20" x 17" x 6" 508mm x 432mm x 153mm	€ 2,175.00
904-1101	Ringlite Mini Kit (Flood Daylight 5600K) - <i>Special Order - call for availability</i> Dimensions: 20" x 17" x 6" 508mm x 432mm x 153mm	€ 2,175.00
904-1103	Ringlite Mini Kit (Flood Tungsten 3200K) - <i>Special Order - call for availability</i> Dimensions: 20" x 17" x 6" 508mm x 432mm x 153mm	€ 2,175.00

Ringlite Mini Accessories

Product Number	Description	EURO
900-4000	 Ringlite Mini Carrying Case Dimensions: 20" x 17" x 6" 508mm x 432mm x 153mm	€ 110.00
900-4004	 Ringlite Mini 5 Piece Gel Set (CTO) - Includes Carrying Bag CTO = For Daylight fixtures (orange in color) Includes: Full CTO, 1/2 CTO, 1/4 CTO, 1/8 CTO and Half White Diffusion Dimensions: 20" x 17" x 6" 508mm x 432mm x 153mm	€ 142.00
900-4005	 Ringlite Mini 5 Piece Gel Set (CTB) - Includes Carrying Bag CTB = For Tungsten fixtures (blue in color) Includes: Full CTB, 1/2 CTB, 1/4 CTB, 1/8 CTB and Half White Diffusion Dimensions: 20" x 17" x 6" 508mm x 432mm x 153mm	€ 142.00
900-4204	 Ringlite Mini Individual Gel - FULL CTO Dimensions: 20" x 17" x 6" 508mm x 432mm x 153mm	€ 24.00
900-4205	 Ringlite Mini Individual Gel - 1/2 CTO Dimensions: 20" x 17" x 6" 508mm x 432mm x 153mm	€ 24.00
900-4206	 Ringlite Mini Individual Gel - 1/4 CTO Dimensions: 20" x 17" x 6" 508mm x 432mm x 153mm	€ 24.00
900-4223	 Ringlite Mini Individual Gel - 1/8 CTO Dimensions: 20" x 17" x 6" 508mm x 432mm x 153mm	€ 24.00
900-4201	 Ringlite Mini Individual Gel - FULL CTO Dimensions: 20" x 17" x 6" 508mm x 432mm x 153mm	€ 24.00
900-4202	 Ringlite Mini Individual Gel -1/2 CTO Dimensions: 20" x 17" x 6" 508mm x 432mm x 153mm	€ 24.00
900-4203	 Ringlite Mini Individual Gel - 1/4 CTO Dimensions: 20" x 17" x 6" 508mm x 432mm x 153mm	€ 24.00
900-4218	 Ringlite Mini Individual Gel - 1/8 CTO Dimensions: 20" x 17" x 6" 508mm x 432mm x 153mm	€ 24.00
900-4250	 Ringlite Mini Individual Gel - Half White Diffusion Dimensions: 20" x 17" x 6" 508mm x 432mm x 153mm	€ 24.00
900-0001	 Gels Carrying Bag for 1X1 Gels and Ringlite Mini Gels Dimensions: 12" x .5" x 12.5" 305mm x 13mm x 318mm	€ 25.00
900-0002	 1X1 and Ringlite Mini AC Adapter Power Supply 24V (100-240V) (Cord not included, sold separately - part 900-0003) Dimensions: 10" x 6" x 4" 254mm x 153mm x 102mm	€ 69.00
900-0013	 6 ft. AC Euro Power Cord for 1X1, Sola ENG and Ringlite Mini Power Supplies Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 10.00
900-0005	 DMX Kit for Standard 1X1 with Metal Housings, Ringlite Mini and MiniPlus Fixtures Contains 1-DMX Module (DMX) and 1-RJ45 Ethernet Cable to RJ45 (DMXEC) Dimensions: 10" x 6" x 4" 254mm x 153mm x 102mm	€ 205.00
900-4006	 10 Ft. DC Power Extension Cable Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 29.00
900-4007	 Ringlite Mini 10 Ft. 4-Pin XLR Power Cable (compatible with 1X1's as well) Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 50.00
900-4008	 Adjustable Base Plate Mounting Bracket - Includes: (2) 1/4-20 x 1/2" Screw (2) 10-32 Socket Screw (1) Socket Screw Wrench Dimensions: 10" x 6" x 4" 254mm x 153mm x 102mm	€ 88.00
900-4011	 Film/Video Rod Mounting Bracket 15mm Dimensions: 10" x 6" x 4" 254mm x 153mm x 102mm	€ 317.00
900-4012	 Film/Video Rod Mounting Bracket 19mm Dimensions: 10" x 6" x 4" 254mm x 153mm x 102mm	€ 317.00

**All prices are ex stock Munich, excluded V.A.T.
All specifications and prices are subject to change without prior notification.**

DISCONTINUED PRODUCTS LIST:

900-3006	1X1 10 Ft. 3-Pin XLR Power Cable
900-3011	2X2 Solid Fixture Assembly Frame for (4) 1X1 Fixtures
900-3013	2X2 Power Supply Mounting Plate
300-3012	2X2 Power Supply Assembly
903-4102	Drop Ceiling Kit with a 1X1 MONO Daylight 5600K Spot Low-Profile Fixture
903-4104	Drop Ceiling Kit with a 1X1 MONO Daylight 5600K SuperSpot Low-Profile Fixture
903-4101	Drop Ceiling Kit with a 1X1 MONO Daylight 5600K Flood Low-Profile Fixture
903-4103	Drop Ceiling Kit with a 1X1 MONO Tungsten 3200K Flood Low-Profile Fixture
900-0010	Wired Remote Dimmer Kit
901-3002	MiniPlusTwo-Lite Package (2 Daylight 5600K Spot)
901-3001	MiniPlusTwo-Lite Package (2 Daylight 5600K Flood)
901-3021	MiniPlusTwo-Lite Package (1 Daylight 5600K Spot & 1 Daylight 5600K Flood)
900-1025	MiniPlus Hot-Shoe Adapter 1/4-20
905-3002	MicroPro Hybrid Kit
900-5101	Micro Ball Head Shoe Mount
900-5300	MicroPro Hybrid Strobe Sync Cable
900-5207	MicroPro Carrying Case
900-4009	Ringlite Mini Petroff „L“ Bracket (Set)
900-4010	Ringlite Mini Chrosziel Adapter Plate
902-1002	Ringlite Cinema Kit (Spot Daylight 5600K)
902-1001	Ringlite Cinema Kit (Flood Daylight 5600K)
902-1003	Ringlite Cinema Kit (Flood Tungsten 3200K)
900-2000	Ringlite Cinema AC Power Supply
900-2007	Ringlite Cinema 25 Ft. Power Supply Feed Cable

900-2008	Ringlite Cinema 50 Ft. Power Supply Feed Cable
900-2009	Ringlite Cinema Data Control Module
900-2010	Ringlite Cinema 25 Ft. Data Control Cable
900-2011	Ringlite Cinema 15mm Film/Video Bracket
900-2012	Ringlite Cinema 19mm Film/Video Bracket
900-2013	Ringlite Cinema Panavision Bracket
900-2014	Ringlite Cinema Baby Pin Bracket
900-2015	Ringlite Cinema 16 Piece Gel Set
900-2016	Ringlite Cinema Flag Set - 1/4, 1/2, 3/4 Black-Out
900-2018	Ringlite Cinema LED Housing - Clear Plastic Cover
900-2019	Ringlite Cinema Carrying Case
900-2204	Individual Ringlite Cinema GEL
900-2205	Individual Ringlite Cinema GEL
900-2206	Individual Ringlite Cinema GEL
900-2223	Individual Ringlite Cinema GEL
900-2201	Individual Ringlite Cinema GEL
900-2202	Individual Ringlite Cinema GEL
900-2203	Individual Ringlite Cinema GEL
900-2218	Individual Ringlite Cinema GEL
900-2250	Individual Ringlite Cinema GEL
900-2216	Individual Ringlite Cinema GEL
900-2410	Individual Ringlite Cinema GEL
900-2432	Individual Ringlite Cinema GEL
900-2246	Individual Ringlite Cinema GEL
900-2278	Individual Ringlite Cinema GEL
900-2249	Individual Ringlite Cinema GEL
900-2279	Individual Ringlite Cinema GEL
900-6102	Sola ENG Carrying Case