



**Litepanels  
Pricelist  
09/2010**



Code	Description	EURO
------	-------------	------

1X1 KITS		
----------	--	--

	<b>All 1X1 Kits include the following:</b> 1X1 Fixture, Yoke, AC Power Supply w/ Power Cord and Power Supply Mounting Plate	
<b>LP1-MF</b>	1X1 MONO Flood Daylight (5600K) Beam spread: 50 degree	<b>1.449,00</b>
<b>LP1-MS</b>	1X1 MONO Spot Daylight (5600K) Beam spread: 30 degree	<b>1.449,00</b>
<b>LP1-MFT</b>	1X1 MONO Flood Tungsten (3200K) Beam spread: 50 degree	<b>1.449,00</b>
<b>LP1-MSS</b>	1X1 MONO Super-Spot Daylight (5600K) Beam spread: 15 degree	<b>1.449,00</b>
<b>LP1-BCF</b>	1X1 Bi-Color Flood (Daylight 5600K to Tungsten 3200K & anywhere in between) Beam spread: 50 degree	<b>2.175,00</b>
<b>LP1-BFS/F</b>	1X1 Bi-Focus - Daylight Spot (30 degree) and Daylight Flood (50 degree)	<b>2.175,00</b>
<b>LP1-BFS/SS</b>	1X1 Bi-Focus - Daylight Spot (30 degree) and Daylight Super-Spot (15 degree)	<b>2.175,00</b>
<b>LP1-MF-LOW</b>	1X1 MONO Low-Profile Flood Daylight (5600K) Beam spread: 50 degree (special order - call for availability) Beam of light is set at a 40 degree angle on horizontal plane	<b>1.595,00</b>
<b>LP1-MFT-LOW</b>	1X1 MONO Low-Profile Flood Tungsten (3200K) Beam spread: 50 degree (special order - call for availability) Beam of light is set at a 40 degree angle on horizontal plane	<b>1.595,00</b>
<b>LP1-MS-LOW</b>	1X1 MONO Low-Profile Spot Daylight (5600K) Beam spread: 30 degree (special order - call for availability) Beam of light is set at a 40 degree angle on horizontal plane	<b>1.595,00</b>
<b>LP1-MSS-LOW</b>	1X1 MONO Low-Profile Super-Spot Daylight (5600K) Beam spread: 15 degree (special order - call for availability) Beam of light is set at a 40 degree angle on horizontal plane	<b>1.595,00</b>

1X1 ACCESSORIES		
-----------------	--	--

<b>1GELS-CTO</b>	6 Piece Gel Set CTO- includes Carrying Bag ( for daylight fixtures, Full CTO, 1/2 CTO; 1/4 CTO; 1/8 CTO; Opal; Half White Diffusion)	<b>142,00</b>
<b>1GELS-CTB</b>	6 Piece Gel Set CTB- includes Carrying Bag ( for tungsten fixtures, Full CTB; 1/2 CTB; 1/4 CTB; 1/8 CTB; Opal; Half White Diffusion)	<b>142,00</b>
<b>1GELS-BC</b>	6 Piece Gel Set for Bi-Color - includes Carrying Bag (includes 1/4 CTO; 1/8 CTO; 1/4 CTB; 1/8 CTB; Opal Diffusion; Half White Diffusion)	<b>142,00</b>
<b>1G-201</b>	1x1 Gel - Full CTB	<b>23,00</b>
<b>1G-202</b>	1x1 Gel - 1/2CTB	<b>23,00</b>
<b>1G-203</b>	1x1 Gel - 1/4 CTB	<b>23,00</b>
<b>1G-218</b>	1x1 Gel - 1/8 CTB	<b>23,00</b>
<b>1G-410</b>	1x1 Gel - Opal Frost	<b>23,00</b>
<b>1G-250</b>	1x1 Gel - Half White Diffusion	<b>23,00</b>
<b>1G-204</b>	1x1 Gel - Full CTO	<b>23,00</b>
<b>1G-205</b>	1x1 Gel - 1/2 CTO	<b>23,00</b>
<b>1G-206</b>	1x1 Gel - 1/4 CTO	<b>23,00</b>
<b>1G-223</b>	1x1 Gel - 1/8 CTO	<b>23,00</b>
<b>1GB</b>	1X1 Gels Carrying Bag	<b>22,00</b>

All prices are ex stock Munich, excluded V.A.T.  
All specifications and prices are subject to change without prior notification.

1



Code	Description	EURO
<b>1X1 ACCESSORIES</b>		
1ACA	1x1 24V DC Adapter Power Supply (Cord not included, sold separately - part # 1ACAC-E))	67,00
1ACAC-E	1x1 AC Power Supply Cord	27,00
1PSMB	1X1 Power Supply Mounting Plate	50,00
2PSMB	2X2 Power Supply Mounting Plate (Holds (4) AC Power Supplies for 1X1's)	115,00
1XLR	1x1 3m 3-Pin XLR Power Cable (note: for a 4-pin XLR power cable order #RMXLR)	50,00
1BPLT	1x1 Base Plate with Deluxe Ball Head Shoe Mount	128,00
1GR30	1X1 Honeycomb Grid - 30°	130,00
1GR45	1X1 Honeycomb Grid - 45°	130,00
1GR60	1X1 Honeycomb Grid - 60°	130,00
1GR90	1X1 Honeycomb Grid - 90°	130,00
1BD	4-way barn doors for 1X1	164,00
WRDK	Wired Remote Dimmer Kit (0.3 - 1.8m Wired Module + {2} 2.5m Extensions)	215,00
2X1 FA-M	2X1 Fixture Assembly Frame for (2) 1X1 Fixtures (use with 1X1 Metal Housings)	100,00
2X1 FA-P	2X1 Fixture Assembly Frame for (2) 1X1 Fixtures (use with 1X1 Plastic Housings)	100,00
2X2 FA-S	2X2 Solid Fixture Assembly Frame for (4) 1X1 Fixtures	215,00
2X2 FA-C	2X2 Collapsible Fixture Assembly Frame for (4) 1X1 Fixtures	215,00
3X1 FA-M	3X1 Fixture Assembly Frame for (3) 1X1 Fixtures (use with 1X1 Metal Housings)	150,00
3X1 FA-P	3X1 Fixture Assembly Frame for (3) 1X1 Fixtures (use with 1X1 Plastic Housings)	150,00
3X2 FA	3X2 Fixture Assembly Frame for (6) 1X1 Fixtures (use with 1X1 Metal and Plastic Housings)	313,00
2PSA	2X2 Power Supply Assembly (currently not available in EU)	869,00
4FA	4X4 Frame for 16 LP1X1 Fixture	1.087,00
4PSA	4X4 Power Supply Assembly (currently not available in EU)	1.812,00
LPDMX	Contains 1-DMX Module (DMX) and 1-RJ45 Ethernet Cable to RJ45 (DMXEC)	360,00
DMXCC	RJ45 to 5-Pin XLR (male) Conversion Cable (note: 5-pin XLR female versions are not available)	50,00
1DVVAP	1X1 V-Mount Battery Adapter Plate (incl. 2-pin D-Tap power cable)	145,00
1DVGAP	1X1 AB Gold-Mount Battery Adapter Plate (incl. 2-pin D-Tap power cable)	138,00
1DT	1X1 D-Tap Cable Assembly for 1DVVAP and 1DVGAP	30,00
1RC	1X1 Rain Cover	29,00
1TVMPR	1X1 TVMP Replacement with T-handle	19,00
1KS	1x1 3 Riser Fold-up Stand (transport length 76 cm; height 81 cm - 274 cm; weight 1,36 kg)	128,00
2LCC	1X1 2-Lite Carrying Case (48.2 x 43.1 x 27.9 cm; weight 5.9 kg)	128,00
4LCC	1X1 4-Lite Carrying Case (48.2 x 86.3 x 38.1 cm; weight 13.1 kg)	287,00

All prices are ex stock Munich, excluded V.A.T.

All specifications and prices are subject to change without prior notification.

2

Dedo Weigert Film GmbH • Karl-Weinmair-Str. 10 • D-80807 Munich

Tel.: \*(+49)89 - 356 16 01 • Fax: (+49)8989 - 356 60 86 • info@dedoweigertfilm.de • www.dedoweigertfilm.de



**Code Description EURO**

**1X1 2-LITE KITS**

Please choose any combination of two of the 1X1 kits and Gels listed below.

<b>2LKM</b>	2-Lite Kit Mono includes: (2) Gel Sets (1GELS-CTO or 1GELS-CTB ), (2) stands (A1004 Sachtler LC1), (2) 1X1 Lite kits (LP-MS or LP-MF or LP-MFT), (1) 2-Lite Carrying Case (2LCC)	<b>3.336,00</b>
<b>2LKB</b>	2-Lite Kit Bi includes: (2) Gels Sets (1GELS-CTO or 1GELS-BC), (2) stands (A1004 Sachtler LC1), (2) 1X1 Lite kits (LP1-BCF or LP1-BFS/F, LP1-BFS/SS), (1) 2-Lite Carrying Case (2LCC)	<b>4.786,00</b>
<b>2LKMB</b>	2-Lite Kit Mono/Bi includes: (2) Gels Sets (1GELS-CTO or 1GELS-CTB or 1GELS-BC), (2) stands (A1004 Sachtler LC1), (2) 1X1 Lite kits: (1) LP1-BCF or LP1-BFS/F or LP1-BFS/SS and (1) LP-MF, LP-MS, LP-MFT), (1) 2-Lite Carrying Case (2LCC)	<b>4.060,00</b>

**1X1 4-LITE KITS (SPECIAL ORDER)**

<b>4LAK</b>	4-Lite Accessory Kit - Kit Includes: (4) 100-240V AC Power Supply w/ AC Power Supply Cord, (4) 3 Riser Fold-up Stands, (2) Storage Bags for Power Supply and Accessories, (4) Power Supply Mounting Bracket, (4) 6 Piece Gel Set w/ Carrying Bag (Gel Set will match to fixture(s) chosen with Kit and (1) 4-Lite Carrying Case	<b>1.400,00</b>
NOTE: 1X1 Fixtures sold separately, as pricing depends on which fixtures you choose. Please choose any combination of four of the 1X1 fixtures listed below.		

**1X1 DROP CEILING ACCESSORY KIT (SPECIAL ORDER)**

<b>1DCAK</b>	1X1 Drop Ceiling Accessory Kit: For use with all 1X1 fixtures featuring new adjustable bail 1X1 Fixtures sold separately, choose from list of fixtures below. 1X1 Fixtures that are purchased to go with 1DCAK will automatically come in white.  1DCAK includes: Drop Ceiling Box Assembly, Yoke with safety latch, (1) 100 -240V AC Power Supply with AC Power Supply Cord, drop ceiling tile and all hardware needed for installation.  IMPORTANT! Separate PO`s are required when placing order for each individual 4LAK with 1X1 fixtures and 1DCAK with 1X1 fixtures!	<b>460,00</b>
--------------	---	---------------

All prices are ex stock Munich, excluded V.A.T.  
All specifications and prices are subject to change without prior notification.

Dedo Weigert Film GmbH • Karl-Weinmair-Str. 10 • D-80807 Munich  
Tel.: \*(+49)89 - 356 16 01 • Fax: (+49)8989 - 356 60 86 • info@dedoweigertfilm.de • www.dedoweigertfilm.de

Code	Description	EURO
------	-------------	------

	<b>1X1 FIXTURES</b>	
--	---------------------	--

Use the following part#s only when ordering with the 4LAK and the 1DCAK. All 1X1 fixtures are special order.		
<b>1FABC50</b>	1x1 Fixture Assembly, Bi-Color Flood - includes Yoke	<b>2.035,00</b>
<b>1FABF30/50</b>	1x1 Fixture Assembly, Bi-Focus Spot/Flood - includes Yoke	<b>2.035,00</b>
<b>1FAB30/15</b>	1x1 Fixture Assembly, Bi-Focus Spot/Super Spot - includes Yoke	<b>2.035,00</b>
<b>1FAM15</b>	1x1 Mono Fixture Assembly - 5600K/SuperSpot - includes Yoke	<b>1.310,00</b>
<b>1FAM15LOW</b>	1x1 Mono Fixture Assembly - 5600K/SuperSpot - Low Profile - includes Yoke	<b>1.455,00</b>
<b>1FAM30</b>	1x1 Mono Fixture Assembly - 5600K/Spot - includes Yoke	<b>1.310,00</b>
<b>1FAM30LOW</b>	1x1 Mono Fixture Assembly - 5600K/Spot - Low Profile - includes Yoke	<b>1.455,00</b>
<b>1FAM50</b>	1x1 Mono Fixture Assembly - 5600K/Flood - includes Yoke	<b>1.310,00</b>
<b>1FAM50LOW</b>	1x1 Mono Fixture Assembly - 5600K/Flood - Low Profile - includes Yoke	<b>1.455,00</b>
<b>1FAM50T</b>	1x1 Mono Fixture Assembly - 3200K/Flood Tungsten - includes Yoke	<b>1.310,00</b>
<b>1FAM50TLOW</b>	1x1 Mono Fixture Assembly - 3200K/Flood Tungsten - Low Profile - includes Yoke	<b>1.455,00</b>

	<b>SOLA FRESNELS</b>	
---	----------------------	--

<b>SolaENG</b>	<p>SolaENG Fresnel LED on camera light with standard "hot-shoe" mount and integrated 2-Pin D-Tap power cable. Power consumption: 30W; output equivalent to 250W tungsten; weight 280 g; lens 7.62 cm</p> <p>includes: 2-leaf barn door, Deluxe ball head shoe mount; 3 piece gel filters (1/4 CTO, Full CTO, Diffusion) and carrying case</p> <p><b>Available end of September</b></p>	<b>510,00</b>
<b>Sola6</b>	<p>"Sola6 Fresnel LED light fixture with mounting yoke and power cable</p> <p>Power consumption 75 W (equivalent to 650W tungsten); weight 2.7 kg; Lens 15.24 cm</p> <p>Power supply: internal universal PFC 85-245VAC</p> <p>Instant restrike, no ballast necessary"</p> <p><b>Available October</b></p>	<b>2.170,00</b>

	<b>SOLAENG ACCESSORIES</b>	
--	----------------------------	--

<b>ENGBD</b>	<b>SolaENG Barn Door/Gel Frame Assembly</b>	
<b>ENGGELS</b>	SolaENG 3 Piece Gel Set (1/4 Correction, Full Correction, Diffusion)	<b>TBA</b>
<b>ENG-CC</b>	SolaENG Carrying Case	<b>TBA</b>



LITE  
PANELS™

Code Description EURO

**SOLA 6 ACCESSORIES**

<b>S64BD</b>	Sola6 4-leaf barn door	<b>TBA</b>
<b>S68BD</b>	Sola6 8-leaf barn door	<b>TBA</b>
<b>S6FF</b>	Sola6 Filter Frame	<b>TBA</b>
<b>S6PAY</b>	Sola6 Pole Assisted Yoke	<b>TBA</b>

**MINIPLUS KITS/PACKAGES**

	MP-LPCK Kits Include: MiniPlus Fixture, 6 Piece Gel Set, Deluxe Ball Head Shoe Mount and 2-Pin D-Tap Power Cable	
<b>MP-LPCK30</b>	MiniPlus-Camera Lite Kit (Spot Daylight - 5600K)	<b>603,00</b>
<b>MP-LPCK50</b>	MiniPlus-Camera Lite Kit (Flood Daylight - 5600K)	<b>603,00</b>
	MP-CLPK Kits Include: MiniPlus Fixture, 12V DC Rechargeable Battery, 100~240V AC/DC Power Supply Adapter w/ International Plug Set, 6 Piece Gel Set (infrared version only IR Filter), Deluxe Ball Head Shoe Mount (with conversion kit), 12V DC 2" Jumper Cable, 2-Pin D-Tap Power Cable and Carrying Case	
<b>MP-CLPK30</b>	MiniPlus-One Lite Package (Spot Daylight 5600K)	<b>940,00</b>
<b>MP-CLPK50</b>	MiniPlus-One Lite Package (Flood Daylight 5600K)	<b>940,00</b>
<b>MP-CLPK50T</b>	MiniPlus-One Lite Package (Flood Tungsten 3200K)	<b>940,00</b>
<b>MP-CLPKIR850</b>	MiniPlus-One Lite Package - Infrared (Special Order)	<b>1.013,00</b>
<b>MP-CLPKIR980</b>	MiniPlus-One Lite Package -Infrared Military version (Special order)	<b>1.013,00</b>
	MP-DLPK Kits Include: (2) MiniPlus Fixtures, (2) 12V DC Rechargeable Battery, (2) 100~240V AC/DC Power Supply Adapter w/ International Plug Set, (2) 12V DC 2" Jumper Cables, (2) 12V DC 3 ft. Jumper Cables, (2) 12V DC 10 ft. Jumper Cables, (2) 12V DC 10 ft. Extension Cables, (2) 12V 3m Cigarette Adapter Cables, (1) 2-Pin D-Tap Power Cable, (2) MiniPlus Base Plate (MiniPlus Base Plate & Deluxe Ball Head Shoe Mount), (2) 1/4-20 Pin Adapter, (1) Hot Shoe Adapter, (1) 12V Twin Socket, (2) 6 Piece Gel Set and (1) Carrying Case	
<b>MP-DLPK30</b>	MiniPlus-Two Lite Package (2 Spot Daylight - 5600K)	<b>1.812,00</b>
<b>MP-DLPK50</b>	MiniPlus-Two Lite Package (2 Flood Daylight - 5600K)	<b>1.812,00</b>
<b>MP-DLPK30/50</b>	MiniPlus-Two Lite Package (1 Spot Daylight - 5600K & 1 Flood Daylight - 5600K)	<b>1.812,00</b>

All prices are ex stock Munich, excluded V.A.T.  
All specifications and prices are subject to change without prior notification.

Dedo Weigert Film GmbH • Karl-Weinmair-Str. 10 • D-80807 Munich  
Tel.: \*(+49)89 - 356 16 01 • Fax: (+49)8989 - 356 60 86 • info@dedoweigertfilm.de • www.dedoweigertfilm.de

Code	Description	EURO
<b>MINIPLUS SPARE PARTS AND ACCESSORIES</b>		
<b>+FA50</b>	MiniPlus Litepanel Fixture (Flood Daylight 5600K)	<b>530,00</b>
<b>+FA30</b>	MiniPlus Litepanel Fixture (Spot Daylight 5600K)	<b>530,00</b>
<b>+FA50T</b>	MiniPlus Litepanel Fixture (Flood Tungsten 3200K)	<b>530,00</b>
<b>+FAIR850</b>	MiniPlus Litepanel Fixture - Infrared - Special Order	<b>603,00</b>
<b>+FAIR980</b>	MiniPlus Litepanel Fixture - Infrared (Military version) - Special Order	<b>603,00</b>
<b>+LPB</b>	MiniPlus 12V Rechargeable NiMH Battery (charger not included)	<b>138,00</b>
<b>+ACA</b>	MiniPlus 100-240V AC Adapter Power Supply/Charger w/ International Plug Set (for +LPB)	<b>48,00</b>
<b>+DT</b>	MiniPlus 2-Pin D-Tap Power Cable	<b>47,00</b>
<b>+XLR</b>	MiniPlus 4-Pin XLR Power Cable	<b>47,00</b>
<b>DVAP+S</b>	MiniPlus DV Battery Adapter Plate - Sony "L" and "M" series batteries as well as Panasonic VW-VBD1 and Hitachi VMB-P13A	<b>73,00</b>
<b>DVAP+P</b>	MiniPlus DV Battery Adapter Plate - Panasonic CGR-D120, CGR-D220, CGR-D08A, CGR-D16A	<b>73,00</b>
<b>DVAP+C</b>	MiniPlus DV Battery Adapter Plate - Canon BP-911/914/924 as well as Samsung SB-L110, SB-L220, SB-L160, SB-L320 and SB-L480	<b>73,00</b>
<b>BPH</b>	Base Plate Hinge (per set) for older models of Litepanels Mini only	<b>14,00</b>
<b>BPLT</b>	Base Plate with Ball Head Shoe Mount	<b>110,00</b>
<b>BHSM</b>	Deluxe Ball Head Shoe Mount for MiniPlus, MicroPro and MicroPro Hybrid	<b>58,00</b>
<b>+BPO</b>	Base Plate Only with Screw	<b>53,00</b>
<b>+CA</b>	MiniPlus 12V 3m Cigarette Adapter	<b>9,00</b>
<b>+10J</b>	MiniPlus 12V DC 3m Jumper Cable	<b>9,00</b>
<b>+10E</b>	MiniPlus 12V DC 3m Extension Cable	<b>9,00</b>
<b>+3J</b>	MiniPlus 12V DC 0.9m Jumper Cable	<b>9,00</b>
<b>+2J</b>	MiniPlus 12V DC 50mm Jumper Cable	<b>9,00</b>
<b>+TS</b>	MiniPlus 12V Twin Socket	<b>14,00</b>
<b>GELS+6-CTO</b>	MiniPlus 6 Piece Gel Set CTO (for daylight fixtures, Full CTO, 1/2 CTO, 1/4 CTO; 1/8 CTO; Opal Frost, Half White Diffusion)	<b>30,00</b>
<b>GELS+6-CTB</b>	MiniPlus 6 Piece Gel Set CTB (for tungsten fixtures, Full CTB; 1/2 CTB; 1/4 CTB; 1/8 CTB; Opal Frost, Half White Diffusion)	<b>30,00</b>
<b>+G-204</b>	MiniPlus Gel - Full CTO	<b>9,00</b>
<b>+G-205</b>	MiniPlus Gel - 1/2 CTO	<b>9,00</b>
<b>+G-206</b>	MiniPlus Gel - 1/4 CTO	<b>9,00</b>
<b>+G-223</b>	MiniPlus Gel - 1/8 CTO	<b>9,00</b>

All prices are ex stock Munich, excluded V.A.T.

All specifications and prices are subject to change without prior notification.

6



Code	Description	EURO
<b>+G-410</b>	MiniPlus Gel - Opal Frost	<b>9,00</b>
<b>+G-250</b>	MiniPlus Gel - Half White Diffusion	<b>9,00</b>
<b>+G-201</b>	MiniPlus Gel - Full CTB	<b>9,00</b>
<b>+G-202</b>	MiniPlus Gel - 1/2 CTB	<b>9,00</b>
<b>+G-203</b>	MiniPlus Gel - 1/4 CTB	<b>9,00</b>
<b>+G-218</b>	MiniPlus Gel - 1/8 CTB	<b>9,00</b>
<b>+IRG</b>	MiniPlus Infrared Gel	<b>14,00</b>
<b>BP</b>	1/4-20 Pin Adapter	<b>12,00</b>
<b>HSA</b>	Hotshoe Adapter 1/4-20	<b>48,00</b>
<b>WRDK</b>	Wired Remote Dimmer Kit (0.3 - 1.8m Wired Module + {2} 2.5m Extensions)	<b>215,00</b>
<b>+GR30</b>	MiniPlus Honeycomb Grid - 30°	<b>87,00</b>
<b>+GR60</b>	MiniPlus Honeycomb Grid - 60°	<b>87,00</b>
<b>+CC1</b>	MiniPlus One-Lite Kit Case	<b>55,00</b>
<b>+CC2</b>	MiniPlus Two-Lite Kit Case	<b>78,00</b>

## RINGLITE MINI KITS

Ringlite Mini Kits include:

(1) Ringlite Mini Fixture (choice of Daylight Spot, Daylight Flood or Tungsten Flood), (1) 24V DC Power Supply with Cord, (1) Adjustable Base Plate mounting bracket, (1) 24V Extension Cable, (1) 5 Piece Gel Set with Carrying Bag, (1) 10 ft. 4-Pin XLR Power Cable and (1) Carrying Case

<b>RM-S</b>	"Ringlite Mini Kit (Spot Daylight 5600K) includes: RMFA30, RMCC, RMGELS-CTO, 1ACA, 1ACAC-E, RM10, RMXLR, RMB"	<b>1.900,00</b>
<b>RM-F</b>	"Ringlite-Mini Kit (Flood Daylight 5600K) includes: RMFA50, RMCC, RMGELS-CTO, 1ACA, 1ACAC-E, RM10, RMXLR, RMB "	<b>1.900,00</b>
<b>RM-FT</b>	"Ringlite-Mini Kit (Flood Tungsten 3200K) includes: RMFA50T, RMCC, RMGELS-CTB, 1ACA, 1ACAC-E, RM10, RMXLR, RMB"	<b>1.900,00</b>

All prices are ex stock Munich, excluded V.A.T.  
All specifications and prices are subject to change without prior notification.

Dedo Weigert Film GmbH • Karl-Weinmair-Str. 10 • D-80807 Munich  
Tel.: \*(+49)89 - 356 16 01 • Fax: (+49)8989 - 356 60 86 • info@dedoweigertfilm.de • www.dedoweigertfilm.de

Code	Description	EURO
------	-------------	------

<b>RINGLITE MINI ACCESSORIES</b>		
----------------------------------	--	--

<b>RMFA30</b>	Ringlite-Mini Fixture Only (Spot Daylight 5600K)	<b>1.814,00</b>
<b>RMFA50</b>	Ringlite-Mini Fixture Only (Flood Daylight 5600K) - Special Order	<b>1.814,00</b>
<b>RMFA50T</b>	Ringlite-Mini Fixture Only (Flood Tungsten 3200K) - Special Order	<b>1.814,00</b>
<b>RMCC</b>	Ringlite-Mini Carrying Case	<b>110,00</b>
<b>RMGELS-CTO</b>	Ringlite-Mini 5 Piece Gel Set CTO - Includes Carrying Bag (for daylight fixtures, orange in color)	<b>142,00</b>
<b>RMGELS-CTB</b>	Ringlite-Mini 5 Piece Gel Set CTB - Includes Carrying Bag (for tungsten fixtures, blue in color)	<b>142,00</b>
<b>RMG-201</b>	Ringlite Mini Gel - Full CTB	<b>24,00</b>
<b>RMG-202</b>	Ringlite Mini Gel - 1/2 CTB	<b>24,00</b>
<b>RMG-203</b>	Ringlite Mini Gel - 1/4 CTB	<b>24,00</b>
<b>RMG-218</b>	Ringlite Mini Gel - 1/8 CTB	<b>24,00</b>
<b>RMG-204</b>	Ringlite Mini Gel - Full CTO	<b>24,00</b>
<b>RMG-205</b>	Ringlite Mini Gel - 1/2 CTO	<b>24,00</b>
<b>RMG-206</b>	Ringlite Mini Gel - 1/4 CTO	<b>24,00</b>
<b>RMG-223</b>	Ringlite Mini Gel - 1/8 CTO	<b>24,00</b>
<b>RMG-216</b>	Ringlite Mini Gel - White Diffusion	<b>24,00</b>
<b>1ACA</b>	110/220V AC Adapter Power Supply	<b>67,00</b>
<b>1ACAC-E</b>	AC Power Cord, 1.8m	<b>27,00</b>
<b>RM10</b>	DC Power Extension Cable, 3m	<b>29,00</b>
<b>RMXLR</b>	4-Pin XLR Power Cable	<b>50,00</b>
<b>RMB</b>	Adjustable Base Plate Mounting Bracket Includes: (2) 1/4-20 x 1/2" Screw (4) 10-32 Socket Screw (1) Socket Screw Wrench (2) 10-24 Socket Screw	<b>88,00</b>

<b>OPTIONAL MOUNTING BRACKETS</b>		
-----------------------------------	--	--

<b>RMP</b>	Petroff "L" Bracket (Set)	<b>19,00</b>
<b>RMC</b>	Chrosziel Adapter Plate	<b>48,00</b>
<b>RMB15</b>	Film/Video Rod Mounting Bracket 15mm	<b>317,00</b>
<b>RMB19</b>	Film/Video Rod Mounting Bracket 19mm	<b>317,00</b>

Code	Description	EURO
<b>RINGLITE CINEMA KITS</b>		
	Each Ringlite-Cinema Kit includes: Ringlite Cinema Fixture (choice of: Daylight 5600K Spot, Daylight 5600K Flood or Tungsten 3200K Flood), (1) 100-240V AC Power Supply, (1) 7.6m Power Supply Feed Cable, (1) 15m Power Supply Feed Cable, (1) Data Control Module, (1) 7.6m Data Control Cable, (1) 15mm Film/Video Bracket, (1) Panavision Bracket, (1) Baby Pin Bracket, (1) 16 Piece Gel Set and (1) Carrying Case	
RC-S	Ringlite-Cinema Kit (Spot Daylight 5600K) -Special Order	6.895,00
RC-F	Ringlite-Cinema Kit (Flood Daylight 5600K) - Special Order	6.895,00
RC-FT	Ringlite-CinemaKit (Flood Tungsten 3200K) - Special Order	6.895,00

<b>RINGLITE CINEMA ACCESSORIES</b>		
RCPS	Ringlite Cinema AC Power Supply	869,00
RCPS25	7.6m Power Supply Feed Cable	110,00
RCPS50	15m Power Supply Feed Cable	147,00
RCDCM	Ringlite Cinema Data Control Module	255,00
RCDC	Ringlite Cinema 7.6m Data Control Cable	110,00
RCFVB15	15mm Film/Video Bracket	360,00
RCFVB19	19mm Film/Video Bracket	360,00
RCBP	Panavision Bracket	255,00
RCBPB	Baby Pin Bracket	182,00
RCGELS	Ringlite Cinema 16 Piece Gel Set	455,00
RCFS	Flag Set - 1/4, 1/2, 3/4 Black-Out	200,00
RCH	LED Housing	650,00
RCHC	LED Housing - Clear Plastic Cover	40,00
RCF-S	Fixture Only (Spot) Assembled PCB with LED	3.630,00
RCCC	Ringlite Cinema Carrying Case	364,00

All prices are ex stock Munich, excluded V.A.T.  
All specifications and prices are subject to change without prior notification.

9