


# Lowel's New SoftCore™

## A Revolutionary Fluorescent System for Your Soft Box

Introducing SoftCore™, a compact light fixture that adds versatility and control to softbox lighting setups.

- Its quick exchange lampheads swap easily, and give the option of using up to 5 screw-threaded fluorescent lamps, for lighting larger areas with more output.
- Its unique patented 4 arm system now makes conventional soft boxes fast to attach, and a breeze to rotate.
- Used with our new 80 Watt high C.R.I. fluorescent lamps, Softcore delivers beautiful, soft, constant source daylight that accurately renders all the colors of your shot.

Lowel's new SoftCore™ is a multi-patented system, designed to use the modular accessory fluorescent lampheads of the Rifa eXchange System.



- SoftCore works with popular video accessory softboxes.
- 3 easy to swap fluorescent lamphead options.
- Uses Lowel's High C.R.I. compact fluorescents and other Edison base CFL's.
- Patented 4 arm hooking system makes softbox attaching quick & painless.
- Arms rotate & adjust for optimum softbox balance and position.
- Convenient tilt handle for smooth lighting angle adjustments.
- Allows attachment of a Lowel Pole & Weight for perfect balance on the stand, when using larger front heavy lampheads, lamps, & softboxes.
- Folds down efficiently for compact kit storage.
- US Patents: 6,176,598 7,416,316




**FLO-X1 Head**  
(Code: FLO-X1)  
1 single Edison type screw thread lamp socket




**FLO-X3 Head**  
(Code: FLO-X3)  
3 Edison type screw thread sockets, individually switched



**FLO-X5 Head**  
(Code: FLO-X5)  
5 Edison type screw thread sockets, individually switched



**80 Watt Fluorescent Lamp**  
120v (Code: E1-80),  
220v (Code: E1-80E)  
New 80 Watt Daylight fluorescent lamp, with high 90+ C.R.I. (color rendering index) and 8,000 hour lamp life



Exchange lampheads with a quick Push & Twist



Accepts Lowel Half Pole & Weight for counter-balancing heavier lampheads & softboxes.



## Lights &

### Lowel SoftCore™

#### Code: SX-10

Lowel SoftCore with 16' T1-80 AC Cable (less lampheads & lamps).

#### Lowel SoftCore w/FLO-X1 Head

#### Code: SX-101

Lowel SoftCore with 16' T1-80 AC Cable, and FLO-X1 single socket lamphead (less lamps).

#### Lowel SoftCore w/FLO-X3 Head

#### Code: SX-103

Lowel SoftCore with 16' T1-80 AC Cable, and FLO-X3 individually switched 3 socket lamphead (less lamps).

#### Lowel SoftCore w/FLO-X5 Head

#### Code: SX-105

Lowel SoftCore with 16' T1-80 AC Cable, and FLO-X5 individually switched 5 socket lamphead (less lamps).

## Lowel eXchange Lampheads

SoftCore uses some of the accessory lampheads of the Lowel Rifa eXchange System. They should only be used with fluorescent lamps. All are available separately.

### FLO-X1 Head

#### Code: FLO-X1

Single Edison Lamp Socket, unswitched.

### FLO-X3 Head

#### Code: FLO-X3

Three Edison Lamp Sockets, switched.

### FLO-X5 Head

#### Code: FLO-X5

Five Edison Lamp Sockets, switched.

## Lamps & Lamptubes

Lowel SoftCore's lampheads use fluorescent lamps with an Edison screw-thread base.

### 80 Watt Fluorescent Lamps



E1-80	120v, 80w, 5500k, 90+ C.R.I, 8000 hr life
E1-80E	220v, 80w, 5500k, 90+ C.R.I, 8000 hr life

### 27 Watt Fluorescent Lamps



E1-27	120v, 27w, 5500k, 90+ C.R.I, 8000 hr life
E1-27E	220v, 25w, 5500k, 90+ C.R.I, 8000 hr life

### Fluorescent Lamptubes

FLO-X63 Plastic tube with foam padding  
Holds 1 80w lamp (less lamps)



FLO-X61 Plastic tube with foam padding & center divider. Holds 2 27w lamps (less lamps)




## Case

### Large Rifa Litebag

#### Code: LB-40

Size: (trapezoid shape)  
36.25 x 8 x 8.25"  
(92 x 21 x 21.6 cm)

Made of polyester with vinyl coated backing. Has inside storage pockets, and padded shoulder strap (SS-10).



## Kits

### Lowel SoftCore FLO-X3 Kit

#### Code: SX-903LB

Lowel SoftCore with FLO-X3 lamphead (SX-103), 3 80w daylight fluorescent lamps (E1-80), 3 80w Lamptubes (FLO-X63), in Large Rifa Litebag (LB-40).


Note: this kit does not come with a stand. The recommended stand is the Lowel KS Stand.

## Mounts

### KS Stand

#### Code: KS

Maximum height: 9' (2.74 m),  
Collapsed length: 3' (91 cm)  
Weight: 4 lbs (1.8 kg)  
Wide based, sturdier, lightweight stand with 5/8" (1.59 cm) stud.



## Lowel Dealers

Our equipment is sold only through authorized Lowel dealers in the USA and Canada and in any other country where there is a Lowel distributorship. visit [www.lowel.com](http://www.lowel.com) to find a Lowel dealer.

## Prices

All prices are US \$ suggested list price. Possession of Lowel-Light Manufacturing, Inc. price list, catalogs and supplement sheets is not in and of itself an offer to sell.

## Changes

We reserve the right to change, in whole or in part, prices, discounts, product specifications, products offered, terms and conditions of sale and policies without notice. See page 76 of Catalog for Consumer Policy & Warranty.

## Parts & Repairs


Visit the Parts Center [www.lowel.com](http://www.lowel.com), or see Lowel 2008/09 Product Information CD for Parts & Prices, or contact us for more information.

## www.lowel.com

Visit [www.lowel.com](http://www.lowel.com) for the most recent & accurate product & pricing information, EDU Lighting Resource Center with lessons on lighting & equipment use, and all the latest Lowel news.

See New Product Sheet

SoftCore™



Code	Name/Description	List US\$
<b>SoftCore Lights &amp;</b>		
SX-10	SoftCore (less lamphead)	325.00
SX-101	SoftCore w/FLO-X1 Head	375.00
SX-103	SoftCore w/FLO-X3 Head	420.00
SX-105	SoftCore w/FLO-X5 Head	525.00
FLO-X1	1 lamp accessory head (screw-thread); fluorescent	70.00
FLO-X3	3 lamp accessory head (screw-thread); fluorescent only	150.00
FLO-X5	5 lamp accessory head (screw-thread); fluorescent only	225.00
<b>Lamps &amp; Lamptubes</b>		
E1-80	80W/120V/5500K, Fluo. lamp	69.00
E1-80E	80W/120V/5500K, Fluo. lamp	69.00
E1-27	27W/120V/5500K Fluo. lamp	21.00
E1-27E	25W/220-240V/5500K Fluo. lamp	21.00
FLO-X63	80w Fluorescent Lamptube (holds 1)	46.00
FLO-X61	27w Fluorescent Lamptube (holds 2)	29.50
<b>SoftCore™ Kit</b>		
SX-903LB	SoftCore FLO-X3 Kit	829.00

## Lowel-Light Manufacturing, Inc.

90 Oser Avenue, Hauppauge, N.Y. 11788

Call: 800 645-2522 or 631 273-2500

Fax: 631 273-2557

e-mail: [info@lowel.com](mailto:info@lowel.com)

[www.lowel.com](http://www.lowel.com)

**lowel**®

**TIFFEN**  
The Difference is Tiffen