Blank Panels

Blank panels cover open areas on an installed rack face, providing a clean, professional appearance.

- Highest Aesthetics
- 1/16" thick Aluminum, Flanged Style
- Lightweight, Easy to Machine
- Available in 1 Through 4 Space Sizes
- 1/2 and 1/3 Space Blank Panels Also Available
- Black Brushed and Anodized Finish
- Economical Blank Panel
- EB is 16-gauge Steel, FEB is 14-gauge Steel
- Flat (FEB) or Flanged (EB) Styles
- 1/2 and 1/3 Space Blank Panels Also Available (EB style only)
- Available in 1 Through 6 Space Sizes
- Durable Black Powder Coat Finish
- EB Series available in 23" panel width

BL1/2



- Lightweight, Easy to Machine
- Available in 1 Through 4 Space Sizes
- Black Brushed and Anodized



- 1/16" thick Aluminum
- Flanged for Strength
- Available in 1 Through 4 Space Sizes
- Durable Black Powder Coat Finish
- Also available in 1/2 rack width (HRBL Series)







HRBL-2



Middle Atlantic Products middleatlantic.com | middleatlantic.ca

what great systems are built on.™

Highest Aesthetics

• 1/8" thick Aluminum

Blank Panels

Lightweight, Easy to Machine

Available in 1 Through 4 Space SizesDurable Black Powder Coat Finish

• 1/8" thick Aluminum

• Flat Style

Blank panels cover open areas on an installed rack face, providing a clean, professional appearance.

PBL-2 PHBL-3



WSB3



SB/WSB Series

- Flanged for Strength
- Available in 1 Through 6 Space Sizes (SB) and 1 Through 4 Space Sizes (WSB)
- Durable Textured Black Powder Coat Finish (SB), Wrinkle Black Powder Coat (WSB)

RoHS

Blank panels shall be Middle Atlantic Products model # __ (refer to chart). Blank panels shall be __ rackspaces in height with a __ finish (refer to chart). Blank panels shall be ____" wide (refer to chart). Blank panels shall be constructed of 1/16" thick aluminum (BL, PBL, HRBL), 1/8" thick aluminum (HBL, PHBL), 14-gauge steel (FEB) or 16-gauge steel (EB, SB, WSB). Blank panels shall be RoHS EU Directive 2002/95/EC compliant. Blank panels shall be manufactured by an ISO 9001 and ISO 14001 registered company. Blank panels shall be warrantied to be free from defects in material or workmanship under normal use and conditions for the lifetime of the panel.

EIA/TIA COMPLIANT



PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS UL.COM/GG UL 2818



what great systems are built on.™

A Group brand

specifications:

Blank Panels basic dimensions

all dimensions in inches unless otherwise noted [all dimensions in brackets are in millimeters]



Part #	Dim "A"	Dim "B"	Dim "C"	Dim "D"	Dim "e"
BL1/3, EB1/3	0.583 [15]	n/a	19 [483]	18.344 [466]	17.374 [441]
BL1/2, EB1/2	0.875 [22]	n/a	19 [483]	18.344 [466]	17.374 [441]
BL1, PBL1, EB1, SB1, WSB1	1.718 [44]	1.25 [32]	19 [483]	18.344 [466]	17.374 [441]
BL2, PBL2, EB2, SB2, WSB2	3.468 [88]	3.00 [76]	19 [483]	18.344 [466]	17.374 [441]
BL3, PBL3, EB3, SB3, WSB3	5.218 [133]	2.25 [57]	19 [483]	18.344 [466]	17.374 [441]
BL4, PBL4, EB4, SB4, WSB4	6.968 [177]	4.00 [102]	19 [483]	18.344 [466]	17.374 [441]
EB5, SB5	8.718 [221]	5.75 [146]	19 [483]	18.344 [466]	17.374 [441]
EB6, SB6	10.468 [266]	7.50 [191]	19 [483]	18.344 [466]	17.374 [441]
HRBL1	1.718 [44]	1.25 [32]	10.4 [264]	9.744 [247]	8.774 [223]
HRBL2	3.468 [88]	3.00 [76]	10.4 [264]	9.744 [247]	8.774 [223]

Part #	HRBL	BL	PBL	EB	SB	WSB
Material	16 gauge aluminum	16 gauge aluminum	16 gauge aluminum	16 gauge CR steel	16 gauge CR steel	16 gauge CR steel
Finish	black powder coat	black brushed & anodized	black powder coat	black powder coat	textured black powder coat	wrinkle black powder coat



what great systems are built on.™

A Group brand