

# CHG 2

## Two Bay Charger




### FEATURES

- Two bay charger for SL DW, ew D1 and AVX
- Universal charging slots for either bodypack or handheld
- External DC adaptor

The CHG 2 charger makes battery management really easy. The mobile transmitters, while not in use, are charged in the two charging bays. Thus, the devices are always ready-to-use when needed. The bi-color LED provides the status (charging or fully charged). For seamless installation, the external power supply provides the necessary flexibility.



### SPECIFICATIONS

Input voltage	12 V 	Temperature range	Operation: 0 °C to 45 °C (32 °F to 113 °F)
Input current	max. 1100 mA		Storage: -20 °C to 70 °C (-4 °F to 158 °F)
DC connection		Relative air humidity, non-condensing	Operation: 25 % to 95 %
Charging voltage	5 V 	IP protection class according to IEC/EN 60529	Storage: 5 % to 95 %
Charging current	max. 2 x 1000 mA	Dimensions (W x D x H)	IP2X
Compatible accupacks	Sennheiser BA 10, BA 30	Weight	175 mm x 135 mm x 93 mm
Charging time for full charge at 20 °C	100 % = approx. 160 min = green		approx. 375 g (without power supply unit)

### ARCHITECT'S SPECIFICATION


The charger shall be capable of simultaneously charging up to two handheld and/or bodypack transmitters of the Sennheiser SL DW, ew D1 or AVX series. A bi-color LED at each charging bay shall indicate charge status.

The charger shall operate on 12V DC input voltage supplied from an external power supply unit, the input current shall be maximum 1.100 mA. Charging voltage shall be 5V DC, charging current shall be maximum 1.000 mA per charging bay.



Charging time for full charge at 20 °C (- 4 °F) shall be below 3 hours. Operating temperature shall range from 0°C to 45°C (32°F to 113°F). The charger dimensions shall be 175 x 135 x 93 mm (6.89" x 5.31" x 3.66"). Weight (unequipped and without power supply unit) shall be approximately 375 grams (13.23 oz).

The charger shall be the Sennheiser CHG 2.

DIMENSIONS



## DIMENSIONS



## PRODUCT VARIANTS

CHG 2 EU	Art. No. 505980
CHG 2 UK	Art. No. 506218
CHG 2 US	Art. No. 506219
CHG 2 AU	Art. No. 506220