

4 Port DVI Video Splitter with Audio

StarTech ID: ST124DVIA



The ST124DVIA DVI splitter lets you share one DVI video and audio source on four displays and acts as a signal amplifier that allows you to locate your DVI monitors up to 33ft (10 m) away from your computer or DVI signal source.

With support for high definition resolutions up to 1080p (HDTV)/1920x1200 (PC), the DVI splitter delivers a simple and convenient DVI video solution that suits virtually any application or operating environment (classroom, healthcare, professional A/V, control centres, retail POS environments).

The DVI video splitter/distribution amplifier is easy to install, providing you with flawless digital video that will help you get the most from your DVI-enabled monitors, projectors, or plasma screens.

Designed to provide dependable performance, the DVI splitter/signal distribution amplifier is backed by StarTech.com's 2-year warranty and FREE lifetime tech support.

Applications

- Connect DVI projectors, monitors, large displays, and wall display systems for digital signage applications and ensuring content is delivered to target audience.
- Great for use in tradeshow, POS retail, healthcare, transportation terminals, education, house of worship.

Features

- Supports resolutions of up to 1920 x 1200 pixels @ 60 Hz
- Split both video and 3.5mm analog stereo audio
- DVI, and HDCP compliant for easier HD video distribution
- Easy setup for a quick connection in minutes
- Accurate and reliable reproduction of digital video signal, with no signal attenuation or distortion

Technical Specifications

Warranty	2 Years
Color	Black
Enclosure Type	Aluminum
Product Height	1.7 in [44 mm]
Product Length	8.7 in [220 mm]
Product Weight	38.8 oz [1100 g]
Product Width	5.3 in [135 mm]
Cabling	DVI
Output Signal	DVI-D (DVI Digital)
Ports	4
Max Distance	10 m / 33 ft
Maximum Digital Resolutions	1920x1200 @ 60Hz
Wide Screen Supported	Yes
Connector A	1 - 3.5 mm Mini-Jack (3 Position) Female
Connector A	1 - DVI-I (29 pin) Female
Connector B	4 - 3.5 mm Mini-Jack (3 Position) Female
Connector B	4 - DVI-I (29 pin) Female
LED Indicators	1 - Green - Power/Link
LED Indicators	4 - Green - Link
Center Tip Polarity	Positive
Input Voltage	110 ~ 240 AC
Output Current	0.6A
Output Voltage	9 DC
Power Source	AC Adapter Included
Humidity	0~80% RH
Operating Temperature	0°C to 40°C (32°F to 104°F)
Storage Temperature	-20°C to 60°C (-4°F to 140°F)
Shipping (Package) Weight	4.2 lb [1.9 kg]
Included in Package	1 - 4 Port DVI Splitter
Included in Package	1 - Pair of Rack Mounts
Included in Package	1 - Bag of Screws
Included in Package	4 - Rubber Feet
Included in Package	1 - Universal Power Adapter (US/UK/EU)

Included in Package 1 - Instruction Manual

Certifications, Reports and Compatibility

