

Tripp Lite

11111 W. 35th Street Chicago, IL 60609 USA Telephone: 773.869.1234 www.tripplite.com

1U Rack-Mount Power Strip, 120V, 15A, 5-15P, 12 Outlets (6 Front-Facing, 6-Rear-Facing), 15-ft. Cord

MODEL NUMBER: RS-1215





Description

Tripp Lite's RS-1215 Power Strip offers 15 amp capacity AC power distribution in a versatile multi-mount cabinet. Detachable mounting flanges are configurable for rackmount, wallmount and under-counter installation. Uses only 1 rack space (1U) when installed in any 19 inch rack meeting EIA standards. Unfiltered electrical pass-through makes RS-1215 ideal for distributing alternate waveform UPS or generator power in rack enclosures, network closets and more. Includes 12 NEMA5-15R outlets (6 front/6 rear), 15 ft AC power cord and lighted switch with cover prevents risk of accidental turn-off.

PLUG/OUTLETS: Input: NEMA 5-15P Output: 12 NEMA5-15R (6 front & 6 rear)

ELECTRICAL: 120V AC, 50/60Hz, 15A (Requires standard NEMA 5-15R wall receptacle)

FORMAT: Supports 19 in. rackmount (uses 1 rack space/1U), wallmount, under-counter and more

Features

- Versatile all-metal cabinet with detachable mounting flanges allows rackmount, wallmount, undercounter and other creative mounting options
- Uses one rack space (1U) in standard 19 inch rack ("zero U" mounting possible in many racks)
- Unfiltered electrical pass-through reliably distributes alternate waveform AC power from UPS or generator to supported equipment
- 12 NEMA5-15R output receptacles (6 front/6 rear)
- 15 foot AC cord NEMA5-15P plug connection
- Lighted power switch confirms power on/off status
- Snap-in switch guard prevents accidental turn off
- 15 amp electrical capacity with circuit breaker
- 120V AC, 50/60Hz electrical compatibility

Specifications

Highlights

- Designed for standard 19-inch racks (1U high)
- 12 outlets (6 front / 6 rear)
- 15-amp circuit breaker
- 15 ft. cord

Applications

 Offers multiple outlet power distribution for multiple loads in 19 inch rackmount, wallmount and under-counter applications, such as internetworking, PC systems, telecommunications, audio/video, security, sound reinforcement and more. Ideal for distribution of UPS, generator or commercially derived AC power to protected equipment.

Package Includes

- RS-1215
- Mounting hardware
- Instruction manual



OUTPUT		
Frequency Compatibility	50 / 60 Hz	
Output Receptacles	(12) 5-15R	
Circuit Breaker (amps)	15	
Outlet Orientation	6 front facing / 6 rear facing	
20-Amp Rating	No	
INPUT		
Nominal Input Voltage(s) Supported	120V AC	
Recommended Electrical Service	15A 120V	
Input Connection Type	NEMA 5-15P	
Input Cord Length (ft.)	15	
Input Cord Length (m)	4.572	
Voltage Compatibility (VAC)	120	
GFCI Plug	No	
USER INTERFACE, ALERTS & CON	TROLS	
Switches	Red illuminated 2 positon switch controls power to all outlets	
Locking Switch Cover	Transparent locking switch cover prevents accidental shutoff	
PHYSICAL		
Unit Dimensions (hwd / in.)	1.75 x 17.5 x 4.5	
Unit Dimensions (hwd / cm)	4.445 x 44.45 x 11.4	
Unit Weight (Ibs.)	4.6	
Unit Weight (kg)	2.09	
Material of Construction	Sheet metal	
Receptacle Color	Black	
Color (AC Line Cord)	Black	
Form Factors Supported	1U rackmount, wall-mount and undercounter installation supported	
Outlets Measurement (Center to Center)	Distance between Front outlets = 83.35mm; Distance between Rear outlets = 114.3mm	
SPECIAL FEATURES		
TVSS Grounding	Back panel nut and bolt grounding lug	
CERTIFICATIONS		



UL1363 (Power Tap)	UL1363 (UR status)
cUL / CSA (Canada)	CUL
WARRANTY	
Product Warranty Period (Worldwide)	Lifetime limited warranty

© 2015 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: http://www.tripplite.com/products/product-certification-agencies