

## Protect It! Surge Protector with 3 Outlets (2-fixed, 1-rotating), Direct Plug-In, 1080 Joules, Coax/Ethernet Protection

MODEL NUMBER: TLP31SAT



### Description

Tripp Lite's TLP31SAT Home/Business Theater Surge Suppressor provides high-performance protection--1080 joules--stopping damaging surges and filtering disruptive line noise so components perform at their peak! You can see and hear the difference: sharper, crisper video; deeper, fuller audio and longer component life spans. Perfect for small home/business theater installations: high-definition TVs, satellite and A/V receivers, DVD/CD players and more. 3 outlets, 1-line coaxial protection safeguard an entire home/business theater system. \$25,000 Ultimate Lifetime Insurance coverage (U.S., Canada, and Puerto Rico only). Included 6 ft. gold coaxial cable.

### Features

- 3 outlets - 2 fixed and 1 rotating outlet allow for easier plug connection and removal
- 1080 joules surge suppression rating with EMI/RFI line noise filtering help components perform at their peak (sharper, crisper video; deeper, fuller audio and longer component life spans)
- 1 set of rotating surge-protected Type F gold coaxial connectors (with included 6 ft. coaxial cable) safeguard components on cable, satellite or antenna line (2.2GHz bandwidth)
- Diagnostic LED alerts user to protection
- High-impact plastic housing (black) stands up to the most demanding environments
- Direct plug-in design converts two outlets into three by plugging into any wall outlet
- \$25,000 Ultimate Lifetime Insurance (U.S., Canada, and Puerto Rico only)

## Specifications

| OUTPUT                  |       |
|-------------------------|-------|
| Frequency Compatibility | 60 Hz |

### Highlights

- 3 outlet - 2 fixed outlets, 1 rotating power outlet and rotating coax
- Direct plug-in design
- 1080 joule rating
- 1-line gold coax (2.2GHz bandwidth) protection
- \$25,000 Ultimate Lifetime Insurance (U.S., Canada, and Puerto Rico only)

### Applications

- Perfect for small home/business theater installations: high-definition TVs, satellite and A/V receivers, DVD/CD players and more

### Package Includes

- TLP31SAT Surge Suppressor
- Instruction manual with warranty information
- 6 ft. gold coaxial cable



**Tripp Lite**  
1111 W. 35th Street  
Chicago, IL 60609 USA  
Telephone: 773.869.1234  
[www.tripplite.com](http://www.tripplite.com)

|  |  |
|--|--|
| Output Receptacles                           | (3) 5-15R  |
| Output (Watts)                               | 1875   |
| Circuit Breaker (amps)                       | 15   |
| Outlet Orientation                           | Rotatable  |
| USB Charging                                 | No   |
| <b>INPUT</b>                                 |  |
| Nominal Input Voltage(s) Supported           | 120V AC  |
| Recommended Electrical Service               | 120V (110-125V)  |
| Input Connection Type                        | NEMA 5-15P   |
| Input Cord Length (ft.)                      | 0  |
| Input Cord Length (m)                        | Direct plug-in   |
| Input Cord Length Details                    | Direct Plug-In   |
| Voltage Compatibility (VAC)                  | 120  |
| <b>USER INTERFACE, ALERTS &amp; CONTROLS</b> |  |
| Diagnostic LEDs                              | Built-in LEDs confirm suppressor "protected" (green)                             |
| <b>SURGE / NOISE SUPPRESSION</b>             |  |
| AC Suppression Joule Rating                  | 1080   |
| AC Suppression Response Time                 | < 1 ns   |
| Protection Modes                             | Includes full normal mode (H-N) and common mode (N-G/H-G) line surge suppression |
| Clamping Voltage (RMS)                       | 400  |
| UL1449 Let Through Rating                    | 400, 500, 500  |
| EMI / RFI Filtering                          | Up to 20 dB  |
| <b>DATALINE SURGE SUPPRESSION</b>            |  |
| Telephone/DSL Protection                     | No   |
| Cable (Coax) Protection                      | Yes  |
| Cable (Coax) Protection Details              | 1 line   |
| Network (Ethernet) Protection                | Yes  |
| <b>PHYSICAL</b>                              |  |
| Unit Dimensions (hwd / in.)                  | 5.11 x 3.15 x 1.38   |
| Unit Dimensions (hwd / cm)                   | 12.98 x 8 x 3.5  |
| Material of Construction                     | Plastic  |



**Tripp Lite**  
1111 W. 35th Street  
Chicago, IL 60609 USA  
Telephone: 773.869.1234  
[www.tripplite.com](http://www.tripplite.com)

|  |                                      |
|--|--------------------------------------|
| Receptacle Color   | Black                                |
| Metal Case   | No                                   |
| <b>SPECIAL FEATURES</b>                                    |                                      |
| Right-Angle Plug   | No                                   |
| <b>CERTIFICATIONS</b>                                      |                                      |
| UL1449 3rd Edition (AC Suppression)                        | UL1449 3rd Edition                   |
| cUL / CSA (Canada)   | cUL                                  |
| Approvals  | RoHS                                 |
| <b>WARRANTY</b>  |                                      |
| Product Warranty Period (Worldwide)                        | Lifetime limited warranty            |
| Connected Equipment Insurance (U.S., Canada & Puerto Rico) | \$25,000 Ultimate Lifetime Insurance |

© 2015 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies:  
<http://www.tripplite.com/products/product-certification-agencies>