

VH7i

7" HDMI LCD Monitor with IPS Panel QUICKSTART GUIDE



What's included

- ☐ 1 x VH7i Monitor
- ☐ 1 x AC Adapter
- ☐ 1 x Camera Shoe Mount
- ☐ 1 x DV Battery Adapter (Check one) —
 - ☐ BP5-S Sony "L" Series
 - ☐ BP5-SU Sony "BP-U" Series
 - ☐ BP5-C Canon "900" Series
 - ☐ BP5-E6 Canon E6 Battery
 - ☐ BP5-P Panasonic "D54" Series
 - ☐ BP5-PG6 Panasonic G6 Series
 - ☐ BP5-N Nikon "EN-EL15" Series

CONDITIONS OF WARRANTY SERVICE


- Free service for one year from the day of purchase if the problem is caused by manufacturing errors.
- The components and maintenance service fee will be charged if the warranty period has expired.

Free Service will not be Provided in the Following Situations: (* Even if the product is still within the warranty period.)

- Damage caused by abuse or misuse, dismantling, or changes to the product not made by the company.
- Damage caused by natural disaster, abnormal voltage, and environmental factors etc.

ikan www.ikancorp.com


1.713.272.8822
support@ikancorp.com
© 2014 ikan Corporation. All right reserved



- | | |
|--|--|
| <p>1 Menu Button, Scroll Wheel
Used to enter and navigate menu</p> <p>2 EXIT/Aspect
Used to exit the menu. When outside of the menu used to change screen aspect ratio</p> <p>3 Function 2
Function Key actions are selected in the menu</p> <p>4 Function 1
Function Key actions are selected in the menu</p> <p>5 Power Switch
Power ON/OFF</p> <p>6 HDMI Input Terminal</p> <p>7 DC 7-24v Power Terminal
Standard DC Connection</p> | <p>8 HDMI Output Terminal</p> <p>9 USB terminal
For factory service use only</p> <p>10 3.5mm Head Phone Output</p> <p>11 1/4-20 Threaded Insert (On top & Bottom)</p> <p>12 DV Battery Plate Slot
Mounting ikan DV Battery Plate</p> |
|--|--|

7" HDMI LCD Monitor with IPS Panel QUICKSTART GUIDE

CONFIGURATION OF SETTING MENUS



Supported Video Signals

HDMI 720x480i & 720x480p @ 59.94, 60 Hz
720x576i & 720x576p @ 50 Hz
1280x720p @ 50, 59.94, 60 Hz
1920x1080i @ 50, 59.94, 60 Hz
1920x1080psf @ 24, 25, 29.97, 30 Hz
1920x1080p @ 23.97, 24, 25, 29.94, 30, 50, 59.94, 60 Hz

SPECIFICATIONS:

Screen Size:	7"
Aspect Ratio:	16:10
Resolution:	1280 x 800
Viewing angle:	178° horizontal/178° vertical
Display Technology:	IPS
Brightness:	400 cd/m2
Contrast Ratio:	800:1
Response Time:	30ms
Pixel Pitch:	0.11775x0.11775 (mm)
Built In Speaker:	N/A
Power Consumption:	6.5W
Input Voltage:	DC 7V - 24V
Operating Temperature:	0°C ~ 50°C (32°F ~122°F)
Cooling System:	PAL/NTSC/SECAM (Auto-Detected)
Build Material:	Plastic
Dimensions:	4.9 x 7.1 x 0.59"
Weight :	0.5 lbs
Shipping Dimensions:	3.1 x 14.75 x 7.75"
Shipping Weight:	2 lbs
Dimensions (Metric):	124 x 180 x 14.9mm
Weight (Metric):	0.22 kg
Shipping Dimensions (Metric):	374 x 196 x 76mm
Shipping Weight (Metric):	0.90 kg
UPC Code:	(C)847983012688 (E6) 847983012671 (N) 847983012664 (P) 847983012657 (P) 847983012640 (PG6) 847983012640 (S) 847983012633 (SU) 847983012626