

## KA7178



- Dual Output USB Virtual Media KVM Adapter Cable with Audio (CPU Module)
- The KA7178 KVM Adapter Cable connects the KVM switch to the video, USB and audio ports of the target computer. In addition to Virtual Media support, it provides two Cat 5e/6 connectors, allowing a computer to connect to two ALTUSEN Matrix KVM switches. This allows consoles on different switches access to the same computer.



## Features


- Auto Signal Compensation (ASC), no DIP switch setting needed for the different distances
- Dual Cat 5e/6 connections
- Keyboard and mouse emulation – keeps your server functioning smoothly when it is disconnected from the switch's KVM port or relocated to different KVM port
- Lifetime firmware upgrades
- Superior video quality – supports resolution of up to 1280 x 1024 within the distance of up to 300 m
- Built in ASIC for greater reliability and compatibility
- CPU module designed with automatic conversion to allow for flexible interface combinations (PS/2, USB) to control all computer types (PC, Mac, Sun)
- Compact size
- Virtual Media Support
- Audio enabled

\*1680 x 1050 (Reduced blanking) and 1920 x 1200 (Reduced blanking) not supported by KA7xxxx KVM Adapter Cables

## Specification

Connectors	Link	2 x RJ-45 Female
	USB to Computer	1 x USB Type A Male
	VGA to Computer	1 x HDB-15 Male
	Microphone	1 x Mini stereo Plug
	Speaker	1 x Mini stereo Plug
LEDs	On Line	1 (Green)
	Power	1 (Orange)
Physical Properties	Housing	Plastic
	Weight	0.17 kg
	Dimensions ( L x W x H )	9.10x5.60x2.12cm

# Diagram



---

**ATEN International Co., Ltd.**

3F., No.125, Sec. 2, Datong Rd., Sijhih District., New Taipei City 221, Taiwan  
Phone: 886-2-8692-6789 Fax: 886-2-8692-6767  
www.aten.com E-mail: marketing@aten.com



© Copyright 2014 ATEN® International Co., Ltd.  
ATEN and the ATEN logo are trademarks of ATEN International Co., Ltd.  
All rights reserved. All other trademarks are the property of their  
respective owners.

---