

Part Number: 89913

Low Loss 50 Ohm, RG8, #10, CMP



## **Product Description**

10 AWG solid .108" bare copper conductor, plenum, semi-solid FEP insulation, Duobond® II, tinned copper braid shield (90% coverage), fluorocopolymer jacket.

#### **Technical Specifications**

## **Product Overview**

Environmental Space:				Indoor - Plenum	
Physi	ical Char	acteristics (Ov	verall)		
Conductor					
AWG	Stranding	Material	Nominal Diameter	No. of Coax	
10	Solid	BC - Bare Copper	0.108 in	1	
Conductor Count:				1	
Conductor Size:				10 AWG	

#### Insulation

Material	Nominal Diameter
Semi-Solid FEP - Semi-Solid Fluorinated Ethylene-Propylene	0.292 in

#### Outer Shield Material

Type	Layer	Material	Material Trade Name	Coverage [%]
Tape	1	Aluminum/Polyester/Aluminum	Bonded Duofoil®	100 %
Braid	2	TC - Tinned Copper		90 %

#### **Outer Jacket Material**

Material	Nominal Diameter	
PVDF - Fluorocopolymer	0.36 in	

#### **Electrical Characteristics**

#### Conductor DCR

Nomina	l Conductor DCR	Nominal Conductor DCR Conductor Resistance	Nominal Outer Shield DCR	Outer Conductor DCR
0.9 Ohm/1	000ft	0.9 Ohm/1000ft	1.8 Ohm/1000ft	1.8 Ohm/1000ft

#### Capacitance

# Nom. Capacitance Conductor to Shield 25 pF/ft Shielding: Foil + Braid(s)

## Impedance

Nominal Characteristic Impedance
50 Ohm

#### High Frequency (Nominal/Typical)

Frequency [MHz]	Nom. Insertion Loss
1 MHz	0.1 dB/100ft
10 MHz	0.4 dB/100ft

50 MHz	1 dB/100ft
100 MHz	1.6 dB/100ft
200 MHz	2.3 dB/100ft
400 MHz	3.4 dB/100ft
700 MHz	5 dB/100ft
900 MHz	6 dB/100ft
1000 MHz	6.9 dB/100ft

#### Delay

Nominal Delay	Nominal Velocity of Propagation (VP) [%]
1.2 ns/ft	83 %

#### Voltage

Non-UL Voltage Rating 300 V RMS

## **Temperature Range**

UL Temp Rating:	150°C
Operating Temp Range:	-20°C To +150°C

## **Mechanical Characteristics**

Bulk Cable Weight:	119 lbs/1000ft
Max Recommended Pulling Tension:	174 lbs
Min Bend Radius/Minor Axis:	6 in

#### **Standards**

NEC/(UL) Specification:	CMP
CEC/C(UL) Specification:	CMP
RG Type:	8/U Type

# **Applicable Environmental and Other Programs**

EU Directive 2000/53/EC (ELV):	Yes
EU Directive 2003/11/EC (BFR):	Yes
EU Directive 2011/65/EU (ROHS II):	Yes
EU Directive 2012/19/EU (WEEE):	Yes
EU Directive 2015/863/EU:	Yes
EU Directive Compliance:	EU Directive 2003/11/EC (BFR)
EU CE Mark:	No
EU RoHS Compliance Date (yyyy-mm-dd):	2005-04-01
CA Prop 65 (CJ for Wire & Cable):	Yes
MII Order #39 (China RoHS):	Yes

# Suitability

Outliebility Indoor	V
Suitability - Indoor:	Yes

# Flammability, LS0H, Toxicity Testing

UL Flammability:	NFPA 262
CSA Flammability:	FT6

## Plenum/Non-Plenum

Plenum (Y/N):	Yes	

## **Part Number**

Non-Plenum Number:	9913

#### Variants

	Item #	Color	Footnote
	89913 0101000	Black	С
	89913 010500	Black	С
Footnote:			

#### © 2018 Belden, Inc

#### All Rights Reserved.

Although Belden makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described here in are subject to error or omission and to change without notice, and the listing of such information and specifications does not ensure product availability.

Belden provides the information and specifications herein on an "ASIS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Belden be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Belden has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein.

All sales of Belden products are subject to Belden's standard terms and conditions of sale.

Belden believes this product to be in compliance with all applicable environmental programs as listed in the data sheet. The information provided is correct to the best of Belden's knowledge, information and belief at the date of its publication. This information is designed only as a general guide for the safe handling, storage, and any other operation of the product itself or the one that it becomes a part of. The Product Disclosure is not to be considered a warranty or quality specification. Regulatory information is for guidance purposes only. Product users are responsible for determining the applicability of legislation and regulations based on their individual usage of the product.