


### We WIRE for most BRANDS

With a new design and detachable cable, the ES3 and HS3 are the best choice for an economical headset. The HS3/ES3 super lightweight design makes wearing the microphone more comfortable, even for long periods of time, without using excessive pressure to hold the microphone in place. The soft microphone stem allows for easy adjustment of the microphone's position as you wear the headset. These Headset microphones works great with many wireless transmitters available. The HS3 and ES3 can be wired to work with transmitters made by Galaxy Audio® Shure®, Sennheiser®, AKG® Audio Technica® and many others. You can also use the HS3 and ES3 microphones with most PC sound cards (adaptor not included). Our JIB/PB may be used if a wireless transmitter is not available or needed. The JIB/PB will supply phantom power (if needed) to the headset and adapt the mini connector on the headset to a standard XLR connector so it can be attached to a soundboard.

#### HS3



- Wraps around Two Ears
- Omni Mic Element
- 5mm Mic Diameter
- Detachable Cable
- Specify Connector type
- 5.5" Adjustable Boom Length
- Beige and Black





- Impedance: 2200 ohms
- Sensitivity: -40dB re.1V/Pa
- Frequency Response: 20Hz-20KHz
- Max SPL: 110dB
- Element: Diameter 4mm
- Polar Pattern: Omni
- Element Type: Back Electret Condenser

#### ES3



- Wraps around One Ear
- Omni Mic Element
- 5mm Mic Diameter
- Detachable Cable
- Specify Connector type
- 4" Mic Boom Length
- Beige and Black



MAKERS OF THE ORIGINAL  
HOT SPOT PERSONAL MONITOR



Specifications subject to change without notice.

601 E. Pawnee Wichita, KS 67211 316.263.2852 FAX 316.263.0642 [www.galaxyaudio.com](http://www.galaxyaudio.com)  
 Distributed outside the United States by E and E Exports, Inc. 2815 Junipero Ave. Suite 101 Signal Hill, CA 92614  
 562.988.3447 FAX 562.989.3037  
 Distributed in Canada by Audio Distributors International (ADI) 1275 Newton, unit 6 Boucherville, QC J4B 5H2 Canada  
 450.449.8177 FAX 450.449.8180

V20140408