



# KRAMER

## K-Touch

CloudBased Platform for Creating iOS & Android Room Control Applications

---



KTouch is a revolutionary, userfriendly cloudbased platform for designing advanced roomcontrol systems. From any iOS or Android touch device, the KTouch platform lets integrators easily design control and automation for room elements such as lights, screens, sound, HVAC, thermostats, and any new or existing AV system. In the Cloud, integrators can easily share and collaborate with their team during the design phase. They can also provide remote support, updates and maintenance to customers, reducing the need for onsite visits. KTouch is part of Kramer's complete Control solutions

## FEATURES

---

**BYOD Friendly** - KTouch is supported on most commercially available iOS and Android touch devices and can be easily downloaded for free on the App Store and Google Play

**Cloud-Based Platform** - The KTouch design platform is Cloud based (for Admin and Build phases) and runs on any Web browser. No installation is required. The KTouch Cloud lets controlsystem designers collaborate easily with their team and install finished designs on a touch device with a single click. Installations can be edited, modified and supported via the Cloud, reducing the need to travel to install sites

**Easier, Drag & Drop Control Program Configuration** - New, easytouse features to speed up configuration: slider widgets, modules for Vera™ automation, Centralite lighting, and cameras; IPcontrolled Apple TV and fullscreen immersive mode support (in version 3.1)

**Extended Built-in Support for New HW** - Adds support for Kramer's FC26 with serial and IR control connectivity, Kramer's FC22/24/132ETH with serial control connectivity and iPhone 6/6+ panels (in version 3.1)

**NEW Modules** - KTouch introduces modules: predesigned graphical user interfaces that enable complex control of advanced room automation systems with no additional programming required. Modules include support for lighting, automation, security, HVAC, sound systems and Kramer's awardwinning VIA Wireless Collaboration Solutions

**NEW State-of-the-Art Automation** - With KTouch, designing fullyautomated room control solutions is a breeze. The development platform now includes support for multidevice feedback, global variables, and conditional phrases

**Highly Scalable** - KTouch systems can be designed for one projector or an entire "smart" office. Virtual button panels can contain hundreds of buttons to cover any possible control need in largescale deployments

**Cost Effective** - KTouch can be installed on any commercially available touch device, eliminating the need to purchase dedicated hardware. The Cloudbased design platform allows for remote support and updates, reducing the need for onsite visits, and saving time and money

**Control Anything over Ethernet** - KTouch is a complete control and automation system design platform. With KTouch , users can natively control Ethernetenabled devices. Devices with RS232, GPIO, relays, or IR support can be controlled over Ethernet when used with Kramer FCseries format converters or thirdparty controllers. Kramer RCseries button controllers can be mixed in to any project to provide tactile operation

**Easy to Learn and Master** - With Kramer's new online training course for KTouch, integrators can quickly and efficiently learn how to use the system in hours, not days, with no travel costs. A comprehensive and constantlyupdated knowledge base is also available to provide additional instructions on performing simple and complex control project tasks

**SW Licenses** - Fast, local selfdelivery of software licenses (in version 3.1)



# KRAMER

## TECHNICAL SPECIFICATIONS

---

PRODUCT DIMENSION: 12.00cm x 7.15cm x 2.44cm (4.72" x 2.81" x 0.96" ) W, D, H

PRODUCT WEIGHT: 0.2kg (0.4lbs) approx

SHIPPING DIMENSION: 23.20cm x 12.00cm x 8.90cm (9.13" x 4.72" x 3.50" ) W, D, H

SHIPPING WEIGHT: 0.4kg (0.9lbs) approx



# KRAMER

## CONFIGURATIONS

K-TOUCH STANDARD	K-Touch License: 1 user interface for 5 devices
K-TOUCH ADVANCED	K-Touch License: 1 user interface for 15 devices
K-TOUCH PREMIUM	K-Touch License: 1 user interface for 50 devices
K-TOUCH ADD PANEL	K-Touch License: Add 1 additional device to a single license
K-TOUCH ADD DEVICES	K-Touch License: Add 5 additional devices to a single license
K-TOUCH STARTER KIT	K-Touch Online Certification Training Kit Includes: One K-Touch Standard License. One FC-26 (6-port Serial and IR PoE Control Gateway). K-Touch 101 Online Training Access for 2.(Hosted by LearnCore)