



C-D9M/D9F

RS232 Control Cable



Kramer's CD9M/D9F control cables are for RS232 applications to control devices within a professional AV system. Many Kramer products are RS232 controllable and equipped with 9pin D connector. This RS232 cable helps to connect them safely to transmit the RS232 serial commands to a touchscreen system, PC, or other serial controller equipped with 9pin D connector

FEATURES

Quality Construction - Constructed using three 28AWG isolated conductors, terminated with male to female molded 9pin Dsub connectors, nickel plated

Pinout - Wired pin to pin on pins 2, 3 & 5

Molded Strain Relief

RoHS Compliant

Varied Selection of Lengths - 3 to 50ft (1 to 15m)

CONFIGURATIONS

C-D9M/D9F-3	RS-232, D9(M) to D9(F) cable
C-D9M/D9F-6	RS-232, D9(M) to D9(F) cable
C-D9M/D9F-10	RS-232, D9(M) to D9(F) cable
C-D9M/D9F-15	RS-232, D9(M) to D9(F) cable
C-D9M/D9F-25	RS-232, D9(M) to D9(F) cable
C-D9M/D9F-35	RS-232, D9(M) to D9(F) cable
C-D9M/D9F-50	RS-232, D9(M) to D9(F) cable