

## C-HM/HM/FLAT/ETH

Flat HighSpeed HDMI Cable with Ethernet

| HDMI | 4K/60 UHD (4:2:0) | 4K/60 UHD (4:4:4) | 4K HDR



Kramer's CHM/HM/FLAT/ETH flat highspeed HDMI cable with Ethernet is designed for "invisible" and long distance installations. It routes through the wall, under the carpet, around corners and behind the entertainment system with ease. The flat design of the cable renders it unobtrusive. It supports resolutions up to 4K@60Hz (4:4:4)

## FEATURES

Quality Construction - Constructed from flexible flat cable structured to have less crosstalk and interference than with traditional round HDMI cables

Max. Resolution - 4K@60Hz (4:4:4)

High-Quality Connectors - 24K goldplated connectors resist corrosion, cut down on impedance and offer the best possible connectivity

K-Lock Pull-Resistant Connectors - Provides 15lbs of restraining force for a nonslip connection Varied Selection of Lengths - Available in versions of 0.9 to 22.9m (3, 6, 10, 15, 25, 35, 50 and 75ft)



## TECHNICAL SPECIFICATIONS

TYPE:	Highspeed HDMI cable
RESOLUTIONS SUPPORTED:	Up to 4K @60Hz (4:4:4)
CONDUCTOR AWG:	310ft cables use 28 AWG (7/0.127); 15 & 25ft use 26 AWG (7/0.2); 35, 50 & 75ft use 24 AWG (7/0.2)
SHIELD:	Dual overall shield against EMI/RFI interference, (a) AlMylar
CABLE OD (MM):	310ft: 3.0 x 13 mm; 15 & 25ft: 3.8 x 17mm; 35, 50 & 75ft: 4.2 x 18.6mm
MOLDED CONNECTORS:	Yes
GOLD-PLATED CONNECTORS:	Yes
Standards Compliance:	HDR, HDCP
FLAME TEST:	CL2



## CONFIGURATIONS

C-HM/HM/FLAT/ETH- Flat High-Speed HDMI<sup>™</sup> Cable with Ethernet C-HM/HM/FLAT/ETH- Flat High-Speed HDMI<sup>™</sup> Cable with Ethernet

C-HM/HM/FLAT/ETH- Flat High-Speed HDMI™ Cable with Ethernet 10

C-HM/HM/FLAT/ETH- Flat High-Speed HDMI™ Cable with Ethernet 15

C-HM/HM/FLAT/ETH- Flat High-Speed HDMI™ Cable with Ethernet 25

C-HM/HM/FLAT/ETH- Flat High-Speed HDMI™ Cable with Ethernet 35

C-HM/HM/FLAT/ETH- Flat High-Speed HDMI™ Cable with Ethernet 50

C-HM/HM/FLAT/ETH- Flat High-Speed HDMI<sup>™</sup> Cable with Ethernet 75