

## 105VB

1:5 Composite Video Distribution Amplifier



The 105VB is a high-performance distribution amplifier for composite video signals. It takes one input, provides correct buffering and isolation and distributes the signal to five identical outputs

## **FEATURES**

Bandwidth - 400MHz (-3dB)

Connectors - BNC (105V has RCA)

Level (Gain) Control

Compact Kramer TOOLS  $^{\text{TM}}$  - 3 units can be rack mounted side-by-side in a 1U rack space with the recommended rack adapter



## **TECHNICAL SPECIFICATIONS**

INPUT: 1 composite video,  $1Vpp/75\Omega$  on a BNC connector

**OUTPUTS**: 5 composite video,  $1Vpp/75\Omega$  on BNC connectors

MAX. VIDEO

OUTPUT:

2Vpp

VIDEO BANDWIDTH 400MHz

(-3dB):

DIFF. GAIN: 0.1%

DIFF. PHASE:

0.1Deg

K-FACTOR:

<0.05%

S/N RATIO:

80dB

CONTROL:

Up to +6dB

COUPLING:

AC

POWER

12V DC, 100mA

CONSUMPTION:

**INCLUDED** 

Power supply, mounting bracket

ACCESSORIES:

**Product Dimensions** 

12.00cm x 7.15cm x 2.44cm (4.72" x 2.81" x 0.96") W, D, H

**Product Weight** 

0.2kg (0.5lbs) approx

Shipping Dimensions 23.20cm x 12.00cm x 8.90cm (9.13" x 4.72" x 3.50") W, D, H

Shipping Weight

0.7kg (1.5lbs) approx

