



## RC-2C

2-button Control Keypad (US, EU, UK)

---



RC-2C is ideal for simple, convenient control of small spaces with serial and IR controlled devices such as projectors and displays

### FEATURES

---

**Back Lit & Label Capable Buttons** - 2 tri-color, tactile feedback, backlit buttons

**Custom Labeled, Removable Button Caps**

**RS-232 Control Port** - Controls a device via serial control protocols

**IR Control Port** - Controls a device via IR control protocols

**Program Control** - Program configuration with Kramer K-Config software – supports up to 4 commands per macro and 4 toggling macros per button

**Keypad Lock-Out** - Option for tampering prevention by locking and unlocking of the keypad buttons

**Mounting** - In-wall, in standard 1 gang US, EU or UK wall junction boxes



## TECHNICAL SPECIFICATIONS

---

|                       |                                                                                                                                                                                                          |
|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PORTS:                | 1 RS-232 on a terminal block connector; 1 IR OUT on a terminal block connector                                                                                                                           |
| POWER CONSUMPTION:    | 12V DC, 40mA                                                                                                                                                                                             |
| INCLUDED ACCESSORIES: | Power supply, label set, screwdriver                                                                                                                                                                     |
| Product Dimensions    | EU: 8.00cm x 1.30cm x 8.00cm (3.15" x 0.51" x 3.15" ) W, D, H<br>US: 6.90cm x 1.30cm x 11.43cm (2.72" x 0.51" x 4.50" ) W, D, H<br>UK: 8.60cm x 1.30cm x 8.60cm (3.39" x 0.51" x 3.39" ) W, D, H         |
| Product Weight        | EU: 0.1kg (0.1lbs) approx<br>US: 0.1kg (0.1lbs) approx<br>UK: 0.1kg (0.1lbs) approx                                                                                                                      |
| Shipping Dimensions   | EU: 23.20cm x 13.60cm x 10.00cm (9.13" x 5.35" x 3.94" ) W, D, H<br>US: 23.20cm x 13.60cm x 10.00cm (9.13" x 5.35" x 3.94" ) W, D, H<br>UK: 23.20cm x 13.60cm x 10.00cm (9.13" x 5.35" x 3.94" ) W, D, H |
| Shipping Weight       | EU: 0.4kg (0.9lbs) approx<br>US: 0.4kg (0.8lbs) approx<br>UK: 0.4kg (0.8lbs) approx                                                                                                                      |



## CONFIGURATIONS

|                |                                                                      |
|----------------|----------------------------------------------------------------------|
| RC-2C/EU(W)-80 | EU-size RC-2C, White Design Frame, PSU & Power cord, Label Set       |
| RC-2C/EU(G)-80 | EU-size RC-2C, Gray Design Frame, PSU & Power cord, Label Set        |
| RC-2C/EU(W)-86 | UK-size RC-2C, White Design Frame, PSU & Power cord, Label Set       |
| RC-2C/EU(G)-86 | UK-size RC-2C, Gray Design Frame, PSU & Power cord, Label Set        |
| RC-2C/US(W)    | US-size RC-2C, White Design Frame, PSU & Power cord, Label Set       |
| RC-2C/JP(W)    | US-size RC-2C, White Design Frame, PSU & Japan Power cord, Label Set |
| RC-2C/US(G)    | US-size RC-2C, Gray Design Frame, PSU & Power cord, Label Set        |
| RC-2C/JP(G)    | US-size RC-2C, Gray Design Frame, PSU & Japan Power cord, Label Set  |

