

RTBUS-11

Round Table Mount Multi-Connection Solution - Pneumatic Lid

| VGA/UXGA - 15-pin HD | HDMI | Ethernet - RJ-45



The RTBUS-11 is a round, furniture-mounted, connection bus that is easily installed in a table or podium top. The unit connects AV equipment to the room's presentation system

FEATURES

4 Inputs - 15-pin HD, HDMI, 3.5mm, & RJ-45

Power Input - 110V AC (USA only). Purchase power cord optionally

Cover - Pneumatic pop-up lid

Cutout Size (Mount Dimension) - 92 to 95mm diameter



TECHNICAL SPECIFICATIONS

PORTS: 1 HDMI connector, 1 15-pin HD connector, 1 3.5mm mini jack, 1 RJ-45 connector

CUTOUT SIZE: 92 to 95mm diameter

POWER SOURCE (AC 115V AC, 50/60Hz, 5A max. (power cord purchased separately)

power limits):

FUSE RATING: T 6.3A 250V

OPERATING 0° to $+40^{\circ}$ C (32° to 104° F)

TEMPERATURE:

STORAGE -40° to $+70^{\circ}$ C (-49° to 158° F)

TEMPERATURE:

HUMIDITY: 10% to 90%, RHL non-condensing

INCLUDED

ACCESSORIES:

Six self-locking ties

Product Dimensions 15.40cm x 10.70cm x 10.70cm (6.06" x 4.21" x 4.21") W, D, H

Product Weight 0.7kg (1.6lbs) approx

Shipping Dimensions 36.50cm x 17.00cm x 17.00cm (14.37" x 6.69" x 6.69") W, D, H

Shipping Weight 1.5kg (3.4lbs) approx





\sim	\sim 1		\sim 1	IRA'	$\Gamma \cap$	NIC
ι,	Uπ	VГ	Cat.	IKA	ווו	כעו

RTBUS-11/US(B)	Round Table Mount Multi-Connection Solution - Pneumatic Lid - 88mm Cut-Out; Enclosure - Black Sand Blasted Anodized Aluminum Top
RTBUS-11/US(BC)	Round Table Mount Multi-Connection Solution - Pneumatic Lid - 88mm Cut-Out; Enclosure - Silver Sand Blasted Anodized Aluminum Top

