

## VP-6xIn

1:6 Computer Graphics Video Distribution Amplifier

| VGA/UXGA - 15-pin HD



The VP-6xIn is a high-performance distribution amplifier for computer graphics video signals with resolutions up to and exceeding UXGA. It takes one input, provides correct buffering and isolation, and distributes the signal to six identical outputs

## **FEATURES**

High Bandwidth - 500MHz (-3dB)
HDTV Compatible
ID Bit Control
EQ (peaking) Control
Standard 19" Rack Mount Size - 1U. Rack "ears" included



## **TECHNICAL SPECIFICATIONS**

INPUT: 1 UXGA on a 15-pin HD (F) connector

OUTPUTS: 6 UXGA on 15-pin HD (F) connectors

MAX. OUTPUT

LEVEL:

1.7Vpp

BANDWIDTH: 500MHz

DIFF. GAIN: 0.09%

DIFF. PHASE: 0.01Deg

K-FACTOR: <0.05%

S/N RATIO: 72dB

CONTROLS: 0 to +10dB EQ

COUPLING: DC

POWER 100-240V AC, 50/60Hz, 18VA

CONSUMPTION:

INCLUDED Power cord, rack "ears"

ACCESSORIES:

Product Dimensions 19" x 7.20 x 1U (43.6cm x 18.30cm x 4.36cm) W, D, H

Product Weight 0.0kg (0.0lbs) approx

Shipping Dimensions 55.00cm x 27.60cm x 10.70cm (21.65" x 10.87" x 4.21") W, D, H

Shipping Weight 2.4kg (5.3lbs) approx

