Zoom Lens

ET-**D75LE6**

This zoom lens is designed for use with Panasonic's applicable projectors. The lens makes it possible to vary the projection distance by changing the focal distance.

NOTE: Please use the lens only on the specified Panasonic projector.

Specifications

F value: 2.5

Focal distance (f): 19.63 - 23.54 mm

Throw ratio: 0.9-1.1:1 for PT-DZ21K/DZ8700/DZ110X (16:10 aspect ratio),

1.0-1.2:1 for PT-DS20K/DS8500/DS100X (4:3 aspect ratio),

1.0-1.2:1 for PT-DW17K/DW8300/DW90X (16:9 aspect atio)

Dimensions (W \times H \times D): 160 \times 160 \times 356.5 mm (6-5/16 \times 6-5/16 \times 14-1/32 inches)

Weight: Approximately 8.7 kg* (19.2 lbs*)

[Group A] Applicable projector

PT-DZ21K/DZ21K2/DS20K/DS20K2/DW17K/DW17K2/DZ16K/DZ16K2

PT-DZ13K/DS12K/DW11K/DZ10K/DZ8700/DZ110K/DS8500/DS1100K/DW8300/DW90K


[Group C]

PT-RZ12K/RS11K PT-RQ13K [Group D] PT-RZ21K/RS20K

[Group E] PT-RZ31K/RS30K PT-RQ32K

*Average value. May differ depending on the actual unit. The throw ratio is an approximate value calculated by dividing the screen width by the projection distance.


Dimensions




unit : mm (inch) NOTE: This illustration is not drawn to scale.

NOTE: Please read the projector's instruction manual for throw distances. Weights and dimensions shown are approximate. Specifications subject to change without notice.


Zoom Lens




[Group B]



[Group C]




[Group D]



unit : mm (inch) NOTE: This illustration is not drawn to scale.

NOTE: Please read the projector's instruction manual for throw distances.

Weights and dimensions shown are approximate. Specifications subject to change without notice.



unit : mm (inch) NOTE: This illustration is not drawn to scale.

NOTE: Please read the projector's instruction manual for throw distances.

Weights and dimensions shown are approximate. Specifications subject to change without notice.