

# 10 Gigabit Fiber SFP+ Transceiver Module - Juniper EX-SFP-10GE-LR Compatible - SM LC - 10 km (6.2 mi)

Product ID: EXSFP10GELRS



This StarTech.com 10 Gigabit fiber SFP+ is engineered to deliver reliable network connections. Built to exacting specifications and fully tested to ensure maximum performance, this high-quality fiber transceiver module can be installed into Juniper Networks® switches and routers that support the Juniper EX-SFP-10GE-LR transceiver module, as well as other major brands of networking equipment.

This 10GBase-LR SFP+ delivers 10 Gigabit connectivity over single-mode fiber cable with a range of up to 10 km (6.2 mi.). It provides a dependable and cost-effective way to add, replace or upgrade the ports on your networking equipment, and it's backed by a lifetime warranty.

## **Built for reliable network performance**

This 10 GbE SFP+ is manufactured by StarTech.com to meet or exceed OEM specifications and comply with the industry's MSA (Multi-Source Agreement) standards. Committed to the highest standards of quality, StarTech.com provides an extensive range of networking products including copper and fiber network cards, fiber media converters, Ethernet switches and wireless products.

## **Fully compatible with Juniper Networks and other major brands**

This 10 Gigabit single-mode SFP+ is engineered to the highest quality standards and is 100% Juniper Networks compatible, equivalent to the EX-SFP-10GE-LR SFP+ transceiver. The StarTech.com SFP+ transceiver module is configured and fully tested to ensure it works seamlessly with Juniper Networks or other major brands of networking equipment.

You can be assured that the use of StarTech.com SFP products should not affect the warranty protection of your networking equipment.

## **Convenient and scalable**

Delivering both convenience and scalability, this fiber SFP+ transceiver is fully hot-pluggable, which enables you to install it without interrupting network traffic or having to reboot your equipment. It provides a versatile and cost-effective solution that's compatible with a wide range of 10 Gigabit networking devices.

Ideal for use in Juniper Networks switches, routers and other networking equipment, the SFP+ optical transceiver provides reliable performance, allowing you to expand your network to remote segments cost-effectively. The SM fiber transceiver module supports Digital Diagnostics Monitoring (DDM), a maximum distance of up to 10 km (6.2 mi.), and maximum data rates of up to 10Gbps.

You can count on EXSFP10GELRS for reliable performance, backed by a lifetime warranty and free lifetime technical support.

### Certifications, Reports and Compatibility



### Applications

- Replace defective or damaged SFP+ modules in MSA compliant or Juniper equipment
- Ideal for deployment in network devices with multiple SFP+ slots
- Expand your network to remote segments

### Features

- Delivers reliable 10 Gigabit Ethernet connections for 10GBase-LR compliant networks
- 100% Juniper Networks compatible, equivalent to the Juniper EX-SFP-10GE-LR SFP+
- Backed by lifetime warranty and free lifetime technical support
- Meets or exceeds OEM specifications and MSA (Multi-Source Agreement) industry standards
- Supports Digital Diagnostics Monitoring (DDM)
- 1310 nm optical wavelength
- Single-mode with maximum distance of up to 10 km (6.2 mi.) and LC fiber connector
- Maximum data rates up to 10Gbps
- Hot-pluggable

<b>Hardware</b>	Warranty	Lifetime
	Compatible Brand	Juniper
	Industry Standards	IEEE 802.3ae 10GBASE-LR
<b>Performance</b>	Compatible Networks	10 Gbps
	DDM	Yes
	Fiber Operating Mode	Full-Duplex
	Fiber Type	Single Mode
	Max Transfer Distance	10 km (6.2 mi)
	Maximum Data Transfer Rate	10 Gbps
	MTBF	2,104,865 hours
<b>Connector(s)</b>	Wavelength	1310nm
	Local Unit Connectors	1 - Fiber Optic LC Duplex Female
<b>Special Notes / Requirements</b>	<b>Note</b>	For use in 10 Gigabit fiber networking equipment and media converters
	System and Cable Requirements	MSA or Juniper compliant SFP port
<b>Environmental</b>	Humidity	5~95% RH
	Operating Temperature	0°C to 70°C (32°F to 158°F)
	Storage Temperature	-40°C to 85°C (-40°F to 185°F)
<b>Physical Characteristics</b>	Color	Silver
	Enclosure Type	Aluminum
	Product Height	0.5 in [12.6 mm]
	Product Length	2.3 in [58.4 mm]
	Product Weight	0.8 oz [22 g]
	Product Width	0.5 in [13.9 mm]
<b>Packaging Information</b>	Shipping (Package) Weight	1.9 oz [53 g]
<b>What's in the Box</b>	Included in Package	1 - SFP+ transceiver

Product appearance and specifications are subject to change without notice.