

10 Gigabit Fiber SFP+ Transceiver Module - Cisco Meraki MA-SFP-10GB-LR Compatible - SM LC - 10 km (6.2 mi)

Product ID: MASFP10GBLR



This StarTech.com 10 Gigabit fiber SFP+ is engineered to deliver reliable network connections. Built to exacting specifications and fully tested to ensure maximum performance, this high-quality fiber transceiver module can be installed into Cisco Meraki® switches and routers that support the Cisco Meraki MA-SFP-10GB-LR transceiver module, as well as other major brands of networking equipment.

This 10GBase-LR SFP+ delivers 10 Gigabit connectivity over single-mode fiber cable with a range of up to 10 km (6.2 mi.). It provides a dependable and cost-effective way to add, replace or upgrade the ports on your networking equipment, and it's backed by a lifetime warranty.

www.startech.com 1 800 265 1844



Built for reliable network performance

This 10 GbE SFP+ is manufactured by StarTech.com to meet or exceed OEM specifications and comply with the industry's MSA (Multi-Source Agreement) standards. Committed to the highest standards of quality, StarTech.com provides an extensive range of networking products including copper and fiber network cards, fiber media converters, Ethernet switches and wireless products.

Fully compatible with Cisco Meraki and other major brands

This 10 Gigabit single-mode SFP+ is engineered to the highest quality standards and is 100% Cisco Meraki compatible, equivalent to the Cisco Meraki MA-SFP-10GB-LR SFP+ transceiver. The StarTech.com SFP+ transceiver module is configured and fully tested to ensure it works seamlessly with Cisco Meraki or other major brands of networking equipment.

You can be assured that the use of StarTech.com SFP products should not affect the warranty protection of your networking equipment.

Convenient and scalable

Delivering both convenience and scalability, this fiber SFP+ transceiver is fully hot-pluggable, which enables you to install it without interrupting network traffic or having to reboot your equipment. It provides a versatile and cost-effective solution that's compatible with a wide range of 10 Gigabit networking devices.

Ideal for use in Cisco Meraki switches, routers and other networking equipment, the SFP+ optical transceiver provides reliable performance, allowing you to expand your network to remote segments cost-effectively. The SM fiber transceiver module supports Digital Diagnostics Monitoring (DDM), a maximum distance of up to 10 km (6.2 mi.), and maximum data rates of up to 10Gbps.

You can count on MASFP10GBLR for reliable performance, backed by a lifetime warranty and free lifetime technical support.

www.startech.com 1 800 265 1844



Data Sheet

Certifications, Reports and Compatibility









Applications

- Replace defective or damaged SFP+ modules in MSA compliant or Cisco equipment
- Ideal for deployment in network devices with multiple SFP+ slots
- Expand your network to remote segments

Features

- Delivers reliable 10 Gigabit Ethernet connections for 10GBase-LR compliant networks
- 100% Cisco Meraki compatible, equivalent to the Cisco Meraki MA-SFP-10GB-LR
- Backed by lifetime warranty and free lifetime technical support
- Meets or exceeds OEM specifications and MSA (Multi-Source Agreement) industry standards
- Supports Digital Diagnostics Monitoring (DDM)
- 1310 nm optical wavelength
- Single-mode with maximum distance of up to 10 km (6.2 mi.) and LC fiber connector
- Maximum data rates up to 10Gbps
- Hot-pluggable

www.startech.com 1 800 265 1844



Hard-to-find made easy*

Data Sheet

| | Warranty | Lifetime |
|---------------------------------|-------------------------------|---|
| Hardware | Compatible Brand | Cisco Meraki |
| | Industry Standards | IEEE 802.3ae 10GBASE-LR |
| Performance | Compatible Networks | 10 Gbps |
| | DDM | Yes |
| | Fiber Operating Mode | Full-Duplex |
| | Fiber Type | Single Mode |
| | Max Transfer Distance | 10 km (6.2 mi) |
| | Maximum Data Transfer Rate | 10 Gbps |
| | MTBF | 2,104,865 hours |
| | Wavelength | 1310nm |
| Connector(s) | Local Unit Connectors | 1 - Fiber Optic LC Duplex Female |
| Special Notes / Requirements | Note | For use in 10 Gigabit fiber networking equipment and media converters |
| | System and Cable Requirements | MSA or Cisco Meraki compliant SFP+ port |
| Environmental | Humidity | 5~95% RH |
| | Operating Temperature | 0°C to 70°C (32°F to 158°F) |
| | Storage Temperature | -40°C to 85°C (-40°F to 185°F) |
| Physical Characteristics | Color | Silver |
| | Enclosure Type | Aluminum |
| | Product Height | 0.5 in [12.6 mm] |
| | Product Length | 2.3 in [58.4 mm] |
| | Product Weight | 0.8 oz [22 g] |
| | Product Width | 0.5 in [13.9 mm] |
| Packaging Information | Shipping (Package) Weight | 1.9 oz [53 g] |
| What's in the Box | Included in Package | 1 - SFP+ transceiver |

Product appearance and specifications are subject to change without notice.