

Dual-Monitor USB-C Dock for Windows Laptops - MST - Power Delivery - 4K

Product ID: MST30C2DPPD



Here's a must-have accessory for your USB-C™ equipped Windows® based laptop. This dual-monitor docking station is one of the first to integrate the next-generation USB-C host connector, so you can easily power and charge your laptop through its USB Type-C™ port. Plus, because it supports MST, you can connect dual monitors through a single USB-C cable. (For a dual-monitor configuration the host laptop must support MST).

With power delivery, MST, dual video (DV), or 4K Ultra HD support, this innovative docking station caters to a range of users, such as IT administrators, designers and animators.



Connect just one adapter to power the dock and your laptop

USB-C is here. It's the future of universal connectivity, and many new laptops and tablets already feature USB Type-C ports. This versatile laptop dock capitalizes on the full potential of USB Type-C, which simultaneously transfers power, video, and data.

This docking station supports USB Power Delivery (up to a maximum of 60 watts), so you can power and charge your laptop directly through its USB-C port. Because a single power adapter can be used for your dock and laptop, you can reduce clutter at your workstation. Plus, you don't need to carry or remember an extra power adapter when you're traveling to or from the office.

Typical USB Type-A docks restrict video and data to 5Gbps shared bandwidth. This USB Type-C dock allocates data and video traffic separately, so extra bandwidth can be diverted to a particular video or data function, as needed. The USB-C laptop dock offers optimal performance when using multiple monitors and peripherals, so you can get more work done in less time.



Enjoy dual-monitor video output

This versatile dock lets you easily connect dual monitors. With more monitors, you can multitask and increase productivity, by eliminating the hassle of flipping between several open windows.

For dual video, simply connect your 1920 x 1200p DisplayPort and HDMI (cable included) monitors.

Number of Displays	Video Output Configuration	Maximum Resolution
2	DisplayPort and HDMI	1920 x 1200p (60Hz)
1	HDMI	4096 x 2160p (24Hz)
1	DisplayPort	3840 x 2160p (30Hz)



**Lower resolutions are also supported.*

Easily connect a 4K display through USB-C

The USB-C laptop dock features a DisplayPort and an HDMI port, giving you the flexibility to connect your displays as needed. It supports dual monitors or a single high-resolution 4K monitor.

For extra screen space, this dock offers support for the higher 4096 x 2160p resolution, unlike traditional 4K docking stations that only support 3840 x 2160p.

For 4K output, you can connect:

- A 4K HDMI display at 4096 x 2160p resolution and 24Hz
- A 4K DisplayPort display at 3840 x 2160p resolution and 30Hz



Everything you need to create a full-sized workstation

This full-featured universal docking station offers the ports you need to create a full-sized workstation, including four USB 3.0 ports (including a fast charge-and-sync port and a USB-C port), plus Gigabit Ethernet, audio, and microphone connections.

Unlike USB-C docks that may drop to USB 2.0 and limit Ethernet performance, this dock offers full USB 3.0 and network bandwidth. This provides faster data transfer speeds when using your USB 3.0 peripherals and supports true Gigabit Ethernet network throughput.

Universally supported

Unlike some proprietary docking stations designed only to work with specific laptop models, this universal laptop dock works with multiple brands. All you need is a laptop's USB-C port that supports DP alt mode and USB Power Delivery, and you can be up and running quickly. With universal support, you can use this dock with different laptops now, or in the future.

The MST30C2DPPD is backed by a StarTech.com 3-year warranty and free lifetime technical support.

Notes:

- Ensure your laptop's drivers, firmware, and operating system are up to date prior to using the docking station.
- Video output capabilities are dependent on the video card and hardware specification of your connected laptop. Certain video cards have limited MST support, while some monitors will also limit the available resolution.
- Not all USB-C ports support the full functionality of the USB Type-C standard. Ensure that your laptop USB-C port supports DP alt mode, as well as USB Power Delivery.
- Not all Thunderbolt 3 USB-C ports support the full functionality of the Thunderbolt 3 standard. Ensure that your laptop Thunderbolt 3 port supports USB Power Delivery.

- *This docking station provides up to 60W of Power Delivery to charge your laptop. Some laptops may have specific charging requirements such as the full 60W for charging. In the event that your laptop is not charging, simply unplug any peripheral accessories attached to the dock's USB-C port (on back of dock) and the USB 3.0 (Type-A) charging port (on front of dock) during charging. This will ensure the full 60 W of power is available for charging your laptop.*

Certifications, Reports and Compatibility



Applications

- An essential accessory for the latest USB-C equipped Windows laptops such as Dell XPS™ 13, Lenovo® ThinkPad™, HP® Spectre, HP EliteBook and HP ProBook
- Power and charge your USB-C equipped laptop, using only the dock's power adapter
- Perfect for office workers, graphic designers, animators, engineers, financial professionals, and many more professions
- Create a full-size workstation that's ideal for hot desk and BYOD (Bring Your Own Device) users, or for CYOD (Choose Your Own Device) applications

Features

- Take advantage of USB-C with PD and deliver power to your Windows PC laptop (up to 60-watts) through a single USB Type-C port
- Connect multiple displays through your laptop's USB-C port, with support for MST (multi-stream transport) technology
- Supports dual monitors (DisplayPort and HDMI), a single 4K HDMI display, including HDMI cable, (4096 x 2160p - 24Hz), or a single 4K DP display (3840 x 2160p - 30Hz)
- Four USB 3.0 (5Gbps) ports — one USB-C and three USB-A (2x standard, 1x fast-charge and sync)
- USB-C host port supplies power, video (DP alt mode), and data connectivity to your laptop
- Supports USB Power Delivery Specification 2.0 (up to 60-watts)
- Charge your smartphone or tablet quicker, using the always-on USB 3.0 fast-charge and sync port (compliant with USB Battery Charging Specification 1.2)
- Universal compatibility, works with USB-C equipped PC laptop brands (USB-C port must support DP alt mode and USB Power Delivery)
- Easy-access 3.5 mm headphone and microphone ports
- Gigabit Ethernet RJ45 port with Wake-on-LAN (WOL)
- Includes a 3.3 ft. (1m) USB-C (USB 3.0) host cable
- Thunderbolt™ 3 data port compatible (the dock connects to a Thunderbolt 3 port at 5Gbps and supports USB Power Delivery to deliver power to your Windows PC laptop)

Hardware	Warranty	3 Years
	4K Support	Yes
	Bus Type	USB-C
	Chipset ID	Cypress - CYPD1122-40 MegaChips - STDP4320 MegaChips - MCDP2850 Cypress - CYUSB3328-88LTXC Cypress - CYUSB3610-68LTXC Texas Instruments - PCM2912APJT
	Displays Supported	2
	Fast-Charge Port(s)	Yes
	Industry Standards	USB Power Delivery Specification Rev. 2.0 USB Battery Charging Specification Rev. 1.2 DisplayPort 1.2 with MST IEEE 802.3, IEEE 802.3u, IEEE 802.3ab USB 3.0 - Backward compatible with USB 2.0 and 1.1
Performance	Auto MDIX	Yes
	Compatible Networks	10/100/1000 Mbps
	Full Duplex Support	Yes
	Maximum Data Transfer Rate	5 Gbps (USB 3.0) 2 Gbps (Ethernet; Full-Duplex)
	Maximum Digital Resolutions	Single display - DisplayPort - 3840 x 2160 @ 30Hz Single Display - HDMI - 4096 x 2160 @ 24Hz / 3840 x 2160 @ 30Hz Dual displays - DisplayPort or HDMI - 1920 x 1200 @ 60Hz
	Type and Rate	USB 3.0 - 5 Gbit/s
	UASP Support	Yes
Connector(s)	Connector Type(s)	2 - USB Type-C (24 pin) USB 3.0 Female 1 - DisplayPort (20 pin) Female 1 - HDMI (19 pin) Female 1 - USB 3.0 A (Fast-Charge, 9 pin, SuperSpeed) Female 2 - USB Type-A (9 pin) USB 3.0 Female 1 - RJ-45 Female 2 - 3.5 mm Mini-Jack (3 Position) Female
Software	OS Compatibility	Windows® 7, 8, 8.1, 10

Special Notes / Requirements	Note	<p>Not all USB-C ports support the full functionality of the USB Type-C standard. Ensure that your host USB-C port supports USB Power Delivery 2.0 and DP alt mode.</p> <p>If you are connecting multiple DisplayPort monitors in a daisy chain through the dock's DisplayPort connection, the monitors must support DisplayPort 1.2 and MST</p> <p>USB 3.0 is also known as USB 3.1 Gen 1; this connectivity standard offers speeds up to 5Gbps</p> <p>A 4K-capable DisplayPort or HDMI display is required to achieve 4Kx2K resolution</p> <p>Video output capabilities are dependent on the video card and hardware specifications of your connected host laptop. Certain video cards have limited MST or video support, while some monitors will also limit the available resolution.</p> <p>For a dual-monitor configuration the host laptop must support MST</p> <p>This docking station provides up to 60W of Power Delivery to charge your laptop. Some laptops may have specific charging requirements such as the full 60W for charging. In the event that your laptop is not charging, simply unplug any peripheral accessories attached to the dock's USB-C port (on back of dock) and the USB 3.0 (Type-A) charging port (on front of dock) during charging. This will ensure the full 60 W of power is available for charging your laptop.</p>
	System and Cable Requirements	A host laptop with an available USB-C port (to ensure full adapter functionality, the host USB-C port must support USB Power Delivery 2.0 and DP alt mode)
Indicators	LED Indicators	<p>1 - Power (Green)</p> <p>1 - RJ45 Link (Green/Amber)</p> <p>1 - RJ45 Activity (Yellow)</p>
Power	<p>Center Tip Polarity</p> <p>Input Current</p> <p>Input Voltage</p> <p>Output Current</p> <p>Output Voltage</p> <p>Plug Type</p> <p>Power Consumption (In Watts)</p> <p>Power Delivery</p> <p>Power Source</p>	<p>Positive</p> <p>1.5 A</p> <p>100 ~ 240 AC</p> <p>4.5 A</p> <p>20V DC</p> <p>N</p> <p>90</p> <p>60W</p> <p>AC Adapter Included</p>

Environmental	Humidity	5%~95% RH (Non-condensing)
	Operating Temperature	5°C to 35°C (41°F to 95°F)
	Storage Temperature	-40°C to 70°C (-40°F to 158°F)
Physical Characteristics	Color	Black
	Enclosure Type	Plastic
	Product Height	1.1 in [28 mm]
	Product Length	8.3 in [210 mm]
	Product Weight	4.7 oz [133 g]
	Product Width	3.5 in [90 mm]
Packaging Information	Shipping (Package) Weight	35.3 oz [1000 g]
What's in the Box	Included in Package	1 - USB-C docking station for laptops
		1 - USB-C cable [1 m/3.3 ft]
		1 - HDMI cable
		1 - universal power adapter
		3 - power cords (NA/JP, UK, EU)
		1 - quick-start guide

Product appearance and specifications are subject to change without notice.