

8-Port Charging Station for USB Devices - 96W/19.2A

Product ID: ST8CU824



This USB charging station offers a high-powered solution for keeping your mobile devices powered and ready for use. It's compatible with a wide range of tablets and smartphones, and features built-in safety measures to help protect against damage to your mobile devices.

High-powered charging

The charging station can deliver 96 watts of power in total, providing 2.4 amps of power per port. That means you can charge eight tablets at once, and every port can provide the power each device needs.

One charger for all of your mobile devices

The charger supports USB Battery Charging Specification 1.2, which ensures compatibility with a broad range of mobile devices, including the Apple iPhone and iPad, the Microsoft® Surface™ tablet, the Samsung Galaxy Tab™, Android™ devices and more.





Dedicated charging

This all-in-one charger is perfect for charging multiple devices during meetings in a boardroom or conference room. It gives you and your co-workers access to charging when it's needed. Plus, consolidating your USB devices onto a single multi-port USB charger offers a more efficient solution and saves space because you don't need to use multiple wall outlets or power bars.

The compact, metal enclosure is extremely durable and offers simple operation using an integrated on/off power button that turns all ports on and off. For further flexibility, the charge station includes a bracket for wall-mounted installations.

Protection for your devices

The USB charging station features built-in safety measures to ensure that all of your devices are protected against damage from overheating, overvoltage, overcurrent or short circuiting. If the 96-watt limit is exceeded, the power being sent to the connected devices will turn off and the charger will reset itself until the load is reduced to safe levels. Plus, the charging station includes an internal fan which controls the temperature of the device in order to prevent overheating. The fan is automatically controlled to reduce noise levels.

The charger also includes an LED indicator beside each port to notify you of a short circuit, while the affected port will shut down until you power-cycle the charger.

The ST8CU824 is backed by StarTech.com's 2-year warranty and free lifetime technical support.





Certifications, Reports and Compatibility

















Applications

- Charge up to eight mobile devices at once
- Use in IT helpdesk or tech-bench environments to charge multiple tablets, smartphones or other USB devices simultaneously
- Charge and deploy a fleet of tablets for mobile sales staff
- Set up a USB charging station at home for the whole family
- Install in locations where USB ports need to be securely mounted to a surface, such as a wall or on a desk

Features

- Charge almost any mobile device with USB Battery Charging Specification 1.2 support
- Deliver the fastest possible power output required for each connected device, up to a total of 96 watts (19.2 amps) shared between all eight ports
- Save space and wall outlets, using a single, consolidated charging station



Data Sheet

Hardware Industry Standards USB Battery Charging Specification Rev. 1.2 Connector(s) Connector Type(s) 8 - USB Type-A (4 pin) USB 2.0 Female Indicators LED Indicators 1 - Power Power 8 - Short circuit fault indicator beside each port Power Input Current 2A Input Voltage 100 ~ 240 AC Output Voltage 12 DC Power Consumption (In Watts) 96 Power Consumption (In Watts) 96 Power Source AC Adapter Included Environmental Humidity 20~80% RH Operating Temperature 5°C to 35°C (41°F to 95°F) Storage Temperature 5°C to 35°C (41°F to 95°F) Physical Color Black Product Height 1 in [25 mm] Product Length 4 in [25 mm] Product Weight 9.2 oz [250 g] Product Weight 2.2 to [1 kg] Packaging Product Width 2.2 to [1 kg] Product Weight 2.2 to [1 kg] What's in the Box Included in Package 1 - Ower Adapter 1 - Power Adapter 2 - Wall-Mount Brackets 1 - Power Adapter 2 - Rubber Feet 4 - Mounting Screws		Warranty	2 Years
Connector(s) Connector Type(s) 8 - USB Type-A (4 pin) USB 2.0 Female Indicators LED Indicators 1 - Power 8 - Short circuit fault indicator beside each port Power Input Voltage 100 ~ 240 AC Output Current 8A Output Voltage 12 DC Plug Type M Power Consumption (In Watts) 96 Power Source AC Adapter Included Environmental Humidity 20~80% RH Operating Temperature 5°C to 35°C (41°F to 95°F) Storage Temperature 2°C to 50°C (-4°F to 122°F) Physical Characteristics Enclosure Type Aluminum Product Height 1 in [25 mm] Product Weight 9.2 oz [260 g] Product Weight 2.4 in [60 mm] Packaging Information Package Quantity 1 Shipping (Package) Weight 2.2 lb [1 kg] What's in the Box Included in Package 1 - USB Charging Station 2 - Wall-Mount Brackets 1 - Power Adapter 1 - Power Adapter 2 - Rubber Feet	Hardware	Industry Standards	USB Battery Charging Specification Rev. 1.2
Indicators LED Indicators 1 - Power Power Input Current 2A Input Voltage 100 ~ 240 AC Output Current 8A Output Voltage 12 DC Plug Type M Power Consumption (In Watts) 96 Power Source AC Adapter Included Environmental Humidity 20~80% RH Operating Temperature 5°C to 35°C (41°F to 95°F) Storage Temperature -20°C to 50°C (-4°F to 122°F) Physical Characteristics Enclosure Type Aluminum Product Height 1 in [25 mm] Product Length 8.3 in [212 mm] Product Weight 9.2 oz [260 g] Product Width 2.4 in [60 mm] Packaging Information Shipping (Package) Weight 2.2 lb [1 kg] What's in the Box Included in Package 1 - USB Charging Station Vall-Mount Brackets 1 - Power Adapter 2 - Rubber Feet		Ports	8
Power Input Current 2A Input Voltage 100 ~ 240 AC Output Current 8A Output Voltage 12 DC Plug Type M Power Consumption (In Watts) 96 Power Source AC Adapter Included Environmental Humidity 20~80% RH Operating Temperature 5°C to 35°C (4°F to 95°F) Storage Temperature 20°C to 50°C (-4°F to 122°F) Physical Characteristics Enclosure Type Aluminum Product Height 1 in [25 mm] Product Length 9.2 oz [260 g] Product Weight 9.2 oz [260 g] Product Width 2.4 in [60 mm] Packaging Information Shipping (Package) Weight 2.2 lb [1 kg] What's in the Box Included in Package 1 - USB Charging Station Year Information 2 - Wall-Mount Brackets 1 - Power Adapter 1 - Power Adapter 2 - Rubber Feet	Connector(s)	Connector Type(s)	8 - USB Type-A (4 pin) USB 2.0 Female
Power Input Current 2A Input Voltage 100 ~ 240 AC Output Current 8A Output Voltage 12 DC Plug Type M Power Consumption (In Watts) 96 Power Source AC Adapter Included Environmental Humidity 20~80% RH Operating Temperature 5°C to 35°C (41°F to 95°F) Storage Temperature 20°C to 50°C (-4°F to 122°F) Physical Characteristics Enclosure Type Aluminum Product Height 1 in [25 mm] Product Height 3.3 in [212 mm] Product Weight 9.2 oz [260 g] Product Width 2.4 in [60 mm] Packaging Information Shipping (Package) Weight 2.2 lb [1 kg] What's in the Box Included in Package 1 - USB Charging Station 4 - Power Adapter 2 - Rubber Feet	Indicators	LED Indicators	1 - Power
Input Voltage			8 - Short circuit fault indicator beside each port
Output Current Output Voltage Plug Type Power Consumption (In Watts) Power Source AC Adapter Included Environmental Humidity Operating Temperature S°C to 35°C (41°F to 95°F) Storage Temperature -20°C to 50°C (-4°F to 122°F) Physical Characteristics Enclosure Type Aluminum Product Height Product Height 1 in [25 mm] Product Length 8.3 in [212 mm] Product Weight Product Weight 9.2 oz [260 g] Product Width 2.4 in [60 mm] Packaging Information Package Quantity Information Included in Package Veight 2.2 lb [1 kg] What's in the Box Included in Package 1 - USB Charging Station 2 - Wall-Mount Brackets 1 - Power Adapter 2 - Rubber Feet	Power	Input Current	2A
Pug Type Power Consumption (In Watts) Power Source AC Adapter Included Power Source AC Adapter Included Environmental Humidity Operating Temperature Soc to 35°C (41°F to 95°F) Storage Temperature -20°C to 50°C (-4°F to 122°F) Physical Characteristics Enclosure Type Product Height Product Length Product Length Product Weight Product Weight Product Weight Product Width Product Width Packaging Information Package Quantity Shipping (Package) Weight Vhat's in the Box Included in Package 1 - USB Charging Station 2 - Wall-Mount Brackets 1 - Power Adapter 2 - Rubber Feet		Input Voltage	100 ~ 240 AC
Plug Type Power Consumption (In Watts) Power Source AC Adapter Included Environmental Humidity Operating Temperature Soc to 35°C (41°F to 95°F) Storage Temperature -20°C to 50°C (-4°F to 122°F) Physical Characteristics Enclosure Type Aluminum Product Height Product Length Product Weight Product Weight Product Width Packaging Information Package Quantity Information Package Quantity Information Included in Package Included in Package Included I		Output Current	8A
Power Consumption (In Watts) Power Source AC Adapter Included AC Adapter Included Environmental Humidity Operating Temperature Soc to 35°C (41°F to 95°F) Storage Temperature -20°C to 50°C (-4°F to 122°F) Physical Characteristics Enclosure Type Enclosure Type Product Height Product Length Product Weight Product Weight Product Width Product Width Product Width Packaging Information Shipping (Package) Weight Shipping (Package) Weight Power Adapter 1 - Power Adapter 2 - Rubber Feet		Output Voltage	12 DC
Power Source AC Adapter Included		Plug Type	М
Environmental Humidity 20~80% RH 20~80% RH Operating Temperature 5°C to 35°C (41°F to 95°F) 20°C to 50°C (-4°F to 122°F) Physical Characteristics Enclosure Type Aluminum Product Height Product Length 8.3 in [212 mm] Product Weight Product Width 2.4 in [60 mm] Packaging Information Package Quantity Shipping (Package) Weight Value 1 - USB Charging Station 2 - Wall-Mount Brackets 1 - Power Adapter 2 - Rubber Feet		Power Consumption (In Watts)	96
Operating Temperature 5°C to 35°C (41°F to 95°F) Storage Temperature -20°C to 50°C (-4°F to 122°F) Physical Characteristics Enclosure Type Aluminum Product Height 1 in [25 mm] Product Length 8.3 in [212 mm] Product Weight 9.2 oz [260 g] Product Width 2.4 in [60 mm] Packaging Information Package Quantity Shipping (Package) Weight 2.2 lb [1 kg] What's in the Box Included in Package 1 - USB Charging Station 2 - Wall-Mount Brackets 1 - Power Adapter 2 - Rubber Feet		Power Source	AC Adapter Included
Physical Characteristics Enclosure Type Aluminum Product Height 1 in [25 mm] Product Length 8.3 in [212 mm] Product Weight 9.2 oz [260 g] Product Width 2.4 in [60 mm] Packaging Information Physical Characteristics Shipping (Package) Weight 2.2 lb [1 kg] What's in the Box Included in Package 1 - USB Charging Station 2 - Wall-Mount Brackets 1 - Power Adapter 2 - Rubber Feet	Environmental	Humidity	20~80% RH
Physical CharacteristicsColorBlackEnclosure TypeAluminumProduct Height1 in [25 mm]Product Length8.3 in [212 mm]Product Weight9.2 oz [260 g]Product Width2.4 in [60 mm]Packaging Information5hipping (Package) Weight2.2 lb [1 kg]What's in the BoxIncluded in Package1 - USB Charging Station2 - Wall-Mount Brackets1 - Power Adapter1 - Power Adapter2 - Rubber Feet		Operating Temperature	5°C to 35°C (41°F to 95°F)
Characteristics Enclosure Type Aluminum Product Height 1 in [25 mm] Product Length 8.3 in [212 mm] Product Weight 9.2 oz [260 g] Product Width 2.4 in [60 mm] Packaging Information Shipping (Package) Weight 2.2 lb [1 kg] What's in the Box Included in Package 1 - USB Charging Station 2 - Wall-Mount Brackets 1 - Power Adapter 2 - Rubber Feet		Storage Temperature	-20°C to 50°C (-4°F to 122°F)
Product Height 1 in [25 mm] Product Length 8.3 in [212 mm] Product Weight 9.2 oz [260 g] Product Width 2.4 in [60 mm] Packaging Information Shipping (Package) Weight 2.2 lb [1 kg] What's in the Box Included in Package 1 - USB Charging Station 2 - Wall-Mount Brackets 1 - Power Adapter 2 - Rubber Feet	_	Color	Black
Product Length 8.3 in [212 mm] Product Weight 9.2 oz [260 g] Product Width 2.4 in [60 mm] Packaging Information Shipping (Package) Weight 2.2 lb [1 kg] What's in the Box Included in Package 1 - USB Charging Station 2 - Wall-Mount Brackets 1 - Power Adapter 2 - Rubber Feet		Enclosure Type	Aluminum
Product Weight Product Width Product Width Packaging Information Shipping (Package) Weight Package Quantity Package Quantity Shipping (Package) Weight Package Quantity Shipping (Package) Weight Package Quantity Package Quantity Package Quantity Package Quantity Shipping (Package) Weight Package Quantity Package Quantity		Product Height	1 in [25 mm]
Packaging Information Package Quantity Shipping (Package) Weight The Box Package Quantity Shipping (Package) Weight Package Package Quantity Shipping (Package) Weight Package Package Quantity Shipping (Package) Weight Package Package Quantity Package Qua		Product Length	8.3 in [212 mm]
Packaging Information Shipping (Package) Weight 2.2 lb [1 kg] What's in the Box Included in Package 1 - USB Charging Station 2 - Wall-Mount Brackets 1 - Power Adapter 2 - Rubber Feet		Product Weight	9.2 oz [260 g]
Information Shipping (Package) Weight 2.2 lb [1 kg] What's in the Box Included in Package 1 - USB Charging Station 2 - Wall-Mount Brackets 1 - Power Adapter 2 - Rubber Feet		Product Width	2.4 in [60 mm]
What's in the Box Included in Package 1 - USB Charging Station 2 - Wall-Mount Brackets 1 - Power Adapter 2 - Rubber Feet		Package Quantity	1
2 - Wall-Mount Brackets 1 - Power Adapter 2 - Rubber Feet		Shipping (Package) Weight	2.2 lb [1 kg]
1 - Power Adapter 2 - Rubber Feet	What's in the Box	Included in Package	1 - USB Charging Station
2 - Rubber Feet			2 - Wall-Mount Brackets
			1 - Power Adapter
4 - Mounting Screws			2 - Rubber Feet
			4 - Mounting Screws

Product appearance and specifications are subject to change without notice.