

Extreme Heavy Duty Abrasion Sleeve With Easy On, Easy Off Hook & Loop Closure

GATOR WRAP (DWG) is made of proprietary extreme abrasion fabric. This protection sleeve is used for bundling and wrapping hoses and cables. The reusable sleeve features Mil-Spec extreme Hook & Loop closure, which allows installation without disconnecting hoses and can reduce labor time by 70%.

Gator Wrap is an excellent choice for applications requiring protection from the toughest abrasion. This heavy duty abrasion sleeve is used in the oil field industry on frac hoses and on drill rigs, as well as in the timber industry to replace spiral wrap.



| Nominal Size | Part # | Wall Thickness | Hook & Loop Width | Standard Spool Put-Ups | | Available | Lbs/ |
|-----------------|-----------|-------------------|----------------------|------------------------|------------|------------|-------|
| | | | | Bulk Spool | Shop Spool | Colors | 100′ |
| 1 3/8″ | DWG1.38BK | .05″ | 1 1/2″ | 75′ | 25′ | Black (BK) | 15.54 |
| 1 3/4″ | DWG1.75BK | .05″ | 1 1/2″ | 75′ | 25′ | Black (BK) | 16.90 |
| 2″ | DWG2.00BK | .05″ | 1 1/2″ | 75′ | 25′ | Black (BK) | 18.62 |
| 2 1/2" | DWG2.50BK | .05″ | 1 1/2″ | 75′ | 25′ | Black (BK) | 21.60 |
| 3″ | DWG3.00BK | .05″ | 1 1/2″ | 75′ | 25′ | Black (BK) | 24.93 |
| 3 1/2″ | DWG3.50BK | .05″ | 1 1/2″ | 75′ | 25′ | Black (BK) | 26.73 |
| 4″ | DWG4.00BK | .05″ | 1 1/2″ | 75′ | 25′ | Black (BK) | 29.58 |
| 4 1/2″ | DWG4.50BK | .05″ | 1 1/2″ | 75′ | 25′ | Black (BK) | 33.45 |
| 5″ | DWG5.00BK | .05″ | 1 1/2″ | 75′ | 25′ | Black (BK) | 36.81 |
| 6″ | DWG6.00BK | .05″ | 1 1/2″ | 75′ | 25′ | Black (BK) | 42.35 |

- 50,000 + Cycles*
- 50 Mil Wall Thickness
- Proprietary Abrasion Fabric
- Extreme, Oversized Hook & Loop Closure
- Very Puncture & Tear Resistant
- Sheds Surface Moisture
- Resistant to Water and Petroleum
- Excellent Welding Sparks and Spall Resistance



Currently the strongest abrasion resistant material we make. Gator Wrap is for the extreme environments where hose failure is not an option.

1-973-300-9242 www.techflex.com

