

## Cat5e 350MHz Snagless Molded Patch Cable (RJ45 M/M) - Gray, 30-ft.

MODEL NUMBER: N001-030-GY



### Description

Tripp Lite's 30-ft. Gray snagless category 5e (Cat5e) patch cable has 2 snagless RJ45 molded male connectors featuring integral strain relief. The cable is manufactured from PVC 4-pair solid UTP and is rated for 350MHz/1Gbps communication. All cables are offered in a variety of lengths and colors for all category 5 (Cat5) and 5e cabling needs. Standard, non-snagless category 5e patch cables are also available (N002-Series).

### Features

- Cabling for category 5 (Cat5) and 5e (Cat5e) applications
- Length: 30-ft. Color: Gray Connectors: RJ45 male
- Feature molded connectors with integral strain relief
- Snagless design protects the locking tabs on the RJ45 connectors from being damaged or snapped off during installation
- PVC 4-pair solid UTP
- Rated for 350MHz/ 1Gbps communication
- Meets most current industry standards including IEEE 802.3ab, IEEE 802.5, ANSI/EIA/TIA 568, ISO/IEC 11801 and ETL (category 5e draft 11)
- Available in other colors and lengths
- Also available without the snagless feature (N002-Series)
- Also available - Cat6 cables (N201-Series)

## Specifications

### Highlights

- Premium cabling for Category 5 and 5e applications—rated for 350 MHz/1 Gbps communications
- IEEE 802.3ab
- PVC 4-pair solid UTP
- All cables feature boots with integral strain-relief and RJ45 (Male) connectors

### System Requirements

- For 1000Base-T (1Gbps Ethernet), 10/100Base-T (Ethernet), 100 Mbps TPDDI, 155 Mbps ATM, ISDN, voice and Token Ring Type3 applications

### Package Includes

30-ft. Gray Snagless Cat5e Patch Cable



| <b>OVERVIEW</b>                      |                           |
|--------------------------------------|---------------------------|
| UPC Code                             | 037332172693              |
| <b>INPUT</b>                         |                           |
| Cable Length (ft.)                   | 30                        |
| Cable Length (m)                     | 9.1                       |
| Cable Length (in.)                   | 360                       |
| Cable Length (cm)                    | 914.4                     |
| <b>PHYSICAL</b>                      |                           |
| Wire Gauge (AWG)                     | 26                        |
| Shipping Dimensions (hwd / in.)      | 10.00 x 8.00 x 0.50       |
| Shipping Dimensions (hwd / cm)       | 25.40 x 20.32 x 1.27      |
| Shipping Weight (lbs.)               | 0.60                      |
| Shipping Weight (kg)                 | 0.27                      |
| Color                                | Gray                      |
| Wire Type                            | Solid                     |
| Snagless Connector                   | Yes                       |
| Cable Shielding                      | UTP                       |
| <b>COMMUNICATIONS</b>                |                           |
| Network Speed                        | 1Gbps                     |
| <b>CONNECTIONS</b>                   |                           |
| Side A - Connector 1                 | RJ45 (MALE)               |
| Side B - Connector 1                 | RJ45 (MALE)               |
| <b>FEATURES &amp; SPECIFICATIONS</b> |                           |
| Technology                           | Cat5/5e                   |
| <b>CERTIFICATIONS</b>                |                           |
| Certifications                       | RoHS Compliant            |
| <b>WARRANTY</b>                      |                           |
| Product Warranty Period (Worldwide)  | Lifetime limited warranty |



**Tripp Lite**  
1111 W. 35th Street  
Chicago, IL 60609 USA  
Telephone: 773.869.1234  
[www.tripplite.com](http://www.tripplite.com)

Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies:

<https://www.tripplite.com/products/product-certification-agencies>