

Tripp Lite
1111 W. 35th Street

Chicago, IL 60609 USA Telephone: 773.869.1234 www.tripplite.com

# Cat6 Gigabit Snagless Molded Patch Cable (RJ45 M/M) - Purple, 10-ft.

MODEL NUMBER: N201-010-PU



### Description

With Tripp Lite's category 6 molded patch cables you can stay ahead of the game by using this high-speed cable to distribute data, voice and video. These cables deliver stable performance up to 550MHz. Each comes UL verified meets EIA/TIA Cat6 TIA/EIA-568-B-2.1 draft 9 standards. Constructed with high-quality copper wire and a staggered-pin plug design, near-end crosstalk levels are kept to a minimum. Designed for use in category 6, category 5e and category 5 applications. Cat6 cables are available in a variety of colors with a snagless boot preventing cable snags.

## **Features**

- Meets category 6 cabling standards
- Premium cabling for category 6, category 5e and category 5 applications
- Length: 10 ft./Color: Purple/Connectors: RJ45 male
- Drastically reduce impedance & structural return loss compared to standard 100MHz wire
- High-quality copper wire and a staggered-pin plug design to keep near-end crosstalk levels to a minimum
- · Feature molded connectors with integral strain relief
- Snagless design protects the locking tabs on the RJ45 connectors from being damaged or snapped off during installation
- PVC 4-pair stranded UTP
- Deliver stable performance up to 550MHz/1 Gbps communication
- Meets most current industry standards including IEEE 802.3ab, IEEE 802.5, ANSI/EIA/TIA 568, ISO/IEC 11801 and ETL (category 6 draft 11)
- · Available in other colors and lengths

### **Highlights**

- Premium cabling for Category 6,
   Category 5e and Category 5
   applications—rated for 550
   MHz/1 Gbps communications
- Designed to meet Category 6 specifications; reduces crosstalk and return loss
- IEEE 802.3ab
- PVC 4-pair stranded UTP
- All cables feature boots with integral strain-relief and RJ45 (Male) connectors

#### **System Requirements**

For 1000 Base-T (1Gbps
 Ethernet), 10/100 Base-T
 (Ethernet), 100 Mbps TPDDI,
 155 Mbps ATM, ISDN, voice
 and Token Ring TYPE 3
 applications as well as EIA/TIA
 applications.

#### **Package Includes**

10-ft. Cat6 Purple Gigabit Patch
 Cord Snagless Molded



# **Specifications**

OVERVIEW           UPC Code         037332172884           INPUT         10           Cable Length (ft.)         10           Cable Length (m)         3           Cable Length (in.)         120           Cable Length (cm)         304.8           PHYSICAL           Wire Gauge (AWG)         24           Shipping Dimensions (hwd / in.)         10.00 x 8.00 x 0.50           Shipping Dimensions (hwd / cm)         25.40 x 20.32 x 1.27           Shipping Weight (lbs.)         0.28           Shipping Weight (kg)         0.13           Color         Purple           Wire Type         Stranded           Snagless Connector         Yes           Cable Shielding         UTP	
INPUT  Cable Length (ft.) 10  Cable Length (m) 3  Cable Length (in.) 120  Cable Length (cm) 304.8  PHYSICAL  Wire Gauge (AWG) 24  Shipping Dimensions (hwd / in.) 10.00 x 8.00 x 0.50  Shipping Dimensions (hwd / cm) 25.40 x 20.32 x 1.27  Shipping Weight (lbs.) 0.28  Shipping Weight (kg) 0.13  Color Purple  Wire Type Stranded  Snagless Connector Yes  Cable Shielding UTP	
Cable Length (ft.)  Cable Length (m)  Cable Length (in.)  Cable Length (cm)  120  Cable Length (cm)  304.8  PHYSICAL  Wire Gauge (AWG)  Shipping Dimensions (hwd / in.)  Shipping Dimensions (hwd / cm)  Shipping Weight (lbs.)  Shipping Weight (kg)  Color  Purple  Wire Type  Stranded  Snagless Connector  Cable Shielding  100  24  24  24  20.32 x 1.27  25.40 x 20.32 x 1.27  26  Shipping Weight (kg)  0.13  Cultiple  UTP	
Cable Length (m) 3  Cable Length (in.) 120  Cable Length (cm) 304.8  PHYSICAL  Wire Gauge (AWG) 24  Shipping Dimensions (hwd / in.) 10.00 x 8.00 x 0.50  Shipping Dimensions (hwd / cm) 25.40 x 20.32 x 1.27  Shipping Weight (lbs.) 0.28  Shipping Weight (kg) 0.13  Color Purple  Wire Type Stranded  Snagless Connector Yes  Cable Shielding UTP	
Cable Length (in.)  Cable Length (cm)  304.8  PHYSICAL  Wire Gauge (AWG)  Shipping Dimensions (hwd / in.)  Shipping Dimensions (hwd / cm)  Shipping Weight (lbs.)  Shipping Weight (kg)  Color  Purple  Wire Type  Stranded  Snagless Connector  Cable Shielding  120  304.8  10.00 x 8.00 x 0.50  10.00 x 8.00 x 0.50  25.40 x 20.32 x 1.27  Shipping Weight (lbs.)  0.28  Stranded  UTP	
Cable Length (cm)  PHYSICAL  Wire Gauge (AWG)  Shipping Dimensions (hwd / in.)  Shipping Dimensions (hwd / cm)  Shipping Weight (lbs.)  Shipping Weight (kg)  Color  Purple  Wire Type  Stranded  Snagless Connector  Cable Shielding  304.8  24  24  10.00 x 8.00 x 0.50  25.40 x 20.32 x 1.27  0.28  Shipping Weight (kg)  0.13  Culor  Culor  Purple  UTP	
PHYSICAL  Wire Gauge (AWG)  Shipping Dimensions (hwd / in.)  Shipping Dimensions (hwd / cm)  Shipping Weight (lbs.)  Shipping Weight (kg)  Color  Purple  Wire Type  Stranded  Snagless Connector  Cable Shielding  24  10.00 x 8.00 x 0.50  25.40 x 20.32 x 1.27  0.28  Shipping Weight (kg)  0.13  Cuthor  Cuthor  Ves  Cable Shielding  UTP	
Wire Gauge (AWG)  Shipping Dimensions (hwd / in.)  Shipping Dimensions (hwd / cm)  Shipping Dimensions (hwd / cm)  25.40 x 20.32 x 1.27  Shipping Weight (lbs.)  Shipping Weight (kg)  Color  Purple  Wire Type  Stranded  Snagless Connector  Yes  Cable Shielding  UTP	
Shipping Dimensions (hwd / in.)  Shipping Dimensions (hwd / cm)  25.40 x 20.32 x 1.27  Shipping Weight (lbs.)  Shipping Weight (kg)  Color  Purple  Wire Type  Stranded  Snagless Connector  Cable Shielding  10.00 x 8.00 x 0.50  25.40 x 20.32 x 1.27  25.40 x 20.32 x 1.27  Shipping Weight (kg)  0.13  Cut Purple  Stranded  Stranded  UTP	
Shipping Dimensions (hwd / cm)  Shipping Weight (lbs.)  Shipping Weight (kg)  Color  Purple  Wire Type  Stranded  Snagless Connector  Cable Shielding  25.40 x 20.32 x 1.27  0.28  Stranded  Stranded  UTP	
Shipping Weight (lbs.)  Shipping Weight (kg)  Color  Purple  Wire Type  Stranded  Snagless Connector  Cable Shielding  UTP	
Shipping Weight (kg)  Color  Purple  Wire Type  Stranded  Snagless Connector  Yes  Cable Shielding  UTP	
Color Purple  Wire Type Stranded  Snagless Connector Yes  Cable Shielding UTP	
Wire Type Stranded Snagless Connector Yes Cable Shielding UTP	
Snagless Connector Yes  Cable Shielding UTP	
Cable Shielding UTP	
COMMUNICATIONS	
COMMUNICATIONS	
Network Speed 1Gbps	
CONNECTIONS	
Side A - Connector 1 RJ45 (MALE)	
Side B - Connector 1 RJ45 (MALE)	
FEATURES & SPECIFICATIONS	
Technology Cat6	
CERTIFICATIONS	
Certifications RoHS-Compliant	
WARRANTY	
Product Warranty Period (Worldwide) Lifetime limited warranty	



**Tripp Lite**1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234

© 2019 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: <a href="https://www.tripplite.com/products/product-certification-agencies">https://www.tripplite.com/products/product-certification-agencies</a>