

## Cat6 Gigabit Snagless Molded Patch Cable (RJ45 M/M) - Green, 14-ft.

MODEL NUMBER: N201-014-GN



### Description

With Tripp Lite's new category 6 molded patch cables you can stay ahead of the game by using this high-speed cable to distribute data, voice and video. These cables deliver stable performance up to 550MHz. Each comes UL verified meets EIA/TIA Cat6 TIA/EIA-568-B-2.1 draft 9 standards. Constructed with high-quality copper wire and a staggered-pin plug design, near-end crosstalk levels are kept to a minimum. Designed for use in category 6, category 5e and category 5 applications. Cat6 cables are available in a variety of colors with a snagless boot preventing cable snags.

### Features

- Meets category 6 cabling standards
- Premium cabling for category 6, category 5e and category 5 applications
- Length: 14-ft. Color: green Connectors: RJ45 male
- Drastically reduce impedance and structural return loss compared to standard 100MHz wire
- High-quality copper wire and a staggered-pin plug design to keep near-end crosstalk levels to a minimum
- Feature molded connectors with integral strain relief
- Snagless design protects the locking tabs on the RJ45 connectors from being damaged or snapped off during installation
- PVC 4-pair stranded UTP
- Deliver stable performance up to 550MHz/1 Gbps communication
- Meets most current industry standards including IEEE 802.3ab, IEEE 802.5, ANSI/EIA/TIA 568, ISO/IEC 11801 and ETL (category 6 draft 11)
- Available in other colors and lengths

## Specifications

### Highlights

- Meets Category 6 cabling standards
- Meets most current industry standards including IEEE 802.3ab, IEEE 802.5, ANSI/EIA/TIA 568, ISO/IEC 11801, and ETL (Category 6, draft 11)
- Drastically reduce impedance and structural return loss compared to standard 100MHz wire
- Snagless boots protect the locking tabs on the RJ45 connectors from being damaged during installation
- Feature molded connectors with integral strain relief. Rated for 350 MHz/1 Gbps communication

### System Requirements

- For 1000 Base-T (1Gbps Ethernet), 10/100 Base-T (Ethernet), 100 Mbps TPDDI, 155 Mbps ATM, ISDN, voice and Token Ring TYPE 3 applications as well as EIA/TIA applications.

### Package Includes

- 14-ft. Cat6 Green Gigabit Patch Cord Snagless Molded



| <b>OVERVIEW</b>                      |                                 |
|--------------------------------------|---------------------------------|
| UPC Code                             | 037332099976                    |
| <b>INPUT</b>                         |                                 |
| Cable Length (ft.)                   | 14                              |
| Cable Length (m)                     | 4.3                             |
| Cable Length (in.)                   | 168                             |
| Cable Length (cm)                    | 426.7                           |
| <b>PHYSICAL</b>                      |                                 |
| Wire Gauge (AWG)                     | 24                              |
| Shipping Dimensions (hwd / in.)      | 8.00 x 10.00 x 0.50             |
| Shipping Dimensions (hwd / cm)       | 20.32 x 25.40 x 1.27            |
| Shipping Weight (lbs.)               | 0.40                            |
| Shipping Weight (kg)                 | 0.18                            |
| Color                                | Green                           |
| Wire Type                            | Stranded                        |
| Snagless Connector                   | Yes                             |
| Cable Shielding                      | UTP                             |
| <b>COMMUNICATIONS</b>                |                                 |
| Network Speed                        | 1Gbps                           |
| <b>CONNECTIONS</b>                   |                                 |
| Side A - Connector 1                 | RJ45 (MALE)                     |
| Side B - Connector 1                 | RJ45 (MALE)                     |
| <b>FEATURES &amp; SPECIFICATIONS</b> |                                 |
| Technology                           | Cat6                            |
| <b>CERTIFICATIONS</b>                |                                 |
| Certifications                       | RoHS-Compliant                  |
| Approvals                            | EIA/TIA Cat6 TIA/EIA- 568-B-2.1 |
| <b>WARRANTY</b>                      |                                 |
| Product Warranty Period (Worldwide)  | Lifetime limited warranty       |



**Tripp Lite**  
1111 W. 35th Street  
Chicago, IL 60609 USA  
Telephone: 773.869.1234  
[www.tripplite.com](http://www.tripplite.com)

not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice.

Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies:

<https://www.tripplite.com/products/product-certification-agencies>